

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
10 September 2004 (10.09.2004)


PCT

(10) International Publication Number  
**WO 2004/076682 A2**

- (51) International Patent Classification<sup>7</sup>: **C12Q**
- (21) International Application Number:  
PCT/US2004/006020
- (22) International Filing Date: 26 February 2004 (26.02.2004)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/450,886 26 February 2003 (26.02.2003) US
- (71) Applicant: **SURROMED, INC.** [US/US]; 2375 Garcia Avenue, Mountain View, CA 94043 (US).
- (72) Inventors: **AXENOVICH, Sergey, A.**; 635 South B Street, Apt. 4, San Mateo, CA 94401 (US). **STULL, Robert**; 1519 Fifth Street, Alameda, CA 94501 (US). **GELMAN, Marina**; 159 19th Avenue, Apt.1, San Francisco, CA 94121 (US). **CHUI, Kitty**; 1639 46th Avenue, San Francisco, CA 94122 (US). **NG, Dean**; 538 Trinidad Lane, Foster City, CA 94404 (US).
- (74) Agents: **SEBOR, Angela, Dallas et al.**; Sheridan Ross P.C., 1560 Broadway, Suite 1200, Denver, CO 80202-5141 (US).
- (81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:  
— *without international search report and to be republished upon receipt of that report*

[Continued on next page]

(54) Title: **TARGETS FOR CONTROLLING CELLULAR GROWTH AND FOR DIAGNOSTIC METHODS**



(57) Abstract: A method of identifying a compound that induces apoptosis is disclosed. The method includes identifying compounds that inhibit the expression and/or activity of a target. Also disclosed are methods for inducing apoptosis by inhibiting one of the targets. The invention further includes methods for the diagnosis of a tumor that include determining the level of at least one of the targets as a biomarker in a patient sample, the level of the biomarker being indicative of the presence of tumor cells.



*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## TARGETS FOR CONTROLLING CELLULAR GROWTH AND FOR DIAGNOSTIC METHODS

### FIELD OF THE INVENTION

5           The present invention relates to methods for inducing apoptosis in cells by inhibiting targets involved in the suppression of apoptosis, and to identifying compounds useful in such methods. The present invention also relates to methods for the diagnosis of cancer in a patient using the targets identified by the present invention as biomarkers.

### 10   BACKGROUND OF THE INVENTION

          The p53 tumor suppressor protein is an essential component in the regulation of the cell cycle, senescence, and programmed cell death (apoptosis). This protein regulates transcription of many genes in response to DNA damage and various transforming stimuli. The functional inactivation of p53 can occur through the action of viral  
15   oncoproteins, or through over-expression of the hdm2 (human) or mdm2 (murine) oncogene protein. Additional tumor suppressors, such as the p14<sup>ARF</sup> product of the INK4a gene, regulate the functional activity of p53. In the case of p14<sup>ARF</sup>, the suppressor interacts with hdm2 and thereby prevents the mentioned oncoprotein from inhibiting p53. An alternative translation product of the INK4a locus, p16INK4a, a cyclin-dependent  
20   kinase inhibitor, also contributes to normal growth control through its regulation of the Rb pathway.

          When regulation of the cell cycle, senescence, and apoptosis is not functioning properly, uncontrolled cell growth and tumor formation occurs. Because of the complicated regulation of these cell functions, there are many potential points in a variety  
25   of regulatory pathways of a cell for intervention. By inhibiting the expression of genes important to cell growth and to suppression of apoptosis or the proteins encoded by them, it is possible to induce control cell growth and apoptosis in a cell, thereby preventing tumor formation. Once such genes or proteins are identified as targets, assays can be conducted for drug discovery to find inhibitors suitable for use as therapeutic agents. In  
30   addition, such genes or proteins are useful as markers of tumor formation.

          There is an ongoing need to identify new targets and develop new assays for the identification of therapeutic compounds useful in the control of cell growth and tumor formation.

## SUMMARY OF THE INVENTION

This invention provides methods for identifying compounds that induce apoptosis by inhibiting target genes or gene products involved in the control of cell growth. The present invention also includes a method for inducing apoptosis in a cell by inhibiting such a target gene or gene product by, in one embodiment, contacting cells susceptible to uncontrolled growth with an inhibitory compound in an amount sufficient to inhibit said biochemical activity or expression. More particularly, targets of the present invention include any of the genes or gene products set forth in Table 1, which can also be identified as genes and gene products comprising SEQ ID NOs:1-80 (with odd numbered identifiers referring to nucleic acid sequences and even numbered identifiers referring to amino acid sequences).

In one embodiment, the present invention relates to a method of identifying a compound that induces apoptosis in a cell that includes contacting the cell with a putative apoptosis-inducing compound and determining whether the compound inhibits the expression and/or activity of a target selected from the group consisting of any of the targets listed in Table 1 (or comprising any of SEQ ID NOs:1-80). The target can have been validated as being involved in tumor cell growth, such as by a process of inhibiting the target in a cell by a method selected from gene knock-out, anti-sense oligonucleotide expression, use of RNAi molecules and GSE expression, or assaying the cell for the ability of the cell to grow. The cell can be a tumor cell line. The step of determining can be selected from assaying for reduced expression of the target and assaying for reduced activity of the target. The expression of the target can be measured by methods including, but not limited to, polymerase chain reaction or by using an antibody that specifically recognizes the target. The activity of the target can be measured by methods including, but not limited to, measuring the amount of a product generated in a biochemical reaction mediated by the target or by measuring the amount of a substrate consumed in a biochemical reaction mediated by the target. The inhibitor can be identified by methods including, but not limited to, determining the three-dimensional structure of the target or by determining the three-dimensional structure of an inhibitor by using computer software capable of modeling the interaction of the target and putative test compounds.

Another embodiment of the present invention is a method for inducing apoptosis in a cell by inhibiting a target selected from any of the genes or products encoded thereby



listed in Table 1 (also represented herein as genes or gene products comprising any of SEQ ID NOs:1-80).

5 A further embodiment of the present invention is a method for the diagnosis of a tumor that includes determining the level of a biomarker selected from any of the genes or products encoded thereby listed in Table 1 (also represented herein as genes or gene products comprising any of SEQ ID NOs:1-80) in a patient test sample. In this method, the level of the biomarker is indicative of the presence of tumor cells. The presence of the biomarker at an increased level as compared to a normal baseline control is an indication of the presence a tumor, a possible predisposition to such tumor or a susceptibility to an anti-cancer therapeutic treatment. The level of the biomarker can be determined by conventional methods such as expression assays to determine the level of expression of the gene, by biochemical assays to determine the level of the gene product, or by immunoassays. In one embodiment of this method, the level of the biomarker can be determined by identifying the biomarker as a cell surface molecule in tissue or by detecting the biomarker in soluble form in a bodily fluid, such as serum, that can be immobilized. The biomarker level can be determined by contacting a patient test sample with an antibody, or a fragment thereof, that binds specifically to the biomarker and determining whether the anti-biomarker antibody or fragment has bound to the biomarker. The biomarker level can be determined by using a first monoclonal antibody that binds specifically to the biomarker and a second antibody that binds to the first antibody. This method can be used to determine the prognosis for cancer in the patient or to determine the susceptibility of the patient to a therapeutic treatment.

#### BRIEF DESCRIPTION OF THE DRAWINGS OF THE INVENTION

- 25 Fig. 1 illustrates a schematic of the features of the V98 vector.  
Fig. 2 illustrates a schematic drawing of the construction of the V87 vector.  
Fig. 3 illustrates a schematic drawing of the construction of the V98 vector

#### DETAILED DESCRIPTION OF THE INVENTION

- 30 The present invention includes methods for identifying protective compounds that control cell growth and induce apoptosis by using genes that encode products that are necessary for protecting cells from apoptosis as targets in the design of therapeutic agents. The invention further includes compounds for use in the treatment or prevention of tumor

growth. Such compounds include chemical compounds and biological compounds. Chemical compounds or biological compounds include any chemical or biological compound that disrupts or inhibits one or more biological functions required for controlling cell growth. Preferred chemical compounds include small molecule inhibitor  
5 or substrate compounds, such as products of chemical combinatorial libraries. Preferred biological compounds include peptides, anti-sense molecules and antibodies.

The invention also includes methods for the diagnosis of cancer or for a prognosis of cancer or for determination of susceptibility to cancer treatments, by determining the level of expression of target genes and proteins of the present invention (also referred to  
10 as tumor antigens (TAGs)) in patient samples. The targets may originate from different parts of the cell and may be cell surface proteins, intracellular proteins or proteins that are secreted from the cell. There is a distinction between tissue, individual and species-specific cellular markers that may also be present physiologically as differentiation antigens on cells. There may be targets that are intermediate products released, over  
15 expressed or under expressed during the growth of a tumor cell type which can change upon further differentiation. The level of the target gene or protein can be determined by conventional methods such as expression assays to determine the level of expression of the gene, by biochemical assays to determine the level of the gene product, or by immunoassays. If appropriate, the marker can be identified as a cell surface molecule in  
20 tissue or in a bodily fluid, such as serum. These methods are described in detail below. The present invention provides much needed markers that permit an improved and more specific diagnosis of cancer, including the possible distinction between various tumor types, the prediction of tumor formation and the patient susceptibility to certain known cancer treatments.

25 The present invention is based, in part, on the present inventors' isolation of certain GSEs from human cells that prevent cell growth, and the discovery that such nucleic acid molecules correspond to fragments of certain genes. In that regard, any cellular phenotype or protein associated with cell growth can be used to select for such nucleic acid molecules or proteins encoded thereby.

30 More specifically, targets of the present invention have been identified as corresponding to genetic suppressor elements (GSEs) that control cell growth. The GSX™ System technology allows rapid screening for the inhibitors of gene function in the form of genetic suppressor elements. Briefly, a Genetic Suppressor Element (GSE), is

a gene fragment, which, when expressed in cells, acts as a genetic inhibitor of the corresponding intact gene in those cells. A GSE can exert its effect through either an antisense, or a dominant negative peptide mechanism. GSEs are selected from libraries of DNA fragments, generated by random breakage of sets of test genes, cloned in a retroviral or other expression vector. The RFL clones are introduced into a population of test cells at approximately one test fragment per cell. Cells with a desired new phenotype, resulting from the expression of a GSE, are isolated on the basis of any selectable parameter. The GSEs are recovered from the selected cells and characterized by DNA sequence analysis and further functional assays.

GSEs having the ability to control cell growth can be functional in the sense orientation (and encode a peptide thereby), and can be functional in the antisense orientation (and encode antisense RNAs thereby). These GSEs are believed to down-regulate the corresponding gene from which they were derived by different mechanisms. Such a corresponding gene is referred to herein as a "target gene" and its product (*i.e.*, protein encoded by the coding region of the gene) is referred to as a "target product" or "target protein". As used herein, the term "target" alone can refer collectively to a target gene and its corresponding target product, or to useful portions thereof. Sense-oriented GSEs exert their effects as transdominant mutants or RNA decoys. Transdominant mutants are expressed proteins or peptides that competitively inhibit the normal function of a wild-type protein in a dominant fashion. RNA decoys are protein binding sites that titrate out these wild-type proteins. Anti-sense oriented GSEs exert their effects as antisense RNA molecules, *i.e.*, nucleic acid molecules complementary to the mRNA of the target gene. These nucleic acid molecules bind to mRNA and block the translation of the mRNA. In addition, some antisense nucleic acid molecules can act directly at the DNA level to inhibit transcription.

Specific targets of the present invention are shown below in the Examples section in Table 1. The targets include the genes and products of the genes or any useful portion thereof. Methods of the present invention for identifying therapeutic compounds by identifying an inhibitor of a target include identifying an inhibitor of: a target gene from Table 1, as well as target products encoded by any of the foregoing. Diagnostic methods for detecting cancer in a patient include detection of a target gene from Table 1, as well as target products encoded by any of the foregoing, and useful portions thereof. More specifically, the targets of the present invention include genes comprising all or a portion

of any of the nucleic acid sequences represented by SEQ ID NOs: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, 37, 39, 41, 43, 45, 47, 49, 51, 53, 55, 57, 59, 61, 63, 65, 67, 69, 71, 73, 75, 77, or 79. These nucleic acid molecules encode the following target proteins, respectively: angio-associated, migratory cell protein (AAMP; SEQ ID

5 NO:2), a disintegrin and metalloproteinase domain 8 (ADAM8; SEQ ID NO:4), a disintegrin-like and metalloprotease (reporlysin type) with thrombospondin type 1 motif, 17 (ADAMTS17; SEQ ID NO:6), adenylate cyclase 3 (ADCY3; SEQ ID NO:8), adrenergic beta receptor kinase 1 (ADRBK1; SEQ ID NO:10), bladder cancer associated protein (BLCAP; SEQ ID NO:12), chromosome 22 open reading frame 5 (C22orf5; SEQ

10 ID NO:14), CD81 antigen (target of antiproliferative antibody 1 (CD81; SEQ ID NO:16), CD9 antigen (p24) (CD9; SEQ ID NO:18), claudin 4 (CLDN4; SEQ ID NO:20), chloride intracellular channel 1 (CLIC1; SEQ ID NO:22), collagen, type VI, alpha 2 (COL6A2; SEQ ID NO:24), CTL2 (CTL2; SEQ ID NO:26), endothelin converting enzyme 1 (ECE1; SEQ ID NO:28), ephrin-B1 (EFNB1; SEQ ID NO:30), flotillin 2 (FLOT2; SEQ ID

15 NO:32), intercellular adhesion molecule 3 (ICAM3; SEQ ID NO:34), iduronate 2-sulfatase (Hunter syndrome) (IDS; SEQ ID NO:36), jagged 2 (JAG2; SEQ ID NO:38), junctional adhesion molecule 1 (JAM1; SEQ ID NO:40), lectin, galactoside-binding soluble 3 binding protein (LGALS3BP; SEQ ID NO:42), similar to possible G-protein receptor (LOC146330; SEQ ID NO:44), CGI-78 protein (LOC51107; SEQ ID NO:46),

20 lipoprotein lipase (LPL; SEQ ID NO:48), low density lipoprotein receptor-related protein 5 (LRP5; SEQ ID NO:50), Lutheran blood group (Auberger b antigen included) (LU; SEQ ID NO:52), membrane component, chromosome 11, surface marker 1 (M11S1; SEQ ID NO:54), serum constituent protein (MSE55; SEQ ID NO:56), neuropathy target esterase (NTE; SEQ ID NO:58), Homo sapiens cDNA FL31043 fis, clone

25 HSYRA2000248 (PLEXIN A1) or Homo sapiens cDNA FLJ44113 fis, clone TESTI4046487, highly similar to Mus musculus plexin A1 (PLXNA1; SEQ ID NO:60), protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF), interacting protein (liprin), alpha 3 (PPFIA3; SEQ ID NO:62), Homo sapiens peptide-histidine transporter 4 (PTR4), mRNA (PTR4; SEQ ID NO:64), solute carrier family 16 (monocarboxylic acid

30 transporters) member 3 (SLC16A3; SEQ ID NO:66), solute carrier family 1 (neutral amino acid transporter) member 5 (SLC1A5; SEQ ID NO:68), solute carrier family 39 (zinc transporter) member 3 (SLC39A1; SEQ ID NO:70), serine protease inhibitor, Kunitz type 2 (SPINT2; SEQ ID NO:72), stanniocalcin 2 (STC2; SEQ ID NO:74), tumor

necrosis receptor superfamily member 21 (TNFRSF21; SEQ ID NO:76), tumor rejection antigen (gp96) 1 (TRA1; SEQ ID NO:78), and transient receptor potential cation channel, subfamily M member 4 (TRPM4; SEQ ID NO:80). In any of the assays described herein, one can use a full-length gene, including a regulatory region of the gene, or a nucleic acid molecule encoding the gene product (protein encoded by the gene) or any fragment of such nucleic acid molecules, or any gene product or fragment thereof that is suitable for use in an assay to identify inhibitors of the target for the purpose of regulating apoptosis or inhibition of tumor growth, or to detect cancer in a patient sample.

In one embodiment of the invention, the down-regulation of the concentration or activity of a target gene or product by an inhibitor (including a GSE) depletes a cellular component required for protecting cells from apoptosis resulting in control of cell growth. In another embodiment of the invention, the down-regulation of the concentration or activity of one target gene or product by an inhibitor (including a GSE) depletes a cellular component that interacts with another gene or gene product required for protecting cells from apoptosis resulting in control of cell growth. In a preferred embodiment of the invention, the two genes are members of the same biological pathway and one gene or gene product regulates the expression or activity of the other gene or gene product. In another preferred embodiment of the invention, the two genes are members of the same biological pathway and the substrate of a protein encoded by one gene is a product of a biochemical reaction mediated by the protein encoded by the other gene. In still another preferred embodiment of the invention, the two genes are members of the same biological pathway and the product of a protein encoded by one gene is a substrate of a biochemical reaction mediated by the protein encoded by the other gene. In another embodiment, the two genes encode proteins that are isozymes of each other. In a preferred embodiment, at least one of the genes encodes an enzyme.

Target genes or proteins identified using GSEs can be further evaluated using a variety of methods to validate their involvement in cell growth, suppression of apoptosis and tumor formation. Such methods include methods that disrupt or "knock out" the expression of a target gene in a cell capable of apoptosis. Knock-out methods include somatic cell knock-outs and inhibitory RNA molecules including anti-sense oligonucleotides, siRNA molecules, RNAi molecules and RNA decoys. Target genes or proteins can also be evaluated by methods that include nucleic acid-based experiments such as Northern Blots, Real Time polymerase chain reaction or high density microarrays.

Further evaluation can also be achieved using human/mouse xenograft models. For example, human tumor cells can be transfected with a GSE such that the GSE is expressed. Preferred tumor cells include HCT15, HT29, HCT116, SW480 and SW620 and MDA-MB-231 (*e.g.*, *see* Examples). The transfected cells can then be implanted into mice, preferably nude mice. The growth of the tumor cells in the mouse can then be measured.

Once a gene has been identified as a potential target for supporting cell growth, assays can be used for associating a potential target with different tumor types. These assays include determining gene and protein expression of potential targets in different tumor cell types at different points of differentiation. Another assay can include determining the presence of a potential marker in patient samples using standard protein detection methods known to those of skill in the art. Targets that have been associated with cancer are also referred to as biomarkers. Preferred biomarkers of the present invention are listed in Table 1 (*see* Examples section).

Once one or more members of a biological pathway are identified as required for cell growth, the present invention can include identifying additional members of a biological pathway that are also required for cell growth. Such subsequent identification is within the skill of one in the art. GSEs, and therefore preferred targets of the present invention, are identified by selecting cells that exhibit certain hallmarks of apoptosis upon expression of the GSEs. Isolated GSEs are further prioritized based on their specificity for a neoplastic transformation state, such as their activity in transformed and non-transformed cells, and based on the p53 pathway status in cells expressing the GSEs. For example, GSEs can be prioritized by determining if the GSEs have activity in a p53 dependent and/or independent manner. GSEs specific for the neoplastic transformation state are preferred for identifying targets for anti-cancer drugs.

It will be understood that this invention is not limited to the particular methodology, protocols, cell lines, animal species or genera, constructs, or reagents described herein, as such may vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the invention that will be limited only by the appended claims. All technical and scientific terms used herein have the same meaning as commonly understood to one of ordinary skill in the art to which this invention belongs unless clearly indicated otherwise.

As used herein, the term "isolated nucleic acid molecule" refers to a nucleic acid molecule that has been removed from its natural milieu (*i.e.*, a molecule that has been subject to human manipulation) and can include DNA, RNA, or derivatives of either DNA or RNA. An isolated nucleic acid molecule can be isolated from its natural source or can be produced using recombinant DNA technology (*e.g.*, polymerase chain reaction amplification) or chemical synthesis. Isolated nucleic acid molecules include natural nucleic acid molecules and homologs thereof, including, but not limited to, natural allelic variants and modified nucleic acid molecules in which nucleotides have been inserted, deleted, substituted, or inverted in such a manner that such modifications do not substantially interfere with the nucleic acid molecule's ability to control cell growth or encode a protein that controls cell growth.

It should also be appreciated that reference to an isolated nucleic acid molecule does not necessarily reflect the extent of purity of the nucleic acid molecule. Nucleic acid molecules can be isolated and obtained in substantial purity, generally as other than an intact chromosome. Usually, the nucleic acid molecule will be obtained substantially free of other nucleic acid sequences, generally being at least about 50%, and usually at least about 90% pure. Although the phrase "nucleic acid molecule" primarily refers to the physical nucleic acid molecule and the phrase "nucleic acid sequence" primarily refers to the sequence of nucleotides on the nucleic acid molecule, the two phrases can be used interchangeably.

According to the invention, reference to an "isolated nucleic acid molecule" refers to a nucleic acid molecule that is the size of or is smaller than a gene. Thus, an isolated nucleic acid molecule does not encompass isolated total genomic DNA or an isolated chromosome. As used herein, the term "gene" has the meaning that is well known in the art, that is, a nucleic acid sequence that includes the translated sequences that code for a protein ("exons") and the untranslated intervening sequences ("introns"), and any regulatory elements necessary to transcribe and/or translate the protein. Included in the invention are nucleic acid molecules that are less than a full-length gene or less than a full-length coding sequence, such as fragments of a gene or coding sequence comprising, consisting essentially of, or consisting of, for example, a fragment of any of the nucleic acid sequences for target genes described in the present invention. A coding sequence can include genomic DNA without introns, cDNA or RNA that encodes a protein. An isolated nucleic acid molecule can also include a specified nucleic acid sequence flanked

by (*i.e.*, at the 5' and/or the 3' end of the sequence) additional nucleic acids that do not normally flank the specified nucleic acid sequence in nature (*i.e.*, are heterologous sequences).

In one embodiment, an isolated nucleic acid molecule useful in a method of the present invention is produced using recombinant DNA technology (*e.g.*, polymerase chain reaction (PCR) amplification, cloning) or chemical synthesis. A nucleic acid molecule homologue can be produced using a number of methods known to those skilled in the art (see, for example, Sambrook et al., *ibid.*). For example, nucleic acid molecules can be modified using a variety of techniques including, but not limited to, classical mutagenesis techniques and recombinant DNA techniques, such as site-directed mutagenesis, chemical treatment of a nucleic acid molecule to induce mutations, restriction enzyme cleavage of a nucleic acid fragment, ligation of nucleic acid fragments, PCR amplification and/or mutagenesis of selected regions of a nucleic acid sequence, synthesis of oligonucleotide mixtures and ligation of mixture groups to "build" a mixture of nucleic acid molecules and combinations thereof. Nucleic acid molecule homologues can be selected from a mixture of modified nucleic acids by screening for the function of the protein encoded by the nucleic acid and/or by hybridization with a wild-type gene.

The term isolated nucleic acid molecule does not necessarily connote any specific minimum length unless set forth by reference to a minimum number of nucleotides or by a function of the nucleic acid molecule. The minimum size of a nucleic acid molecule of the present invention is generally a size sufficient to encode a protein having the desired biological activity, a size sufficient to inhibit the expression and/or activity of a target as described herein (*e.g.*, as in a GSE), a size sufficient for use in a screening assay or diagnostic method of the invention, or a size sufficient to form a probe or oligonucleotide primer that is capable of forming a stable hybrid with the complementary sequence of a nucleic acid molecule. As such, the size of a nucleic acid molecule of the present invention can be dependent on nucleic acid composition and percent homology or identity between the nucleic acid molecule and complementary sequence as well as upon hybridization conditions *per se* (*e.g.*, temperature, salt concentration, and formamide concentration) and the intended use of the nucleic acid molecule. The minimal size of a nucleic acid molecule that is used as an oligonucleotide primer or as a probe is typically at least about 12 to about 15 nucleotides in length if the nucleic acid molecules are GC-rich and at least about 15 to about 18 bases in length if they are AT-rich. There is no



limit, other than a practical limit, on the maximal size of a nucleic acid molecule of the present invention, in that the nucleic acid molecule can include a fragment of a gene, a portion of a protein encoding sequence, or a nucleic acid sequence encoding a full-length protein (including a complete gene).

5           Some embodiments of the present invention may include the production and/or use of a recombinant nucleic acid molecule comprising a recombinant vector and a nucleic acid molecule comprising a nucleic acid sequence encoding a gene or fragment thereof as described herein. According to the present invention, a recombinant vector is an engineered (*i.e.*, artificially produced) nucleic acid molecule that is used as a tool for  
10   manipulating a nucleic acid sequence of choice and for introducing such a nucleic acid sequence into a host cell. The recombinant vector is therefore suitable for use in cloning, sequencing, and/or otherwise manipulating the nucleic acid sequence of choice, such as by expressing and/or delivering the nucleic acid sequence of choice into a host cell to form a recombinant cell. Such a vector typically contains heterologous nucleic acid  
15   sequences, that is nucleic acid sequences that are not naturally found adjacent to nucleic acid sequence to be cloned or delivered, although the vector can also contain regulatory nucleic acid sequences (*e.g.*, promoters, untranslated regions) which are naturally found adjacent to nucleic acid molecules of the present invention or which are useful for expression of the nucleic acid molecules of the present invention (discussed in detail  
20   below). The vector can be either RNA or DNA, either prokaryotic or eukaryotic, and typically is a plasmid. The vector can be maintained as an extrachromosomal element (*e.g.*, a plasmid) or it can be integrated into the chromosome of a recombinant organism (*e.g.*, a microbe or a plant). The entire vector can remain in place within a host cell, or under certain conditions, the plasmid DNA can be deleted, leaving behind the nucleic  
25   acid molecule of the present invention. The integrated nucleic acid molecule can be under chromosomal promoter control, under native or plasmid promoter control, or under a combination of several promoter controls. Single or multiple copies of the nucleic acid molecule can be integrated into the chromosome. A recombinant vector of the present invention can contain at least one selectable marker.

30           In one embodiment, a recombinant vector used in a recombinant nucleic acid molecule of the present invention is an expression vector. As used herein, the phrase "expression vector" is used to refer to a vector that is suitable for production of an encoded product (*e.g.*, a protein of interest). In this embodiment, a nucleic acid sequence

encoding the product to be produced is inserted into the recombinant vector to produce a recombinant nucleic acid molecule. The nucleic acid sequence encoding the protein to be produced is inserted into the vector in a manner that operatively links the nucleic acid sequence to regulatory sequences in the vector that enable the transcription and translation of the nucleic acid sequence within the recombinant host cell.

In another embodiment, a recombinant vector used in a recombinant nucleic acid molecule of the present invention is a targeting vector. As used herein, the phrase "targeting vector" is used to refer to a vector that is used to deliver a particular nucleic acid molecule into a recombinant host cell, wherein the nucleic acid molecule is used to delete or inactivate an endogenous gene within the host cell or microorganism (*i.e.*, used for targeted gene disruption or knock-out technology). Such a vector may also be known in the art as a "knock-out" vector. In one aspect of this embodiment, a portion of the vector, but more typically, the nucleic acid molecule inserted into the vector (*i.e.*, the insert), has a nucleic acid sequence that is homologous to a nucleic acid sequence of a target gene in the host cell (*i.e.*, a gene which is targeted to be deleted or inactivated). The nucleic acid sequence of the vector insert is designed to bind to the target gene such that the target gene and the insert undergo homologous recombination, whereby the endogenous target gene is deleted, inactivated or attenuated (*i.e.*, by at least a portion of the endogenous target gene being mutated or deleted).

Typically, a recombinant nucleic acid molecule includes at least one nucleic acid molecule of the present invention operatively linked to one or more expression control sequences, including transcription control sequences and translation control sequences. As used herein, the phrase "recombinant molecule" or "recombinant nucleic acid molecule" primarily refers to a nucleic acid molecule or nucleic acid sequence operatively linked to an expression control sequence, but can be used interchangeably with the phrase "nucleic acid molecule", when such nucleic acid molecule is a recombinant molecule as discussed herein. According to the present invention, the phrase "operatively linked" refers to linking a nucleic acid molecule to an expression control sequence (*e.g.*, a transcription control sequence and/or a translation control sequence) in a manner such that the molecule is able to be expressed when transfected (*i.e.*, transformed, transduced, transfected, conjugated or conducted) into a host cell. Transcription control sequences are sequences that control the initiation, elongation, or termination of transcription. Particularly important transcription control sequences are those that control transcription

initiation, such as promoter, enhancer, operator and repressor sequences. Suitable transcription control sequences include any transcription control sequence that can function in a host cell or organism into which the recombinant nucleic acid molecule is to be introduced.

5           According to the present invention, the term "transfection" is used to refer to any method by which an exogenous nucleic acid molecule (*i.e.*, a recombinant nucleic acid molecule) can be inserted into a cell. The term "transformation" can be used interchangeably with the term "transfection" when such term is used to refer to the introduction of nucleic acid molecules into microbial cells. In microbial systems, the  
10       term "transformation" is used to describe an inherited change due to the acquisition of exogenous nucleic acids by the microorganism and is essentially synonymous with the term "transfection." However, in animal cells, transformation has acquired a second meaning that can refer to changes in the growth properties of cells in culture (described above) after they become cancerous, for example. Therefore, to avoid confusion, the  
15       term "transfection" is preferably used with regard to the introduction of exogenous nucleic acids into animal cells, including human cells, and is used herein to generally encompass transfection of animal cells and transformation of microbial cells, to the extent that the terms pertain to the introduction of exogenous nucleic acids into a cell. Therefore, transfection techniques include, but are not limited to, transformation,  
20       chemical treatment of cells, particle bombardment, electroporation, microinjection, lipofection, adsorption, infection and protoplast fusion.

          A recombinant cell is preferably produced by transforming a host cell with one or more recombinant molecules, each comprising one or more nucleic acid molecules operatively linked to an expression vector containing one or more expression control  
25       sequences.

          "Hybridization" has the meaning that is well known in the art, that is, the formation of a duplex structure by two single-stranded nucleic acids due to complementary base pairing. Hybridization can occur between exactly complementary nucleic acid strands or between nucleic acid strands that contain some regions of  
30       mismatch. As used herein, reference to hybridization conditions refers to standard hybridization conditions under which nucleic acid molecules are used to identify similar nucleic acid molecules. Such standard conditions are disclosed, for example, in Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Labs

Press, 1989. Sambrook et al., *ibid.*, is incorporated by reference herein in its entirety (see specifically, pages 9.31-9.62). In addition, formulae to calculate the appropriate hybridization and wash conditions to achieve hybridization permitting varying degrees of mismatch of nucleotides are disclosed, for example, in Meinkoth et al., 1984, *Anal. Biochem.* 138, 267-284; Meinkoth et al., *ibid.*, is incorporated by reference herein in its entirety. "Stringent hybridization" has a meaning well-established in the art, that is, hybridization performed at a salt concentration of no more than 1M and a temperature of at least 25 degrees Celsius. For example, conditions of 5X SSPE (750 mM NaCl, 50 mM Sodium Phosphate, 5 mM EDTA, pH 7.4) and a temperature of 55 degrees to 60 degrees Celsius are suitable. For example, in one embodiment, "moderately stringent conditions" can be defined as hybridizations carried out as described above, followed by washing in 0.2X SSC and 0.1% SDS at 42 degrees Celsius (Ausubel et al., 1989, *Current Protocols for Molecular Biology*, *ibid.*).

More particularly, moderate stringency hybridization and washing conditions, as referred to herein, refer to conditions which permit isolation of nucleic acid molecules having at least about 70% nucleic acid sequence identity with the nucleic acid molecule being used to probe in the hybridization reaction (*i.e.*, conditions permitting about 30% or less mismatch of nucleotides). High stringency hybridization and washing conditions, as referred to herein, refer to conditions which permit isolation of nucleic acid molecules having at least about 80% nucleic acid sequence identity with the nucleic acid molecule being used to probe in the hybridization reaction (*i.e.*, conditions permitting about 20% or less mismatch of nucleotides). Very high stringency hybridization and washing conditions, as referred to herein, refer to conditions which permit isolation of nucleic acid molecules having at least about 90% nucleic acid sequence identity with the nucleic acid molecule being used to probe in the hybridization reaction (*i.e.*, conditions permitting about 10% or less mismatch of nucleotides). As discussed above, one of skill in the art can use the formulae in Meinkoth et al., *ibid.* to calculate the appropriate hybridization and wash conditions to achieve these particular levels of nucleotide mismatch. Such conditions will vary, depending on whether DNA:RNA or DNA:DNA hybrids are being formed. Calculated melting temperatures for DNA:DNA hybrids are 10°C less than for DNA:RNA hybrids. In particular embodiments, stringent hybridization conditions for DNA:DNA hybrids include hybridization at an ionic strength of 6X SSC (0.9 M Na<sup>+</sup>) at a temperature of between about 20°C and about 35°C (low stringency), more preferably,

between about 28°C and about 42°C (more stringent), and even more preferably, between about 35°C and about 45°C (even more stringent), with appropriate wash conditions. In particular embodiments, stringent hybridization conditions for DNA:RNA hybrids include hybridization at an ionic strength of 6X SSC (0.9 M Na<sup>+</sup>) at a temperature of  
5 between about 30°C and about 45°C, more preferably, between about 38°C and about 50°C, and even more preferably, between about 45°C and about 55°C, with similarly stringent wash conditions. These values are based on calculations of a melting temperature for molecules larger than about 100 nucleotides, 0% formamide and a G + C content of about 40%. Alternatively, T<sub>m</sub> can be calculated empirically as set forth in  
10 Sambrook et al., *supra*, pages 9.31 to 9.62. In general, the wash conditions should be as stringent as possible, and should be appropriate for the chosen hybridization conditions. For example, hybridization conditions can include a combination of salt and temperature conditions that are approximately 20-25°C below the calculated T<sub>m</sub> of a particular hybrid, and wash conditions typically include a combination of salt and temperature conditions  
15 that are approximately 12-20°C below the calculated T<sub>m</sub> of the particular hybrid. One example of hybridization conditions suitable for use with DNA:DNA hybrids includes a 2-24 hour hybridization in 6X SSC (50% formamide) at about 42°C, followed by washing steps that include one or more washes at room temperature in about 2X SSC, followed by additional washes at higher temperatures and lower ionic strength (*e.g.*, at least one wash  
20 as about 37°C in about 0.1X-0.5X SSC, followed by at least one wash at about 68°C in about 0.1X-0.5X SSC).

In one embodiment of the present invention, any amino acid sequence described herein can be produced with from at least one, and up to about 20, additional heterologous amino acids flanking each of the C- and/or N-terminal ends of the specified  
25 amino acid sequence. The resulting protein or polypeptide can be referred to as "consisting essentially of" the specified amino acid sequence. According to the present invention, the heterologous amino acids are a sequence of amino acids that are not naturally found (*i.e.*, not found in nature, *in vivo*) flanking the specified amino acid sequence, or that are not related to the function of the specified amino acid sequence, or  
30 that would not be encoded by the nucleotides that flank the naturally occurring nucleic acid sequence encoding the specified amino acid sequence as it occurs in the gene, if such nucleotides in the naturally occurring sequence were translated using standard codon

usage for the organism from which the given amino acid sequence is derived. Similarly, the phrase "consisting essentially of", when used with reference to a nucleic acid sequence herein, refers to a nucleic acid sequence encoding a specified amino acid sequence that can be flanked by from at least one, and up to as many as about 60, additional heterologous nucleotides at each of the 5' and/or the 3' end of the nucleic acid sequence encoding the specified amino acid sequence. The heterologous nucleotides are not naturally found (*i.e.*, not found in nature, *in vivo*) flanking the nucleic acid sequence encoding the specified amino acid sequence as it occurs in the natural gene or do not encode a protein that imparts any additional function to the protein or changes the function of the protein having the specified amino acid sequence.

As discussed above, one embodiment of the present invention relates to methods for identifying compounds that induce or increase or upregulate apoptosis in a cell by inhibiting genes or gene products involved in the control of cell growth. Once a gene has been identified as a target for supporting cell growth, an assay can be used for screening and selecting a chemical compound or a biological compound having activity as an anti-tumor therapeutic based on the ability of the compound to down-regulate expression of the gene or inhibit activity of its gene product. Reference herein to inhibiting a target, can refer to one or both of inhibiting expression of a target gene and inhibiting the translation and/or activity of its corresponding expression product. Such a compound can be referred to herein as therapeutic compound. For example, a cell line that naturally expresses the gene of interest or has been transfected with the gene or other recombinant nucleic acid molecule encoding the protein of interest is incubated with various compounds, also referred to as candidate compounds, test compounds, or putative regulatory compounds. A reduction of the expression of the gene of interest or an inhibition of the activities of its encoded product (*e.g.*, biological activity, which can include the involvement of the protein in the protection of the cell from apoptotic processes) may be used to identify a therapeutic compound. Therapeutic compounds identified in this manner can then be re-tested, if desired, in other assays to confirm their activities against cellular apoptotic processes.

In general, the biological activity or biological action of a protein refers to any function(s) exhibited or performed by the protein that is ascribed to the naturally occurring form of the protein as measured or observed *in vivo* (*i.e.*, in the natural physiological environment of the protein) or *in vitro* (*i.e.*, under laboratory conditions).

Modifications, activities or interactions which result in a decrease in protein expression or a decrease in the activity of the protein, can be referred to as inactivation (complete or partial), down-regulation, reduced action, or decreased action or activity of a protein. Similarly, modifications, activities or interactions which result in an increase in protein expression or an increase in the activity of the protein, can be referred to as amplification, overproduction, activation, enhancement, up-regulation or increased action of a protein. The biological activity of a protein according to the invention can be measured or evaluated using any assay for the biological activity of the protein as known in the art. Such assays can include, but are not limited to, binding assays, assays to determine internalization of the protein and/or associated proteins, enzyme assays, cell signal transduction assays (e.g., phosphorylation assays), and/or assays for determining downstream cellular events that result from activation or binding of the cell surface protein (e.g., expression of downstream genes, production of various biological mediators, etc.). The assay can also measure the ability of the protein to contribute to the regulation of apoptosis in a cell. Such assays are described in detail herein. According to the present invention, a biologically active fragment or homologue of a gene or protein maintains the ability to be useful in a method of the present invention. Therefore, the biologically active fragment or homologue maintains the ability to be used to identify regulators (e.g., inhibitors) of the native gene or protein when, for example, the biologically active fragment or homologue is expressed by a cell. Therefore, the biologically active fragment or homologue has a structure that is sufficiently similar to the structure of the native gene or protein that a regulatory compound can be identified by its ability to bind to and/or regulate the expression or activity of the fragment or homologue in a manner consistent with the regulation of the native gene or protein.

Compounds to be screened in the methods of the invention include known organic compounds such as antibodies, products of peptide libraries, and products of chemical combinatorial libraries. Compounds may also be identified using rational drug design relying on the structure of the product of a gene. Such methods are known to those of skill in the art and involve the use of three-dimensional imaging software programs. For example, various methods of drug design, useful to design or select mimetics or other therapeutic compounds useful in the present invention are disclosed in Maulik et al., 1997, *Molecular Biotechnology: Therapeutic Applications and Strategies*, Wiley-Liss, Inc., which is incorporated herein by reference in its entirety.

As used herein, a mimetic refers to any peptide or non-peptide compound that is able to mimic the biological action of a naturally occurring peptide, often because the mimetic has a basic structure that mimics the basic structure of the naturally occurring peptide and/or has the salient biological properties of the naturally occurring peptide.

5 Mimetics can include, but are not limited to: peptides that have substantial modifications from the prototype such as no side chain similarity with the naturally occurring peptide (such modifications, for example, may decrease its susceptibility to degradation); anti-idiotypic and/or catalytic antibodies, or fragments thereof; non-proteinaceous portions of an isolated protein (*e.g.*, carbohydrate structures); or synthetic or natural organic  
10 molecules, including nucleic acids and drugs identified through combinatorial chemistry, for example. Such mimetics can be designed, selected and/or otherwise identified using a variety of methods known in the art.

A mimetic can be obtained, for example, from molecular diversity strategies (a combination of related strategies allowing the rapid construction of large, chemically  
15 diverse molecule libraries), libraries of natural or synthetic compounds, in particular from chemical or combinatorial libraries (*i.e.*, libraries of compounds that differ in sequence or size but that have the similar building blocks) or by rational, directed or random drug design. *See* for example, Maulik et al., *supra*.

In a molecular diversity strategy, large compound libraries are synthesized, for  
20 example, from peptides, oligonucleotides, carbohydrates and/or synthetic organic molecules, using biological, enzymatic and/or chemical approaches. The critical parameters in developing a molecular diversity strategy include subunit diversity, molecular size, and library diversity. The general goal of screening such libraries is to utilize sequential application of combinatorial selection to obtain high-affinity ligands for  
25 a desired target, and then to optimize the lead molecules by either random or directed design strategies. Methods of molecular diversity are described in detail in Maulik, et al., *ibid*.

Maulik et al. also disclose, for example, methods of directed design, in which the user directs the process of creating novel molecules from a fragment library of  
30 appropriately selected fragments; random design, in which the user uses a genetic or other algorithm to randomly mutate fragments and their combinations while simultaneously applying a selection criterion to evaluate the fitness of candidate ligands; and a grid-based approach in which the user calculates the interaction energy between three dimensional



receptor structures and small fragment probes, followed by linking together of favorable probe sites.

As used herein, the term "test compound", "putative inhibitory compound" or "putative regulatory compound" refers to compounds having an unknown or previously unappreciated regulatory activity in a particular process. As such, the term "identify" with regard to methods to identify compounds is intended to include all compounds, the usefulness of which as a regulatory compound for the purposes of inhibiting cell growth is determined by a method of the present invention.

In one embodiment of the invention, inhibitors of cell growth are identified by exposing a target gene to a test compound; measuring the expression of a target; and selecting a compound that down-regulates (reduces, decreases, inhibits, blocks) the expression of the target. For example, the putative inhibitor can be exposed to a cell that expresses the target gene (endogenously or recombinantly). A preferred cell to use in an assay includes a mammalian cell that either naturally expresses the target gene or has been transformed with a recombinant form of the target gene, such as a recombinant nucleic acid molecule comprising a nucleic acid sequence encoding the target protein or a useful fragment thereof. Methods to determine expression levels of a gene are well known in the art.

The conditions under which a cell, cell lysate, nucleic acid molecule or protein of the present invention is exposed to or contacted with a putative regulatory compound, such as by mixing, are any suitable culture or assay conditions. In the case of a cell-based assay, the conditions include an effective medium in which the cell can be cultured or in which the cell lysate can be evaluated in the presence and absence of a putative regulatory compound. Cells of the present invention can be cultured in a variety of containers including, but not limited to, tissue culture flasks, test tubes, microtiter dishes, and petri plates. Culturing is carried out at a temperature, pH and carbon dioxide content appropriate for the cell. Such culturing conditions are also within the skill in the art. Cells are contacted with a putative regulatory compound under conditions which take into account the number of cells per container contacted, the concentration of putative regulatory compound(s) administered to a cell, the incubation time of the putative regulatory compound with the cell, and the concentration of compound administered to a cell. Determination of effective protocols can be accomplished by those skilled in the art based on variables such as the size of the container, the volume of liquid in the container,

conditions known to be suitable for the culture of the particular cell type used in the assay, and the chemical composition of the putative regulatory compound (*i.e.*, size, charge etc.) being tested. A preferred amount of putative regulatory compound(s) can comprise between about 1 nM to about 10 mM of putative regulatory compound(s) per well of a 96-well plate.

As used herein, the term "expression", when used in connection with detecting the expression of a target of the present invention, can refer to detecting transcription of the target gene and/or to detecting translation of the target protein encoded by the target gene. To detect expression of a target refers to the act of actively determining whether a target is expressed or not. This can include determining whether the target expression is upregulated as compared to a control, downregulated as compared to a control, or unchanged as compared to a control. Therefore, the step of detecting expression does not require that expression of the target actually is upregulated or downregulated, but rather, can also include detecting that the expression of the target has not changed (*i.e.*, detecting no expression of the target or no change in expression of the target). Expression of transcripts and/or proteins is measured by any of a variety of known methods in the art. For RNA expression, methods include but are not limited to: extraction of cellular mRNA and Northern blotting using labeled probes that hybridize to transcripts encoding all or part of one or more of the genes of this invention; amplification of mRNA expressed from one or more of the genes of this invention using gene-specific primers, polymerase chain reaction (PCR), and reverse transcriptase-polymerase chain reaction (RT-PCR), followed by quantitative detection of the product by any of a variety of means; extraction of total RNA from the cells, which is then labeled and used to probe cDNAs or oligonucleotides encoding all or part of the genes of this invention, arrayed on any of a variety of surfaces; *in situ* hybridization; and detection of a reporter gene. The term "quantifying" or "quantitating" when used in the context of quantifying transcription levels of a gene can refer to absolute or to relative quantification. Absolute quantification may be accomplished by inclusion of known concentration(s) of one or more target nucleic acids and referencing the hybridization intensity of unknowns with the known target nucleic acids (*e.g.* through generation of a standard curve). Alternatively, relative quantification can be accomplished by comparison of hybridization signals between two or more genes, or between two or more treatments to quantify the changes in hybridization intensity and, by implication, transcription level.

In a preferred embodiment, the expression of the target gene is measured by the polymerase chain reaction. In another embodiment, the expression of the target gene is measured using polyacrylamide gel analysis, chromatography or spectroscopy.

In another preferred embodiment, the expression of the target gene is measured by measuring the production of the encoded protein (measuring translation of the protein). Measurement of translation of a protein includes any suitable method for detecting and/or measuring proteins from a cell or cell extract. Such methods include, but are not limited to, immunoblot (*e.g.*, Western blot), enzyme-linked immunosorbant assay (ELISA), radioimmunoassay (RIA), immunoprecipitation, immunohistochemistry, immunofluorescence, fluorescence activated cell sorting (FACS) and immunofluorescence microscopy. Particularly preferred methods for detection of proteins include any single-cell assay, including immunohistochemistry and immunofluorescence assays. For example, one can use a detection agent, such as an antibody that specifically recognizes (selectively binds to) the protein encoded by the gene. Such methods are well known in the art.

Designing a compound for testing in a method of the present invention can include creating a new chemical compound or searching databases of libraries of known compounds (*e.g.*, a compound listed in a computational screening database containing three dimensional structures of known compounds). Designing can also be performed by simulating chemical compounds having substitute moieties at certain structural features. The step of designing can include selecting a chemical compound based on a known function of the compound. A preferred step of designing comprises computational screening of one or more databases of compounds in which the three dimensional structure of the compound is known and is interacted (*e.g.*, docked, aligned, matched, interfaced) with the three dimensional structure of a target by computer (*e.g.* as described by Humblet and Dunbar, *Animal Reports in Medicinal Chemistry*, vol. 28, pp. 275-283, 1993, M Venuti, ed., Academic Press). Methods to synthesize suitable chemical compounds are known to those of skill in the art and depend upon the structure of the chemical being synthesized. Methods to evaluate the bioactivity of the synthesized compound depend upon the bioactivity of the compound (*e.g.*, inhibitory or stimulatory).

Accordingly, in another embodiment of the invention, therapeutic compounds can be selected by determining the three-dimensional structure of a target; and determining or designing the three-dimensional structure of a therapeutic or regulatory compound by

rational drug design or detecting a structure that interacts with the target structure from a library of known compound structures. Preferably, the structure of the therapeutic compound is determined using computer software capable of modeling the interaction of a therapeutic compound with the target. One of skill in the art can select the appropriate  
5 three-dimensional structure, therapeutic or regulatory compound, and analytical software based on the identity of the target.

For example, suitable candidate chemical compounds can align to a subset of residues described for a target site. Preferably, a candidate chemical compound comprises a conformation that promotes the formation of covalent or noncovalent  
10 crosslinking between the target site and the candidate chemical compound. Preferably, a candidate chemical compound binds to a surface adjacent to a target site to provide an additional site of interaction in a complex. When designing an antagonist, for example, the antagonist should bind with sufficient affinity to the binding site or to substantially prohibit a ligand (*i.e.*, a molecule that specifically binds to the target site) from binding to  
15 a target area. It will be appreciated by one of skill in the art that it is not necessary that the complementarity between a candidate chemical compound and a target site extend over all residues specified here in order to inhibit or promote binding of a ligand.

In general, the design of a chemical compound possessing stereochemical complementarity can be accomplished by techniques that optimize, chemically or  
20 geometrically, the "fit" between a chemical compound and a target site. Such techniques are disclosed by, for example, Sheridan and Venkataraghavan, *Acc. Chem Res.*, vol. 20, p. 322, 1987; Goodford, *J. Med. Chem.*, vol. 27, p. 557, 1984; Beddell, *Chem. Soc. Reviews*, vol. 279, 1985; Hol, *Angew. Chem.*, vol. 25, p. 767, 1986; and Verlinde and Hol, *Structure*, vol. 2, p. 577, 1994, each of which are incorporated by this reference herein in  
25 their entirety.

As another example, a "geometric approach" is used. In a geometric approach, the number of internal degrees of freedom (and the corresponding local minima in the molecular conformation space) is reduced by considering only the geometric (hard  
sphere) interactions of two rigid bodies, where one body (the active site) contains  
30 "pockets" or "grooves" that form binding sites for the second body (the complementing molecule, such as a ligand). The geometric approach is described by Kuntz et al., *J. Mol. Biol.*, vol. 161, p. 269, 1982, which is incorporated by this reference herein in its entirety. The algorithm for chemical compound design can be implemented using the software

program DOCK Package, Version 1.0 (available from the Regents of the University of California). Pursuant to the Kuntz algorithm, the shape of the cavity or groove on the surface of a structure at a binding site or interface is defined as a series of overlapping spheres of different radii. One or more extant databases of crystallographic data (e.g., the  
5 Cambridge Structural Database System maintained by University Chemical Laboratory, Cambridge University, Lensfield Road, Cambridge CB2 1EW, U.K.) or the Protein Data Bank maintained by Brookhaven National Laboratory, is then searched for chemical compounds that approximate the shape thus defined. Chemical compounds identified by the geometric approach can be modified to satisfy criteria associated with chemical  
10 complementarity, such as hydrogen bonding, ionic interactions or Van der Waals interactions.

As yet another example, one can determine the interaction of chemical groups ("probes") with an active site at sample positions within and around a binding site or interface, resulting in an array of energy values from which three dimensional contour  
15 surfaces at selected energy levels can be generated. This method is referred to herein as a "chemical-probe approach." The chemical-probe approach to the design of a chemical compound useful of the present invention is described by, for example, Goodford, *J. Med. Chem.*, vol. 28, p. 849, 1985, which is incorporated by this reference herein in its entirety, and is implemented using an appropriate software package, including for example, GRID  
20 (available from Molecular Discovery Ltd., Oxford OX2 9LL, U.K.). The chemical prerequisites for a site-complementing molecule can be identified at the outset, by probing the active site of a protein with different chemical probes, e.g., water, a methyl group, an amine nitrogen, a carboxyl oxygen and/or a hydroxyl. Preferred sites for interaction between an active site and a probe are determined. Putative complementary  
25 chemical compounds can be generated using the resulting three dimensional patterns of such sites.

Candidate compounds identified or designed by the above-described methods can be synthesized using techniques known in the art, and depending on the type of compound. Synthesis techniques for the production of non-protein compounds, including  
30 organic and inorganic compounds are well known in the art. For example, for smaller peptides, chemical synthesis methods are preferred. For example, such methods include well known chemical procedures, such as solution or solid-phase peptide synthesis, or semi-synthesis in solution beginning with protein fragments coupled through

conventional solution methods. Such methods are well known in the art and may be found in general texts and articles in the area such as: Merrifield, 1997, *Methods Enzymol.* 289:3-13; Wade et al., 1993, *Australas Biotechnol.* 3(6):332-336; Wong et al., 1991, *Experientia* 47(11-12):1123-1129; Carey et al., 1991, *Ciba Found Symp.* 158:187-203; Plaue et al., 1990, *Biologicals* 18(3):147-157; Bodanszky, 1985, *Int. J. Pept. Protein Res.* 25(5):449-474; or H. Dugas and C. Penney, BIOORGANIC CHEMISTRY, (1981) at pages 54-92, all of which are incorporated herein by reference in their entirety. For example, peptides may be synthesized by solid-phase methodology utilizing a commercially available peptide synthesizer and synthesis cycles supplied by the manufacturer. One skilled in the art recognizes that the solid phase synthesis could also be accomplished using the Fmoc strategy and a TFA/scavenger cleavage mixture. A compound that is a protein or peptide can also be produced using recombinant DNA technology and methods standard in the art, particularly if larger quantities of a protein are desired.

15           In still another embodiment of the invention, inhibitors of cell growth are identified by exposing a target to a candidate compound; measuring the binding of the candidate compound to the target; and selecting a compound that binds to the target at a desired concentration, affinity, or avidity. In a preferred embodiment, the assay is performed under conditions conducive to promoting the interaction or binding of the compound to the target. One of skill in the art can determine such conditions based on the target and the compound being used in the assay. In one embodiment, a BIAcore machine can be used to determine the binding constant of a complex between the target protein (a protein encoded by the target gene) and a natural ligand in the presence and absence of the candidate compound. For example, the target protein or a ligand binding fragment thereof can be immobilized on a substrate. A natural or synthetic ligand is contacted with the substrate to form a complex. The dissociation constant for the complex can be determined by monitoring changes in the refractive index with respect to time as buffer is passed over the chip (O'Shannessy et al. *Anal. Biochem.* 212:457-468 (1993); Schuster et al., *Nature* 365:343-347 (1993)). Contacting a candidate compound at various concentrations with the complex and monitoring the response function (e.g., the change in the refractive index with respect to time) allows the complex dissociation constant to be determined in the presence of the test compound and indicates whether the candidate compound is either an inhibitor or an agonist of the complex. Alternatively, the

candidate compound can be contacted with the immobilized target protein at the same time as the ligand to see if the candidate compound inhibits or stabilizes the binding of the ligand to the target protein.

Other suitable assays for measuring the binding of a candidate compound to a target protein or for measuring the ability of a candidate compound to affect the binding of the target protein to another protein or molecule include, but are not limited to, Western blot, immunoblot, enzyme-linked immunosorbant assay (ELISA), radioimmunoassay (RIA), immunoprecipitation, surface plasmon resonance, chemiluminescence, fluorescent polarization, phosphorescence, immunohistochemical analysis, matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry, microcytometry, microarray, microscopy, fluorescence activated cell sorting (FACS), and flow cytometry. Other assays include those that are suitable for monitoring the effects of protein binding, including, but not limited to, cell-based assays such as: cytokine secretion assays, or intracellular signal transduction assays that determine, for example, protein or lipid phosphorylation, mediator release or intracellular  $\text{Ca}^{++}$  mobilization.

In yet another embodiment, inhibitors of cellular growth are identified by exposing a target protein of the present invention (or a cell expressing the protein naturally or recombinantly) to a candidate compound and measuring the ability of the compound to inhibit (reduce, decrease, block) a biological activity of the protein. In one embodiment, the biological activity of a protein encoded by the target gene is measured by measuring the amount of product generated in a biochemical reaction mediated by the protein encoded by the target gene. In still another embodiment, the activity of the protein encoded by the target gene is measured by measuring the amount of substrate generated in a biochemical reaction mediated by the protein encoded by the target gene. In another embodiment, a biological activity is measured by measuring a specific event in a cell-based assay, such as release or secretion of a biological mediator or compound that is regulated by the activity of the target protein, measuring intracellular signal transduction assays that determine, for example, protein or lipid phosphorylation, mediator release or intracellular  $\text{Ca}^{++}$  mobilization. Preferably, the activity of the protein is measured in the presence and absence of the candidate compound, or in the presence of another suitable control compound.

In one embodiment of the invention, when the protein encoded by a target gene is an enzyme, a therapeutic compound is identified by exposing the enzyme encoded by a target gene to a test compound; measuring the activity of the enzyme encoded by the target gene in the presence and absence of the compound; and selecting a compound that  
5 down-regulates or inhibits the activity of the enzyme encoded by the target gene. Methods to measure enzymatic activity are well known to those skilled in the art and are selected based on the identity of the enzyme being tested. For example, if the enzyme is a kinase, phosphorylation assays can be used.

In addition to methods for identifying and producing a biological compound that  
10 inhibits cell growth, the present invention includes methods known in the art that down-regulate expression or function of a target gene. For example, antisense RNA and DNA molecules may be used to directly block translation of mRNA encoded by these genes by binding to targeted mRNA and preventing protein translation. Polydeoxyribonucleotides can form sequence-specific triple helices by hydrogen bonding to specific complementary  
15 sequences in duplexed DNA to effect specific down-regulation of target gene expression. Formation of specific triple helices may selectively inhibit the replication or expression of a target gene by prohibiting the specific binding of functional trans-acting factors.

Ribozymes are enzymatic RNA molecules capable of catalyzing the specific cleavage of RNA. Ribozyme action involves sequence specific hybridization of the  
20 ribozyme molecule to complementary target RNA, followed by endonucleolytic cleavage. Within the scope of the invention are ribozyme embodiments including engineered hammerhead motif ribozyme molecules that specifically and efficiently catalyze endonucleolytic cleavage of RNA sequences. Antisense RNA molecules showing high-affinity binding to target sequences can also be used as ribozymes by addition of  
25 enzymatically active sequences known to those skilled in the art.

Polynucleotides to be used in triplex helix formation should be single-stranded and composed of deoxynucleotides. The base composition of these polynucleotides must be designed to promote triple helix formation via Hoogsteen base pairing rules, which generally require sizeable stretches of either purines or pyrimidines to be present on one  
30 strand of a duplex. Polynucleotide sequences may be pyrimidine-based, which will result in TAT and CGC triplets across the three associated strands of the resulting triple helix. The pyrimidine-rich polynucleotides provide base complementarity to a purine-rich region of a single strand of the duplex in a parallel orientation to that strand. In addition,



polynucleotides may be chosen that are purine-rich, for example, containing a stretch of G residues. These polynucleotides will form a triple helix with a DNA duplex that is rich in GC pairs, in which the majority of the purine residues are located on a single strand of the targeted duplex, resulting in GGC triplets across the three strands in the triplex.

5           Alternatively, sequences that can be targeted for triple helix formation can be increased by creating a so-called "switchback" polynucleotide. Switchback polynucleotides are synthesized in an alternating 5'-3', 3'-5' manner, so that they base pair with first one strand of a duplex and then the other, eliminating the necessity for a sizeable stretch of either purines or pyrimidines to be present on one strand of a duplex.

10           Both antisense RNA and DNA molecules, and ribozymes of the invention may be prepared by any method known in the art. These include techniques for chemically synthesizing polynucleotides well known in the art such as solid phase phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by *in vitro* and *in vivo* transcription of DNA sequences encoding the antisense RNA molecule. Such DNA  
15           sequences may be incorporated into a wide variety of vectors that incorporate suitable RNA polymerase promoters such as the T7 or SP6 polymerase promoters. Alternatively, antisense cDNA constructs that synthesize antisense RNA constitutively or inducibly, depending on the promoter used, can be introduced stably into host cells.

20           Various modifications to the nucleic acid molecules may be introduced as a means of increasing intracellular stability and half-life. Possible modifications include, but are not limited to, the addition of flanking sequences of ribonucleotides or deoxyribonucleotides to the 5' or 3' ends of the molecule or the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages within the oligodeoxyribonucleotide backbone.

25           Preferably, methods used to identify therapeutic compounds are customized for each target gene or product. If the target product is an enzyme, then the enzyme will be expressed in cell culture and purified. The enzyme will then be screened *in vitro* against therapeutic compounds to look for inhibition of that enzymatic activity. If the target is a non-catalytic protein, then it will also be expressed and purified. Therapeutic compounds  
30           will then be tested for their ability to prevent, for example, the binding of a site-specific antibody or a target-specific ligand to the target product.

          In a preferred embodiment, therapeutic compounds that bind to target products are identified, then those compounds can be further tested in biological assays that test for

characteristics such as apoptosis, tumor suppressor status (*e.g.*, p53 status), tumor cell growth and any other customary measure of anti-cancer activity.

In one embodiment of the invention, a therapeutic compound is not toxic to a human host cell. In another embodiment, the therapeutic compound is cytostatic or  
5 cytotoxic.

In one embodiment of the invention, a pharmaceutical composition is prepared from a therapeutically-effective amount of a therapeutic compound of the invention and a pharmaceutically-acceptable carrier. Pharmaceutically-acceptable carriers are well known to those with skill in the art. The pharmaceutical compositions of the present  
10 invention can be manufactured in a manner that is itself known, *e.g.*, by means of a conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or lyophilizing processes. As used herein, a pharmaceutically acceptable carrier refers to any substance suitable for delivering a therapeutic composition useful in the method of the present invention to a suitable *in vivo* or *ex vivo*  
15 site. Pharmaceutical compositions for use in accordance with the present invention thus can be formulated in conventional manner using one or more physiologically acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. Proper formulation is dependent upon the route of administration chosen.

20 For injection, the compounds of the invention can be formulated in appropriate aqueous solutions, such as physiologically compatible buffers such as Hanks's solution, Ringer's solution, or physiological saline buffer. For transmucosal and transcutaneous administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art. For oral administration, the  
25 compounds can be formulated readily by combining the active compounds with pharmaceutically acceptable carriers well known in the art. Such carriers enable the compounds of the invention to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a patient to be treated. For administration by inhalation, the compounds for use according to the present  
30 invention are conveniently delivered in the form of an aerosol spray presentation from pressurized packs or a nebuliser, with the use of a suitable propellant, *e.g.*, dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane, carbon dioxide or other suitable gas. The compounds can be formulated for parenteral

administration by injection, *e.g.*, by bolus injection or continuous infusion. Formulations for injection can be presented in unit dosage form, *e.g.*, in ampoules or in multi-dose containers, with an added preservative. The compounds can also be formulated in rectal compositions such as suppositories or retention enemas, *e.g.*, containing conventional  
5 suppository bases such as cocoa butter or other glycerides.

Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions can be used, which can optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments can be added to  
10 the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

In addition to the formulations described previously, the compounds can also be formulated as a depot preparation. Such long acting formulations can be administered by implantation (for example subcutaneously or intramuscularly) or by intramuscular  
15 injection. Thus, for example, the compounds can be formulated with suitable polymeric or hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, or as sparingly soluble derivatives, for example, as a sparingly soluble salt.

According to the present invention, an effective administration protocol (*i.e.*,  
20 administering a composition of the present invention in an effective manner) comprises suitable dose parameters and modes of administration that result in delivery of the compound or composition to a patient or to a target site, cell or tissue in the patient, and subsequent inhibition of the growth of the target cell, preferably so that the patient obtains some measurable, observable or perceived benefit from such administration. In some  
25 situations, where the target cell population is accessible for sampling, effective dose parameters can be determined using methods as described herein for assessment of tumor growth. Such methods include removing a sample of the target cell population from the patient prior to and after the compound or composition is administered, and measuring changes expression or biological activity of a target, as well as measuring inhibition of  
30 the growth of the cell. Alternatively, effective dose parameters can be determined by experimentation using *in vitro* cell cultures, *in vivo* animal models, and eventually, clinical trials if the patient is human. Effective dose parameters can be determined using methods standard in the art. Such methods include, for example, determination of

survival rates, side effects (*i.e.*, toxicity) and progression or regression of disease. Compounds which exhibit high therapeutic indices are preferred. The dosage can vary within this range depending upon the dosage form employed and the route of administration utilized. The exact formulation, route of administration and dosage can be  
5 chosen by the individual physician in view of the patient's condition. (*See, e.g.* Fingl *et al.*, 1975, in "The Pharmacological Basis of Therapeutics", Ch.1, p.1).

Dosage amount and interval can be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the inhibitory effects. Usual patient dosages for systemic administration range from 100 - 2000 mg/day. Stated in terms of  
10 patient body surface areas, usual dosages range from 50 - 910 mg/m<sup>2</sup>/day. Usual average plasma levels should be maintained within 0.1-1000  $\mu$ M. In cases of local administration or selective uptake, the effective local concentration of the compound can not be related to plasma concentration.

The amount of composition administered will, of course, be dependent on the  
15 subject being treated, on the subject's body surface area, the severity of the affliction, the manner of administration and the judgment of the prescribing physician.

Suitable routes of administration can, for example, include oral, rectal, transmucosal, transcutaneous, or intestinal administration; parenteral delivery, including intramuscular, subcutaneous, intramedullary injections, as well as intrathecal, direct  
20 intraventricular, intravenous, intraperitoneal, intranasal, or intraocular injections. Alternatively, one can administer the compound in a local rather than systemic manner, for example, *via* injection of the compound directly into a specific tissue, often in a depot or sustained release formulation. Furthermore, one can administer the compound in a targeted drug delivery system, for example, in a liposome and/or conjugated with a cell-  
25 specific antibody. The liposomes and cell-specific antibody will be targeted to and taken up selectively by tumor cells.

Accordingly, a further embodiment of the invention is a method for inducing apoptosis in a cell by inhibiting a target of the present invention, *i.e.*, a target selected from the group consisting of any of the targets listed in Table 1 and/or represented by any  
30 of SEQ ID NOs:1-80. For example, this method can be conducted *in vivo* by administering to an individual an inhibitory or therapeutic compound as generally discussed herein. In addition, the method can be conducted *in vitro* or *ex vivo*.

A further embodiment of the present invention is a method for the diagnosis of a tumor or the monitoring of a tumor growth or regression or a tumor therapy in a patient. The methods include determining the level of a marker (also referred to as a biomarker) in a patient sample, wherein the marker is selected from any of the biomarkers listed in Table 1 or represented by any of SEQ ID NOs:1-80.

The first step of this method of the present invention includes detecting the expression or biological activity of a biomarker in a test sample from a patient (also called a patient sample). Suitable methods of obtaining a patient sample are known to a person of skill in the art. A patient sample can include any bodily fluid or tissue from a patient that may contain tumor cells or proteins of tumor cells. More specifically, according to the present invention, the term "test sample" or "patient sample" can be used generally to refer to a sample of any type which contains cells or products that have been secreted from cells to be evaluated by the present method, including but not limited to, a sample of isolated cells, a tissue sample and/or a bodily fluid sample. According to the present invention, a sample of isolated cells is a specimen of cells, typically in suspension or separated from connective tissue which may have connected the cells within a tissue *in vivo*, which have been collected from an organ, tissue or fluid by any suitable method which results in the collection of a suitable number of cells for evaluation by the method of the present invention. The cells in the cell sample are not necessarily of the same type, although purification methods can be used to enrich for the type of cells that are preferably evaluated. Cells can be obtained, for example, by scraping of a tissue, processing of a tissue sample to release individual cells, or isolation from a bodily fluid.

A tissue sample, although similar to a sample of isolated cells, is defined herein as a section of an organ or tissue of the body which typically includes several cell types and/or cytoskeletal structure which holds the cells together. One of skill in the art will appreciate that the term "tissue sample" may be used, in some instances, interchangeably with a "cell sample", although it is preferably used to designate a more complex structure than a cell sample. A tissue sample can be obtained by a biopsy, for example, including by cutting, slicing, or a punch. A bodily fluid sample, like the tissue sample, contains the cells to be evaluated for marker expression or biological activity and/or may contain a soluble biomarker that is secreted by cells, and is a fluid obtained by any method suitable for the particular bodily fluid to be sampled. Bodily fluids suitable for sampling include, but are not limited to, blood, mucous, seminal fluid, saliva, breast milk, bile and urine.

In general, the sample type (*i.e.*, cell, tissue or bodily fluid) is selected based on the accessibility and structure of the organ or tissue to be evaluated for tumor cell growth and/or on what type of cancer is to be evaluated. For example, if the organ/tissue to be evaluated is the breast, the sample can be a sample of epithelial cells from a biopsy (*i.e.*, a cell sample) or a breast tissue sample from a biopsy (a tissue sample). The sample that is most useful in the present invention will be cells, tissues or bodily fluids isolated from a patient by a biopsy or surgery or routine laboratory fluid collection.

Once a sample is obtained from the patient, the sample is evaluated for detection of the expression or biological activity of the biomarker of the present invention in the cells of the sample. Expression and biological activity of biomarkers of the invention and methods of detecting or measuring the same have been described in detail above with regard to the description of the use of the biomarkers as targets.

For example, the level of the marker can be determined by conventional methods such as expression assays to determine the level of expression of the gene, by biochemical assays to determine the level of the gene product, or by immunoassays. If appropriate, the marker can be identified as a cell surface molecule in tissue or in a bodily fluid, such as serum. For example, a patient sample, which can be immobilized, can be contacted with an antibody, or an antibody fragment, that selectively binds to the marker and determining whether the anti-marker antibody or fragment thereof has bound to the marker. As used herein, the term "selectively binds to" refers to the specific binding of one protein to another (*e.g.*, an antibody, fragment thereof, or binding partner to an antigen), wherein the level of binding, as measured by any standard assay (*e.g.*, an immunoassay), is statistically significantly higher than the background control for the assay. For example, when performing an immunoassay, controls typically include a reaction well/tube that contain antibody or antigen binding fragment alone (*i.e.*, in the absence of antigen), wherein an amount of reactivity (*e.g.*, non-specific binding to the well) by the antibody or antigen binding fragment thereof in the absence of the antigen is considered to be background. Binding can be measured using a variety of methods standard in the art, including, but not limited to: Western blot, immunoblot, enzyme-linked immunosorbant assay (ELISA), radioimmunoassay (RIA), immunoprecipitation, surface plasmon resonance, chemiluminescence, fluorescent polarization, phosphorescence, immunohistochemical analysis, matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry, microcytometry,

microarray, microscopy, fluorescence activated cell sorting (FACS), and flow cytometry. In a particular immunoassay, the marker level is determined using a first monoclonal antibody that binds specifically to the marker and a second antibody that binds to the first antibody.

5           In one embodiment, the amino acid sequence of a biomarker or the nucleic acid sequence of the corresponding gene can be used as a basis for detection. For example, detection can refer to detection of gene expression by determining the concentration of messenger RNA using common methods such as northern blot analysis, gene chip array analysis, Taqman analysis or other DNA/RNA hybridization platforms. The over or under  
10       expression of a biomarker can be an indication of the presence of a tumor or the predisposition for such tumor. Expression can be compared in patient samples versus samples isolated from healthy individuals.

          In one embodiment of the method of the present invention, the level of a biomarker of the present invention is determined by determining the protein level of that  
15       biomarker in tissue. Suitable tissue tissues include tumor tissue and cell material obtained by biopsy.

          In another embodiment of the method of the present invention, the level of a biomarker of the present invention is determined by determining a soluble form of a biomarker in a bodily fluid. Suitable bodily fluids include serum, ascitic or pleural fluid,  
20       serum being preferred. Levels of biomarker can be determined using various methods known in the art, including antibody binding assays, mass spectrometry analysis, 2-dimensional gel analysis and other methods used to quantify the presence of protein in solution. One preferred method of the present invention is to immobilize a biomarker to a solid substrate and then incubate the biomarker with a patient's serum. Bound antibodies  
25       to the biomarker are then detected by means of an enzyme-conjugated second antibody and a color reaction. Another preferred method is to immobilize an antibody that binds to a biomarker to a solid substrate and incubate the antibody with patient serum. Biomarker in the serum binds to the immobilized antibody and is detected using a second different antibody that binds to the biomarker and a color reaction. Another preferred method of  
30       the present invention is to contact an antibody that binds to a biomarker with a patient sample and then determining whether the antibody has been bound to the biomarker. Such method can be achieved using known methods including fluorescence cell sorter (FACS) analysis.

Suitable detection methods of a biomarker, an antibody that binds to a biomarker, or suitable nucleic acid probes, are known to those of skill in the art. The detection of biomarkers using antibodies is preferred, the same antibody being useful for both the soluble form and the form on the cell surface. Suitable antibodies for the method of the present invention include monoclonal antibodies, polyclonal antibodies, and fragments thereof. The antibody fragment refers to all parts of the antibody that bind to the biomarker including Fab, F<sub>y</sub> or single-chain Fv fragments. Methods to produce such fragments are known to those of skill in the art. Preferred antibodies include monoclonal antibodies. Such antibodies can be produced using standard methods in the art.

Another method of the present invention can include immobilizing patient tissue in, for example, paraffin. The immobilized tissue can be sectioned and then contacted with an antibody that binds to a biomarker.

In the diagnostic/prognostic methods of the invention, if the level of the marker is greater than a normal level, the level of the marker is considered to be indicative of the presence of tumor cells. A normal level can be determined in a variety of ways. For example, if a patient history is known, a baseline level of the marker can be determined and higher levels will be indicative of tumor cells. Alternatively, a normal level can be based on the level for a healthy (*i.e.*, without tumor) individual in a given population. That is, a normal level can be based on a population having similar characteristics (*e.g.*, age, sex, race, medical history) as the patient in question.

More specifically, according to the present invention, a "baseline level" is a control level, and in some embodiments (but not all embodiments, depending on the method), a normal level, of biomarker expression or activity against which a test level of biomarker expression or biological activity (*i.e.*, in the test sample) can be compared. Therefore, it can be determined, based on the control or baseline level of biomarker expression or biological activity, whether a sample to be evaluated for tumor cell growth has a measurable increase, decrease, or substantially no change in biomarker expression or biological activity, as compared to the baseline level. In one aspect, the baseline level can be indicative of the cell growth expected in a normal (*i.e.*, healthy, negative control, non-tumor) cell sample. Therefore, the term "negative control" used in reference to a baseline level of biomarker expression or biological activity typically refers to a baseline level established in a sample from the patient or from a population of individuals which is believed to be normal (*i.e.*, non-tumorous, not undergoing neoplastic transformation, not



exhibiting inappropriate cell growth). It is noted that the "negative control" most typically has a lower level of biomarker expression or activity than would be detected in an experimental cell having inappropriate, increased cell growth, because the expression/biological activity of the biomarkers described herein are correlated with cell growth in most tumor cell types. In another embodiment, a baseline can be indicative of a positive diagnosis of tumor cell growth. Such a baseline level, also referred to herein as a "positive control" baseline, refers to a level of biomarker expression or biological activity established in a cell sample from the patient, another patient, or a population of individuals, wherein the sample was believed, based on data for that cell sample, to be neoplastically transformed (*i.e.*, tumorous, exhibiting inappropriate cell growth, cancerous). It is noted that this "positive control" will most typically have a higher level of biomarker expression or activity than in a normal cell, again due to the correlative relationship between the biomarkers of the present invention and cell growth in the majority of tumor cells. In yet another embodiment, the baseline level can be established from a previous sample from the patient being tested, so that the tumor growth of a patient can be monitored over time and/or so that the efficacy of a given therapeutic protocol can be evaluated over time. Methods for detecting biomarker expression or biological activity are described in detail above.

The method for establishing a baseline level of biomarker expression or activity is selected based on the sample type, the tissue or organ from which the sample is obtained, the status of the patient to be evaluated, and, as discussed above, the focus or goal of the assay (*e.g.*, diagnosis, staging, monitoring). Preferably, the method is the same method that will be used to evaluate the sample in the patient. In a most preferred embodiment, the baseline level is established using the same cell type as the cell to be evaluated.

In one embodiment, the baseline level of biomarker expression or biological activity is established in an autologous control sample obtained from the patient. The autologous control sample can be a sample of isolated cells, a tissue sample or a bodily fluid sample, and is preferably a cell sample or tissue sample. According to the present invention, and as used in the art, the term "autologous" means that the sample is obtained from the same patient from which the sample to be evaluated is obtained. The control sample should be of or from the same cell type and preferably, the control sample is obtained from the same organ, tissue or bodily fluid as the sample to be evaluated, such that the control sample serves as the best possible baseline for the sample to be evaluated.

In one embodiment, when the goal of the assay is diagnosis of abnormal cell growth, it is desirable to take the control sample from a population of cells, a tissue or a bodily fluid which is believed to represent a "normal" cell, tissue, or bodily fluid, or at a minimum, a cell or tissue which is least likely to be undergoing or potentially be predisposed to develop tumor cell growth. For example, if the sample to be evaluated is an area of apparently abnormal cell growth, such as a tumorous mass, the control sample is preferably obtained from a section of apparently normal tissue (*i.e.*, an area other than and preferably a reasonable distance from the tumorous mass) in the tissue or organ where the tumorous mass is growing. In one aspect, if a tumor to be evaluated is in the colon, the test sample would be obtained from the suspected tumor mass and the control sample would be obtained from a different section of the colon, which is separate from the area where the mass is located and which does not show signs of uncontrolled cellular proliferation.

In another embodiment, when the goal is to monitor tumor cell growth in the patient, the autologous baseline sample is typically a previous sample from the patient which was taken from an apparent or confirmed tumorous mass, and/or from apparently normal (*i.e.*, non-tumor) tissue in the patient (or a different type of baseline for normal can be used, as discussed below).

Therefore, a second method for establishing a baseline level of biomarker expression or biological activity is to establish a baseline level of biomarker expression or biological activity from at least one measurement of biomarker expression or biological activity in a previous sample from the same patient. Such a sample is also an autologous sample, but is taken from the patient at a different time point than the sample to be tested. Preferably, the previous sample(s) were of a same cell type, tissue type or bodily fluid type as the sample to be presently evaluated. In one embodiment, the previous sample resulted in a negative diagnosis (*i.e.*, no tumor cell growth, or potential therefore, was identified). In this embodiment, a new sample is evaluated periodically (*e.g.*, at annual physicals), and as long as the patient is determined to be negative for tumor development, an average or other suitable statistically appropriate baseline of the previous samples can be used as a "negative control" for subsequent evaluations. For the first evaluation, an alternate control can be used, as described below, or additional testing may be performed to confirm an initial negative diagnosis, if desired, and the value for biomarker expression or biological activity can be used thereafter. This type of baseline control is frequently

used in other clinical diagnosis procedures where a "normal" level may differ from patient to patient and/or where obtaining an autologous control sample at the time of diagnosis is not possible, not practical or not beneficial. For example, for a patient who has periodic mammograms, the previous mammograms serve as baseline controls for the mammary tissue of the individual patient. Similarly, for a patient who is regularly screened for prostate cancer by evaluation of levels of prostate cancer antigen (PCA), previous PCA levels are frequently used as a baseline for evaluating whether the individual patient experiences a change.

In another embodiment, the previous sample from the patient resulted in a positive diagnosis (*i.e.*, tumor growth was positively identified). In this embodiment, the baseline provided by the previous sample is effectively a positive control for tumor growth, and the subsequent samplings of the patient are compared to this baseline to monitor the progress of the tumor growth and/or to evaluate the efficacy of a treatment which is being prescribed for the cancer. In this embodiment, it may also be beneficial to have a negative baseline level of biomarker expression or biological activity (*i.e.*, a normal cell baseline control), so that a baseline for remission or regression of the tumor can be set. Monitoring of a patient's tumor growth can be used by the clinician to modify cancer treatment for the patient based on whether an increase or decrease in cell growth is indicated.

It will be clear to those of skill in the art that some samples to be evaluated will not readily provide an obvious autologous control sample, or it may be determined that collection of autologous control samples is too invasive and/or causes undue discomfort to the patient. In these instances, an alternate method of establishing a baseline level of biomarker expression or biological activity can be used, examples of which are described below.

Another method for establishing a baseline level of biomarker expression or biological activity is to establish a baseline level of biomarker expression or biological activity from control samples, and preferably control samples that were obtained from a population of matched individuals. It is preferred that the control samples are of the same sample type as the sample type to be evaluated for biomarker expression or biological activity (*e.g.*, the same cell type, and preferably from the same tissue or organ). According to the present invention, the phrase "matched individuals" refers to a matching of the control individuals on the basis of one or more characteristics which are suitable

for the type of cell or tumor growth to be evaluated. For example, control individuals can be matched with the patient to be evaluated on the basis of gender, age, race, or any relevant biological or sociological factor that may affect the baseline of the control individuals and the patient (*e.g.*, preexisting conditions, consumption of particular substances, levels of other biological or physiological factors). To establish a control or baseline level of biomarker expression or biological activity, samples from a number of matched individuals are obtained and evaluated for biomarker expression or biological activity. The sample type is preferably of the same sample type and obtained from the same organ, tissue or bodily fluid as the sample type to be evaluated in the test patient.

5 The number of matched individuals from whom control samples must be obtained to establish a suitable control level (*e.g.*, a population) can be determined by those of skill in the art, but should be statistically appropriate to establish a suitable baseline for comparison with the patient to be evaluated (*i.e.*, the test patient). The values obtained from the control samples are statistically processed using any suitable method of statistical analysis to establish a suitable baseline level using methods standard in the art for establishing such values.

10 15

A baseline such as that described above can be a negative control baseline, such as a baseline established from a population of apparently normal control individuals. Alternatively, as discussed above, such a baseline can be established from a population of individuals that have been positively diagnosed as having cancer, and particularly, cancer of a specified stage, as set forth by the medical community, so that one or more baseline levels can be established for use in staging a cancer in the patient to be evaluated. Therefore, in one embodiment, the baseline level is one or more tumor control samples that are correlated with a particular stage of tumor development for that type of tumor.

20 25 For example, tumor samples from an appropriate number of individuals that have been diagnosed as having a particular stage of a given cancer (*e.g.*, Stage I colon cancer) are tested for biomarker expression or biological activity. The values obtained from these control samples are statistically processed to establish a suitable baseline level using methods standard in the art for establishing such values, and the baseline is noted as being indicative of that particular stage of cancer. Preferably, a similar value is determined for each of the established stages of the given cancer, so that a panel of baseline values, each representing a different stage of the cancer, is formed. The level of biomarker expression or biological activity in the patient sample is then compared to each of the baseline levels

30

to determine to which baseline the biomarker level of the patient is statistically closest. It will be appreciated that a given patient sample may fall between baseline levels of two different stages such that the best diagnosis is that the patient tumor is at least at the lower stage, but is perhaps in the process of advancing to the higher stage. The data provided  
5 by this method can be used in conjunction with current cancer staging methods to assist the physician in the evaluation of the patient and in prescribing suitable treatment for the cancer.

It will be appreciated by those of skill in the art that a baseline need not be established for each assay as the assay is performed but rather, a baseline can be  
10 established by referring to a form of stored information regarding a previously determined baseline level of biomarker expression for a given control sample, such as a baseline level established by any of the above-described methods. Such a form of stored information can include, for example, but is not limited to, a reference chart, listing or electronic file of population or individual data regarding "normal" (negative control) or tumor positive  
15 (including staged tumors) biomarker expression; a medical chart for the patient recording data from previous evaluations; or any other source of data regarding baseline biomarker expression that is useful for the patient to be diagnosed.

After the level of biomarker expression or biological activity is detected in the sample to be evaluated for tumor cell growth, such level is compared to the established  
20 baseline level of biomarker expression or biological activity, determined as described above. Also, as mentioned above, preferably, the method of detecting used for the sample to be evaluated is the same or qualitatively and/or quantitatively equivalent to the method of detecting used to establish the baseline level, such that the levels of the test sample and the baseline can be directly compared. In comparing the test sample to the baseline  
25 control, it is determined whether the test sample has a measurable decrease or increase in biomarker expression or biological activity over the baseline level, or whether there is no statistically significant difference between the test and baseline levels. After comparing the levels of biomarker expression or biological activity in the samples, the final step of making a diagnosis, monitoring, or staging of the patient can be performed as discussed  
30 above.

According to the present invention, detection of an increased level of biomarker expression or biological activity in the sample to be evaluated (*i.e.*, the test sample) as compared to the baseline level indicates that, as compared to the baseline sample,

increased cell growth or tumorigenicity or a potential therefore is indicated in the cells corresponding to the test sample. This indication of increased tumorigenicity is evaluated based on what the baseline represents, and can mean: (1) a positive diagnosis of tumorigenicity (*i.e.*, neoplastic transformation) or potential for tumor cell growth in the patient; (2) continued or increased tumorigenicity in a patient previously diagnosed with a cancer; and/or (3) a higher stage of tumorigenicity than that represented by the baseline. More specifically, if the baseline is a normal or negative control sample (*i.e.*, autologous or otherwise established, such as from a population control), a detection of increased biomarker expression or biological activity in the test sample as compared to the control sample indicates that the cells in the test sample are undergoing (or are at risk of undergoing) increased, and likely inappropriate (*i.e.*, tumorous, neoplastic) cell growth. If the baseline sample is a previous sample from the patient (or a population control) and is representative of a positive diagnosis of tumor cell growth in the patient (*i.e.*, a positive control), a detection of increased biomarker expression or biological activity in the sample as compared to the baseline may indicate that the cells in the test sample are experiencing increased tumor growth or a potential therefore, which would suggest to a clinician that a treatment currently being prescribed, for example, is not controlling the tumor growth or that tumor growth in the patient has recurred. If the baseline sample is representative of a particular stage of tumor, a detection of increased biomarker expression or biological activity in the sample as compared to the baseline may indicate that the cells in the test sample are at a higher stage of tumor growth than the stage represented by the baseline sample.

Similarly, detection of a decreased level of biomarker expression or biological activity in the sample to be evaluated (*i.e.*, the test sample) as compared to the baseline level indicates that, as compared to the baseline sample, decreased cell growth or tumorigenicity or a potential therefore is indicated in the test cells. This indication of decreased tumorigenicity is evaluated based on what the baseline represents, and can mean: (1) a negative diagnosis of tumorigenicity (neoplastic transformation) or potential for tumor cell growth in the patient; (2) reduced tumorigenicity in a patient previously diagnosed with a cancer; and/or (3) a lower stage of tumorigenicity than that represented by the baseline. More specifically, if the baseline is a normal or negative control (autologous or otherwise established, such as from a population control), a detection of decreased biomarker expression or biological activity in the test sample as compared to

the control sample indicates that the cells in the test sample are also normal and are not predicted to be at risk of undergoing inappropriate (*i.e.*, tumorous, neoplastic) cell growth. If the baseline sample is a previous sample from the patient (or from a population control) and is representative of a positive diagnosis of tumorigenicity in the patient (*i.e.*, a positive control), a detection of decreased biomarker expression or biological activity in the sample as compared to the baseline indicates that the cells in the test sample are experiencing decreased tumorigenicity or a potential therefore, which suggests to a clinician, for a patient that has cancer, that a treatment currently being prescribed, for example, is successfully controlling the tumor growth or that a tumor in the patient is in remission or eliminated. If the baseline sample is representative of a particular stage of tumor, a detection of decreased biomarker expression or biological activity in the sample as compared to the baseline indicates that the cells in the test sample are at a lower stage of tumor growth than the stage represented by the baseline sample.

Finally, detection of biomarker expression that is not statistically significantly different than the biomarker expression or biological activity in the baseline sample indicates that, as compared to the baseline sample, no difference in tumorigenicity or a potential therefore is indicated in the test cells. This indication of effectively a "baseline level" of cell growth in the test cell is evaluated based on what the baseline represents, and can mean: (1) a negative or positive diagnosis of tumorigenicity (neoplastic transformation) or potential therefore in the patient; (2) unchanged tumorigenicity in a patient previously diagnosed with a cancer; and/or (3) a correlation with a stage of tumor growth that is represented by the baseline. More specifically, if the baseline is a normal or negative control (autologous or otherwise established, such as from a population control), detection of biomarker expression or biological activity in the test sample that is not statistically significantly different than the baseline sample indicates that the cells in the test sample are also normal and are not predicted to be at risk of undergoing inappropriate (*i.e.*, tumorous, neoplastic) cell growth. If the baseline sample is a previous sample from the patient (or from a population control) and is representative of a positive diagnosis of tumor cell growth in the patient (*i.e.*, a positive control), a detection of biomarker expression or biological activity in the sample that is not statistically significantly different than the baseline indicates that the cells in the test sample are experiencing tumor cell growth or a potential therefore, and the patient should be further

evaluated for cancer. In a patient who has cancer and is being monitored for tumor progression, a detection of biomarker expression or biological activity in the test sample that is not statistically significantly different than the baseline sample indicates that the tumor is neither increasing (progressing) nor decreasing (regressing). Such a diagnosis might suggest to a clinician that a treatment currently being prescribed, for example, is ineffective in controlling the tumor growth or is preventing accelerated tumor growth, but is not causing tumor growth to regress. Finally, if the baseline sample is representative of a particular stage of tumor, a detection of biomarker expression or biological activity in the test sample that is not statistically significantly different than the baseline sample indicates that the cells in the test sample are at substantially the same stage of tumor growth as the stage represented by the baseline sample.

As discussed above, a positive diagnosis indicates that increased cell growth, and possibly tumor cell growth (neoplastic transformation), has occurred, is occurring, or is statistically likely to occur in the cells or tissue from which the sample was obtained. In order to establish a positive diagnosis, the level of biomarker activity is increased over the established baseline by an amount that is statistically significant (*i.e.*, with at least a 95% confidence level, or  $p < 0.05$ ). Preferably, detection of at least about a 10% change in biomarker expression or biological activity in the sample as compared to the baseline level results in a positive diagnosis of increased cell growth for said sample, as compared to the baseline. More preferably, detection of at least about a 30% change in biomarker expression or biological activity in the sample as compared to the baseline level results in a positive diagnosis of increased cell growth for said sample, as compared to the baseline. More preferably, detection of at least about a 50% change, and more preferably at least about a 70% change, and more preferably at least about a 90% change, or any percentage change between 5% and higher in 1% increments (*i.e.*, 5%, 6%, 7%, 8%...) in biomarker expression or biological activity in the sample as compared to the baseline level results in a positive diagnosis of increased tumorigenicity for said sample. In one embodiment, a 1.5 fold change in biomarker expression or biological activity in the sample as compared to the baseline level results in a positive diagnosis of increased tumorigenicity for said sample. More preferably, detection of at least about a 3 fold change, and more preferably at least about a 6 fold change, and even more preferably, at least about a 12 fold change, and even more preferably, at least about a 24 fold change, or any fold change from 1.5 up in increments of 0.5 fold (*i.e.*, 1.5, 2.0, 2.5, 3.0...) in biomarker expression or biological



activity as compared to the baseline level, results in a positive diagnosis of increased tumorigenicity for said sample.

This method of diagnosis can be used specifically to determine the prognosis for cancer in the patient or to determine the susceptibility of the patient to a therapeutic treatment. In some embodiments, the method may be useful to monitor the progress of a patient undergoing therapeutic treatment for a tumor.

The present invention also includes a kit that utilizes the diagnostic methods of the present invention. The kit preferably contains any means of detecting the expression or activity of a biomarker of the present invention in a test sample, and preferably includes a probe, PCR primers, or an antibody, antigen binding peptide, or fragment thereof, that binds to a biomarker. The kit can include any reagent needed to perform a diagnostic method envisioned herein. The antibody, or fragment thereof, can be conjugated to another unit, for example a marker or immobilized to a solid carrier (substrate). The kit can also contain a second antibody for the detection of biomarker:antibody complexes. In one embodiment, the kit can contain a means for detecting a control marker characteristic of a cell type in the test sample. The antibody, or fragment thereof, may be present in free form or immobilized to a substrate such as a plastic dish, a test tube, a test rod and so on. The kit can also include suitable reagents for the detection of and/or for the labeling of positive or negative controls, wash solutions, dilution buffers and the like.

More specifically, according to the present invention, a means for detecting biomarker expression or biological activity can be any suitable reagent that can be used in a method for detection of biomarker expression or biological activity as described previously herein. Such reagents include, but are not limited to: a probe that hybridizes under stringent hybridization conditions to a nucleic acid molecule encoding the biomarker or a fragment thereof (including to a biomarker-specific regulatory region in the biomarker-encoding gene); RT-PCR primers for amplification of mRNA encoding the biomarker or a fragment thereof; and/or an antibody, antigen-binding fragment thereof or other antigen-binding peptide that selectively binds to the biomarker.

According to the present invention, a probe is a nucleic acid molecule which typically ranges in size from about 8 nucleotides to several hundred nucleotides in length. Such a molecule is typically used to identify a target nucleic acid sequence in a sample by hybridizing to such target nucleic acid sequence under stringent hybridization conditions. Hybridization conditions have been described in detail above.

PCR primers are also nucleic acid sequences, although PCR primers are typically oligonucleotides of fairly short length which are used in polymerase chain reactions. PCR primers and hybridization probes can readily be developed and produced by those of skill in the art, using sequence information from the target sequence. (See, for example, 5 Sambrook et al., *supra* or Glick et al., *supra*).

Antibodies that selectively bind to a biomarker in the sample can be produced using information available in the art. Antibodies useful in the assay kit and methods of the present invention can include polyclonal and monoclonal antibodies, divalent and monovalent antibodies, bi- or multi-specific antibodies, serum containing such antibodies, 10 antibodies that have been purified to varying degrees, and any functional equivalents of whole antibodies. Isolated antibodies of the present invention can include serum containing such antibodies, or antibodies that have been purified to varying degrees. Whole antibodies of the present invention can be polyclonal or monoclonal. Alternatively, functional equivalents of whole antibodies, such as antigen binding 15 fragments in which one or more antibody domains are truncated or absent (*e.g.*, Fv, Fab, Fab', or F(ab)<sub>2</sub> fragments), as well as genetically-engineered antibodies or antigen binding fragments thereof, including single chain antibodies or antibodies that can bind to more than one epitope (*e.g.*, bi-specific antibodies), or antibodies that can bind to one or more different antigens (*e.g.*, bi- or multi-specific antibodies), may also be employed in the 20 invention.

Genetically engineered antibodies include those produced by standard recombinant DNA techniques involving the manipulation and re-expression of DNA encoding antibody variable and/or constant regions. Particular examples include, 25 chimeric antibodies, where the V<sub>H</sub> and/or V<sub>L</sub> domains of the antibody come from a different source to the remainder of the antibody, and CDR grafted antibodies (and antigen binding fragments thereof), in which at least one CDR sequence and optionally at least one variable region framework amino acid is (are) derived from one source and the remaining portions of the variable and the constant regions (as appropriate) are derived from a different source. Construction of chimeric and CDR-grafted antibodies is 30 described, for example, in European Patent Applications: EP-A 0194276, EP-A 0239400, EP-A 0451216 and EP-A 0460617.

Generally, in the production of an antibody, a suitable experimental animal, such as, for example, but not limited to, a rabbit, a sheep, a hamster, a guinea pig, a mouse, a

rat, or a chicken, is exposed to an antigen against which an antibody is desired. Typically, an animal is immunized with an effective amount of antigen that is injected into the animal. An effective amount of antigen refers to an amount needed to induce antibody production by the animal. The animal's immune system is then allowed to  
5 respond over a pre-determined period of time. The immunization process can be repeated until the immune system is found to be producing antibodies to the antigen. In order to obtain polyclonal antibodies specific for the antigen, serum is collected from the animal that contains the desired antibodies (or in the case of a chicken, antibody can be collected from the eggs). Such serum is useful as a reagent. Polyclonal antibodies can be further  
10 purified from the serum (or eggs) by, for example, treating the serum with ammonium sulfate.

Monoclonal antibodies may be produced according to the methodology of Kohler and Milstein (*Nature* 256:495-497, 1975). For example, B lymphocytes are recovered from the spleen (or any suitable tissue) of an immunized animal and then fused with  
15 myeloma cells to obtain a population of hybridoma cells capable of continual growth in suitable culture medium. Hybridomas producing the desired antibody are selected by testing the ability of the antibody produced by the hybridoma to bind to the desired antigen.

The invention also extends to non-antibody polypeptides, sometimes referred to as  
20 antigen binding partners or antigen binding peptides, which have been designed to bind selectively to the protein of interest (a biomarker). Examples of the design of such polypeptides, which possess a prescribed ligand specificity, are given in Beste et al. (*Proc. Natl. Acad. Sci.* 96:1898-1903, 1999), incorporated herein by reference in its entirety.

25 In one embodiment, a means for detecting a control marker that is characteristic of the cell type being sampled can generally be any type of reagent that can be used in a method of detecting the presence of a known marker in a sample, such as by a method for detecting the presence of a biomarker described previously herein. Specifically, the means is characterized in that it identifies a specific marker of the cell type being  
30 analyzed that positively identifies the cell type. For example, in a breast tumor assay, it is desirable to screen breast epithelial cells for the level of the biomarker expression and/or biological activity. Therefore, the means for detecting a control marker identifies a marker that is characteristic of an epithelial cell and preferably, a breast epithelial cell, so

that the cell is distinguished from other cell types, such as a fibroblast. Such a means increases the accuracy and specificity of the assay of the present invention. Such a means for detecting a control marker include, but are not limited to: a probe that hybridizes under stringent hybridization conditions to a nucleic acid molecule encoding a protein marker; PCR primers which amplify such a nucleic acid molecule; and/or an antibody, antigen binding fragment thereof, or antigen binding peptide that selectively binds to the control marker in the sample. Nucleic acid and amino acid sequences for many cell markers are known in the art and can be used to produce such reagents for detection.

The means for detecting a biomarker and/or a control marker of the assay kit of the present invention can be conjugated to a detectable tag or detectable label. Such a tag can be any suitable tag which allows for detection of the reagents used to detect the biomarker or control marker and includes, but is not limited to, any composition or label detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical or chemical means. Useful labels in the present invention include biotin for staining with labeled streptavidin conjugate, magnetic beads (*e.g.*, Dynabeads™), fluorescent dyes (*e.g.*, fluorescein, texas red, rhodamine, green fluorescent protein, and the like), radiolabels (*e.g.*,  $^3\text{H}$ ,  $^{125}\text{I}$ ,  $^{35}\text{S}$ ,  $^{14}\text{C}$ , or  $^{32}\text{P}$ ), enzymes (*e.g.*, horse radish peroxidase, alkaline phosphatase and others commonly used in an ELISA), and colorimetric labels such as colloidal gold or colored glass or plastic (*e.g.*, polystyrene, polypropylene, latex, etc.) beads.

In addition, the means for detecting of the assay kit of the present invention can be immobilized on a substrate. Such a substrate can include any suitable substrate for immobilization of a detection reagent such as would be used in any of the previously described methods of detection. Briefly, a substrate suitable for immobilization of a means for detecting includes any solid support, such as any solid organic, biopolymer or inorganic support that can form a bond with the means for detecting without significantly effecting the activity and/or ability of the detection means to detect the desired target molecule. Exemplary organic solid supports include polymers such as polystyrene, nylon, phenol-formaldehyde resins, acrylic copolymers (*e.g.*, polyacrylamide), stabilized intact whole cells, and stabilized crude whole cell/membrane homogenates. Exemplary biopolymer supports include cellulose, polydextrans (*e.g.*, Sephadex®), agarose, collagen and chitin. Exemplary inorganic supports include glass beads (porous and nonporous),

stainless steel, metal oxides (*e.g.*, porous ceramics such as ZrO<sub>2</sub>, TiO<sub>2</sub>, Al<sub>2</sub>O<sub>3</sub>, and NiO) and sand.

According to the present invention, the method and assay for assessing the tumorigenicity of cells in a patient, as well as other methods disclosed herein, are suitable for use in a patient or cells from a patient or host that is a member of the Kingdom, Animalia, and particularly of the Vertebrate class, Mammalia, including, without limitation, primates, livestock and domestic pets (*e.g.*, a companion animal). Most typically, a patient will be a human patient or host cells will be derived from human patients, although the use of the methods of the invention in any suitable non-human animal model or host cell is also encompassed.

All publications cited herein are incorporated by reference in their entirety.

The Examples, which follow, are illustrative of specific embodiments of the invention, and various uses thereof. They are set forth for explanatory purposes only, and are not to be taken as limiting the invention.

## EXAMPLES

### Example 1

The purpose of this experiment was to perform a nearly saturated genome wide GSE screen in a tumor cell line model for GSEs that protect cells against apoptosis.

#### **1. V98 Vector Design and Construction**

Vector V98 was created through modification of p610SL, a derivative of pLNCO<sub>3</sub> (B-D Chang and I.B. Roninson, Gene 183 (1996) 137-142.) A schematic of V98 is shown in Figure 1. The region flanking the multiple cloning site (MCS) downstream of the inducible CMV promoter was re-engineered (1) to introduce restriction endonuclease sites for enzymes expected to occur with low frequency in the human genome [*e.g.*, Fse I (1 per 170 kbp), Mlu I (1 per 300 kbp), and Rsr II (1 per 260 kbp)], (2) to introduce a short sequence of nucleic acid containing stop codons in all three DNA reading frames downstream of the MCS, (3) to introduce between the Fse I and Mlu I sites on the re-engineered vector backbone a Kozak sequence for efficient translation initiation of peptides encoded by random fragments cloned into the MCS (4) to introduce sequences complementary to well established DNA primers used for DNA sequencing (*e.g.*, M13F-20 and M13R), to permit rapid and efficient sequencing of inserts cloned into the MCS, (5) to introduce sequences flanking the MCS, derived from the genome of *Zea mays*, and

(6) to introduce into the MCS a "stuffer" fragment of about 2.2 kbp, which permits easy assessment of the completeness of vector digestion and selection of the appropriate backbone fragment during vector preparation.

A cDNA encoding the open reading frame of the murine Lyt-2-alpha' gene was recovered from Marathon ready mouse spleen cDNA (Clontech) using PCR with the following conditions: 5 µL of marathon ready cDNA, 5 µL 10X cDNA PCR buffer, 1 µL 10 mM dNTP mix, 1 µL Advantage 2 polymerase mix (Clontech, #8430-1), 1 µL of 10 µM upstream primer 5'- ACC ATG GCC TCA CCG TTG ACC CGC TTT -3' (SEQ ID NO:81), 1 µL or 10 µM downstream primer 5'- CTA GCG GCT GTG GTA GCA GAT GAG A -3' (SEQ ID NO:82), and 36 µL of water. Cycling parameters were: 94°C for 3 min.; followed by 30 cycles of 94°C for 30 sec., 55°C for 30 sec., and 72°C for 2 minutes; followed by 72°C for 10 minutes; followed by a 4°C soak. The resultant PCR product of 669 nucleotides was subcloned into a pCRII TOPO vector (InVitrogen). Several independent clones were sequenced to confirm no mutations were introduced in the Lyt-2-alpha' ORF by the PCR. One pCRII-TOPO-Lyt-2-alpha' clone was shown to be free of mutations, clone #2. DNA from clone #2 was subjected to a second round of PCR (Vt = 50 µL) using the following conditions: 1 ng plasmid DNA, 5 µL 10X cDNA PCR buffer, 0.8 µL of 10 mM dNTP mix, 1 µL of Advantage 2 polymerase mix (Clontech, #8430-1), 2.5 µL of 10 µM upstream primer 5'- CTA CGG ATC CAC CAT GGC CTC ACC GTT GA -3' (SEQ ID NO:83) and 2.5 µL of 10 µM downstream primer 5'- GTA CAT CGA TCT AGC GGC TGT GGT AGC AGA TGA GA -3' (SEQ ID NO:84). These primers permitted recovery the ORF of the Lyt-2-alpha' gene flanked by BamH I (upstream) and Cla I restriction endonuclease sites. Cycling parameters were: 94°C for 3 min.; followed by 30 cycles of 94°C for 30 sec., 55°C for 30 sec., and 72°C for 2 minutes; followed by 72°C for 10 minutes; followed by a 4°C soak. The resulting 689-bp PCR product was purified from surrounding proteins and salts using a Qiagen PCR clean up kit following manufacturer's instructions. The purified Clone #2 DNA digested with Bam HI restriction endonuclease (NEB, #R0136S). The digested product was purified using a Qiagen PCR clean up kit and the buffer was changed. The digested DNA was then further digested with Cla I restriction endonuclease (NEB, #R0197S). The doubly restricted Clone #2 DNA was then subcloned into the backbone fragment of the 610SL retroviral vector produced by double digestion of 610SL with Bcl I (NEB, #R0160S) and

Sfu I (Roche, #1243497) restriction endonucleases. Sequencing of DNA harvested from several independent bacterial colonies that were produced from this subcloning step yielded a clone that showed no mutations in the *Lyt-2-alpha'* ORF. This clone was named V97.

- 5           The modifications to the MCS regions of vector 610SL were created by sequential cloning of various double stranded oligonucleotides containing the desired sequences into several precursor plasmids. Sequences designed to be located 5' to the Fse I GSE cloning site in V98, *e.g.*, M13F-20 primer site, primer site for P1X, were created by subcloning annealed oligonucleotides 5'- AGC TGT AAA ACG ACG GCC AGT GAG CGT TTA
- 10 AAC GAA TTC CAG ACT AGT GGC CGG CCG TGC A -3' (SEQ ID NO:85) and 5'- CGG CCG GCC ACT AGT CTG GAA TTC GTT TAA ACG CTC ACT GGC CGT CGT TTT AC -3' (SEQ ID NO:86) into the vector pEFGP-1 (ClonTech) between the
- 15           Hind III and Pst I sites, to create pEGFP5'. The duplex produced by annealing primers 5'- AAT TCT GCA GCC CAG GTA AAA TTC GCT AGC CT -3' (SEQ ID NO:87) and 5'- CTA GAG GCT AGC GAA TTT TAC CTG GGC TGC AG -3' (SEQ ID NO:88),
- 20           which contains the priming site for P1X sequence, was subcloned between the Eco RI and Spe I sites of pEGFP5' to yield pEGFP54. The modified 5' region of the MCS was recovered from plasmid pEFGP54 as a Bgl II – Not I flanked fragment, and subcloned between the Bgl II and Not I sites of p610SL, to yield p610-E54P1. Sequences designed
- 25           to be located 3' to the Rsr II GSE cloning site in V98, *e.g.*, 3 frame stop cassette, primer P2X, M13R sequencing primer, were created by subcloning of annealed oligonucleotides 5'- CGG TCC GTG AGT GAG TGA GGC GCG CC G GAT CCT AAC CTA GGT AAT CAT GGT CAT AGC TGT TTC CTG CAG GGC -3' (SEQ ID NO:89) and 5'- GGC CGC CCT GCA GGA AAC AGC TAT GAC CAT GAT TAC CTA GGT TAG GAT
- 30           CCG GCG CGC CTC ACT CAC TCA CGG ACC GTG CA -3' (SEQ ID NO:90) into the vector pBlueScript II (Stratagene) between the Pst I and Not I sites, to create plasmid pBS3.3'. The duplex produced by annealing primers 5'- GAT CCC GGG TCG TGT ATT CAG CTT TCC TTG TTC CT -3' (SEQ ID NO:91) and 5'- CTA GAG GAA CAA GGA AAG CTG AAT ACA CGA CCC GG -3' (SEQ ID NO:92), which contains the
- 30           priming site for P2X sequence, was subcloned between the BamH I and Avr II sites of pBS3.3' to yield pBS3.3'P12.

The stuffer fragment for V98 was designed to contain a luciferase ORF joined to a prokaryotic blasticidin S transferase (*bsd*) expression cassette, in order to yield a 2.2 kBp

DNA fragment. The luciferase ORF and was created by PCR using the following primers 5'- CAT CAA GCT TGG CCG GCC ACC ATG GAC GCG TCC GAA GAC GCC AAA AAC ATA AAG -3' (SEQ ID NO:93) and 5'- CAC GTG GAT ATC TTA CAA TTT GGA CTT TCC GCC CT -3' (SEQ ID NO:94) to amplify the luciferase ORF from the

5 plasmid pNFκB-luc (Stratagene, #219078), while the bsd expression cassette was created by PCR using the primers 5'- TTG TAA GAT ATC CAC GTG TTG ACA ATT AAT C -3' (SEQ ID NO:95) and 5'- CAT CAG ATC TGT CGA CCG GAC CGA CGC GTC CAC GAA GTG CTT AGC -3' (SEQ ID NO:96) to amplify the E7-blasticidin S transferase open reading frame cassette from plasmid EM7-bsd. (Invitrogen, #V511-20).

10 Both reactions were performed using the following cycling parameters: 95°C for 3 min; followed by 30 cycles of 94°C for 30 sec., 60°C for 30 sec., 72°C for 2 min.; followed by 72°C for 10 min.; followed by a soak at 4°C. PCR products of the desired size were purified by agarose gel electrophoresis followed by recovery of the DNA from the gel using the Qiagen Gel Extraction kit according to manufacturer's instructions. The

15 luciferase ORF and the bsd expression cassette were spliced together to generate a 2.2 kbp stuffer fragment using splice overlap extension PCR (Horton, R.M., Hunt, H.D., Ho, S.N., Pullen, J.K. and Pease, L.R. (1989)). Engineering hybrid genes without the use of restriction enzymes: gene splicing by overlap extension. Gene 77, 61-68) and the primers 5'- CAT CAA GCT TGG CCG GCC ACC ATG GAC GCG TCC GAA GAC GCC AAA

20 AAC ATA AAG -3' (SEQ ID NO:97) and 5'- CAT CAG ATC TGT CGA CCG GAC CGA CGC GTC CAC GAA GTG CTT AGC -3' (SEQ ID NO:98). The resultant SOE PCR product was purified away from the proteins, primers, and salts using a Qiagen PCR clean up kit and following manufacturer's instructions. The product was digested with Hind III and Sal I restriction endonucleases, the restricted product was purified by

25 agarose gel electrophoresis followed by recovery of the DNA from the gel using the Qiagen Gel Extraction kit according to manufacturer's instructions, and the purified DNA was subcloned between the Hind III (NEB, #R0104S) and Xho I (NEB, #R0146S) sites of plasmid pBluescript to yield pBSlucSOEK. Plasmid pBSlucSOEK was sequenced to confirm it was free of unwanted mutations, and the stuffer fragment recovered from the

30 pBSlucSOEK as a Hind III and Rsr II fragment, which was purified by agarose gel electrophoresis, followed by recovery of the DNA from the gel using the Qiagen Gel Extraction kit according to manufacturer's instructions and subcloning of the fragment into the Hind III and Rsr II sites of plasmid pBS3.3'P12 to yield plasmid



pBS33P2lucSOEK. Plasmid V87 was then constructed by recovering from plasmid pBS33P2lucSOEK the luciferase-E7-bsd stuffer fragment along with the 3' flanking sequences as an Fse I – Not I flanked 2.2 kbp DNA product, which was purified by agarose gel electrophoresis followed by recovery of the DNA from the gel using the  
5 Qiagen Gel Extraction kit according to manufacturer's instructions. This 2.2 kbp DNA was subcloned between the Fse I and Not I site of plasmid p610-E54P1, to yield vector V87. A schematic drawing of the construction of V87 is shown in Figure 2.

The downstream Mlu I site was removed from V87 by PCR amplification of the stuffer fragment of V90, a derivative of V87 containing the same stuffer as V87, using 1  
10 ng of V90 template DNA and 2.5 µL of primer 5'- CAT CAA GCT TGG CCG GCC ACG CGT GTT GGT AAA ATG GAA GAC G -3' (SEQ ID NO:99) and 2.5 µL of primer 5'- CAT GAG ATC TGT CGA CCG GAC CGC CAC GAA GTG CTT AAG C -3' (SEQ ID NO:100) in a standard 50 µL PCR reaction using Taq DNA polymerase (Roche, 1146165). Cycling parameters were: 94°C for 3 min.; followed by 30 cycles of  
15 94°C for 20 sec., 55°C for 20 sec., and 72°C for 3 minutes; followed by 72°C for 10 minutes; followed by a 4°C soak. The resultant 2.2 kbp PCR product was purified from the proteins and salt using a Qiagen PCR clean up kit following manufacturer's instructions. The PCR product was digested with Fse I and Rsr II endonucleases, purified by agarose gel electrophoresis, and recovered from the gel using a Qiagen Gel Extraction  
20 kit according to manufacturer's instructions. The restricted and purified fragment was then subcloned into the Fse I and Rsr II sites of V86, a vector related to V87 but containing a stuffer fragment containing the luciferase ORF but not the bsd ORF, to yield V94. The MCS GSE cassette was recovered from V94 as a 2.2 kbp DNA fragment by digestion of V94 with Bgl II (NEB, #R0144S) and Not I (NEB, #R0189S) restriction  
25 endonucleases. Vector V98 was created by subcloning this 2.2 kbp DNA fragment from V94 into the Bgl II and Not I sites on the V97 backbone. A schematic of the construction of V98 is shown in Figure 3.

## **2. Random Fragment Library Construction**

For construction of the starting AOLC1U library, V98 vector described above was  
30 restricted at 37°C for 3 hours, using Mlu I (NEB, #R0198S) and Rsr II restriction endonucleases. For construction of all other selected libraries, *e.g.*, AOLC1A, AOLC1B, AOLC1C, V98 vector DNA was restricted at 37°C for 3 hours, using Fse I and Rsr II restriction endonucleases. The vector DNA was purified from the digest using a Qiagen

PCR clean up spin column according to manufacturer's instructions, and the vector backbone DNA was purified by subjecting the eluate from the column to agarose gel electrophoresis to resolve the various DNA digestion products according to mass. A gel slice containing the 7.7 kbp backbone fragment was excised, and the DNA recovered from the agarose slice using the Qiagen Gel Extraction kit according to manufacturer's instructions. The concentration of DNA present in the vector preparations was determined by ethidium bromide staining in an 0.8% agarose gel following electrophoresis, by comparison to a DNA sample composed of various bands of known size and mass (High DNA Mass Ladder, Life Technologies, 10406-016). Vector preparations were quality controlled in series of test ligations as follows: vector alone control reaction, composed of x  $\mu$ L vector DNA (30 fmol), z  $\mu$ L water, 4  $\mu$ L 5X ligase buffer, 1  $\mu$ L T4 DNA ligase (BRL, 5 U/ $\mu$ L, #15224-041), where  $x + z = 15 \mu$ L; and a vector + insert reaction, composed of x  $\mu$ L vector DNA (30 fmol), y  $\mu$ L insert DNA (90 fmol), z  $\mu$ L water, 4  $\mu$ L 5X ligase buffer, 1  $\mu$ L T4 DNA ligase, where  $x + y + z = 15 \mu$ L. Ligation reactions were incubated at 16°C for at least 16 hours. At the end of the incubation period, ligation products were precipitated under ethanol, the ethanol decanted and the precipitate washed three times with 70% EtOH, and the pellet dried and resuspended in 20  $\mu$ L of water. One microliter of resuspended DNA solution was electrotransformed into DH10B electrocompetent cells (Life Technologies, 18290-015) according to manufacturers instructions. Following transformation, bacteria was recovered in 960  $\mu$ L of room temperature SOC media, and recovery mixtures incubated at 37°C in a rotary shaker, 250-300 rpm, for at least 40 minutes. After the recovery period, 4 ten-fold serial dilutions of each transformation culture were created, *i.e.*, 1:10, 1:100, 1:1000, and 1:10000, and 50  $\mu$ L of each bacterial dilution mixture was plated on LB-agar plates containing carbenicillin. Plates were incubated at 37°C overnight, and scored the following morning. Stock solutions of the double-restricted vector were aliquoted and stored frozen at -20°C, preferably in 30 fmol / tube amounts.

### 3. Preparation of Randomly fragmented cDNAs from Cell Line mRNA

Total RNA was harvested from five colon cancer cell lines: HCT15, HT29, HCT116, SW480 and SW620, using a Qiagen RNeasy kit, according to manufacturer's instructions. Poly A+ mRNA was purified from the total RNA using an Oligotex kit (Qiagen) following manufacturer's instructions. The purified mRNA pools were fragmented by boiling the sample at 100° C for 8 minutes, a time empirically determined

to give a good distribution of cDNA fragments as demonstrated using a published fragmentation protocol (Gudkov and Roninson, "Isolation of Genetic Suppressor Elements (GSEs) from Random Fragment cDNA libraries in Retroviral Vectors," Chapter 18, in *Methods in Molecular Biology, Vol. 69: cDNA Library Protocols*, p. 228, I.G. Cowell and C. A. Austin, eds. Humana Press Inc., Totowa NJ, 1997). Two parallel first strand cDNA synthesis reactions were performed using the fragmented mRNAs as template, with either an Asc I-N<sub>9</sub> random primer 5'- GTA ATA CGA CTC ACT ATA GGC GCG CCN<sub>9</sub> -3' (SEQ ID NO:101) or an Rsr II-N<sub>9</sub> random primer 5'- GTA ATA CGA CTC ACT ATA GGC GGA CCG N<sub>9</sub> -3' (SEQ ID NO:102) and the SuperScript Choice Systems for cDNA synthesis (Gibco BRL) following manufacturer's instructions. Second strand synthesis was performed using the method of Gubler and Hoffman Gene 25:263-9, 1989) again using the SuperScript kit. The resultant double strand cDNAs were blunted using T4 DNA polymerase (NEB, #M0203S), then ligated to double stranded adapters, produced by annealing the oligonucleotides 5'- ATG ATT ACG CCA CGG ACC GTC -3' (SEQ ID NO:103) and 5'- GAC GGT CCG TGG CGT AAT CAT GGT CAT AGC -3' (SEQ ID NO:104) to yield adapters containing an Rsr II restriction site, or the oligonucleotides 5'- ATG ATT ACG CCA GGC GCG CCA C -3' (SEQ ID NO:105) and 5'- GTG GCG CGC CTG GCG TAA TCA TGG TCA TAG C -3' (SEQ ID NO:106) to yield adapters containing an Asc I restriction site. cDNA samples prepared using the Asc-N<sub>9</sub> primer were ligated to the adapters containing the Rsr II restriction site, while cDNA samples prepared using the Rsr II-N<sub>9</sub> primer were ligated to adapters containing the Asc I restriction site. After ligation of the adapters to the cDNA fragments, excess adapters were removed by spun column chromatography.

#### 4. Preparation of Normalized Inserts for Starting AOLC1U Library

Eluted cDNAs ligated to appropriate adapters were subjected to 22 cycles of PCR to amplify the inserts and to generate large quantities of insert for self-normalization: those inserts ligated to Rsr II adapters were amplified using the primers 5'- GCT ATG ACC ATG ATT ACG CCA CGG ACC GTC -3' (SEQ ID NO:107) and 5'- GTA ATA CGA CTC ACT ATA GGC -3' (SEQ ID NO:108), while inserts ligated to the Asc I adapters were amplified using the primers 5'- GCT ATG ACC ATG ATT ACG CCA GGC GCG CCA C -3' (SEQ ID NO:109) and 5'- GTA ATA CGA CTC ACT ATA GGC GGA C -3' (SEQ ID NO:110). PCR products were pooled, purified using a Qiagen PCR

kit following manufacturer's instructions, evaporated to dryness using a rotary evaporator, and then resuspended in 25  $\mu$ L of 10 mM Tris-HCl (pH 8.5). The cDNA fragments were normalized by self-hybridization and batch binding hydroxyapatite (HAP) chromatography, essentially as described by Gudkov and Roninson (*op.cit.*),  
5 except that samples were collected at 24, 48, 72, 96 hours. The extent of normalization was evaluated using real-time PCR at five loci: ACTB, TP53, CASP3, 18S and a mitochondrial locus.

Purified, normalized ssDNA fractions from the HAP columns were reconverted to dsDNA and amplified using PCR: again, those inserts ligated to Rsr II adapters were  
10 amplified using the primers 5'-GCT ATG ACC ATG ATT ACG CCA CGG ACC GTC -3' (SEQ ID NO:111) and 5'-GTA ATA CGA CTC ACT ATA GGC -3' (SEQ ID NO:112), while inserts ligated to the Asc I adapters were amplified using the primers 5'-GCT ATG ACC ATG ATT ACG CCA GGC GCG CCA C -3' (SEQ ID NO:113) and 5'-GTA ATA CGA CTC ACT ATA GGC GGA C -3' (SEQ ID NO:114). PCR products  
15 were purified using Qiagen PCR clean up columns following manufacturer's instructions, and the PCR products from the two types of inserts (e.g, those with Rsr II adapters and those with Asc adapters) were mixed one-to-one molar ratio. Approximately 100 ng of mixed PCR product was digested with Asc I (NEB, #R0558S) and Rsr II restriction endonucleases for 2 hours at 37°C in multiple parallel reactions. DNA was recovered  
20 from the pooled digestions using a Qiagen PCR clean up kit following manufacturer's instructions. The concentration of restricted PCR products in the eluate was determined by resolving the DNA present in an aliquot of the eluate by 2% agarose gel electrophoresis. The fluorescent intensity of the PCR product band was compared to the intensity of bands in a DNA sample composed of a mixture of DNA fragments of known  
25 size and mass (Low DNA Mass Ladder, Life Technologies, 10068-013).

#### 5. Isolation of GSEs for AOLC1A, AOLC1B, or AOLC1C Libraries.

Colon adenocarcinoma SW480 cells were engineered to stably express ecotropic retroviral receptor (EcoR), and the resulting cell line was termed SW480 E. Phoenix Eco retrovirus packaging cells were transfected with library plasmid DNA and SW480 E cells  
30 were transduced with viral supernatant harvested from the packaging cells. Floating SW480 E cells were collected at times 24, 48, 72 and 96 hours post-transduction and fixed with 100% methanol. Apoptotic cells were collected from all time points by

staining the fixed cells with a monoclonal antibody against caspase-cleaved cytokeratin 18 (M30 CytoDeath Antibody, Roche Diagnostics), and selecting stained cells by fluorescence activated cell sorting (FACS). Genomic DNA was isolated from the collected cells (typically between  $1 \times 10^5$  and  $2 \times 10^6$  cells, depending upon the selection round) using the Qiagen DNeasy kit (Qiagen). Recovered genomic DNA was quantitated using the PicoGreen DNA quantitation kit (Molecular Probes) in a fluorometric assay performed according to manufacturer's instructions.

GSEs were recovered from the integrated proviruses contained in the harvested genomic DNA using PCR and the following reaction recipe: 10  $\mu$ L genomic DNA solution, about 1  $\mu$ g DNA, 5  $\mu$ L of 3.3  $\mu$ M p5x primer 5'- TCT GCA GCC CAG GTA AAA TTC GCT AGC CTC TAG T -3' (SEQ ID NO:115), 5  $\mu$ L of 3.3  $\mu$ M p6x primer 5'- GAG GAA CAA GGA AAG CTG AAT ACA CGA CCC GTG AT -3' (SEQ ID NO:116), 2  $\mu$ L of 10 mM dNTP mix, 17  $\mu$ L of H<sub>2</sub>O, 10  $\mu$ L 5X PCR buffer, 1  $\mu$ L of Thermozyme (InVitrogen E120-01). Cycling conditions for the PCR were: 95°C for 3 min.; followed by 30 cycles of 95°C for 30 sec., 68°C for 30 sec., 72°C for 1 min.; followed by 72°C for 10 min., followed by a soak at 4°C. At least 10, and typically 96 reactions were performed in parallel.

Two hundred  $\mu$ L of pooled PCR product from the genomic PCR samples was purified from proteins and salts using a Qiagen PCR clean up kit following manufacturer's instructions. The concentration of PCR product in the eluate was determined by resolving the DNA present in an aliquot of the eluate by 2% agarose gel electrophoresis and then comparing the fluorescent intensity of the PCR product band to the intensity of bands in a DNA sample composed of a mixture of DNA fragments of known size and mass (Low DNA Mass Ladder, Life Technologies, 10068-013). Multiple parallel restriction digests were then set up using samples of the purified PCR product present in the eluate using the following recipe: 10  $\mu$ L 10X NEB buffer #4 (final 1X concentration: 20 mM Tris-acetate, 10 mM magnesium acetate, 50 mM potassium acetate, 1 mM dithiothreitol), 1  $\mu$ L 100X BSA (NEB), 7  $\mu$ L Fse I restriction endonuclease (2 U/ $\mu$ L, NEB #R0588S), 3  $\mu$ L Rsr II restriction endonuclease (4 U/ $\mu$ L, NEB #R0501S), X  $\mu$ L aliquot of PCR product, about 100 ng, 79  $\mu$ L water, to bring total digestion volume up to 100  $\mu$ L. Restriction digests were incubated at 37°C for 3 hours. DNA products from the digest were separated from proteins and salts and concentrated using a Zymo DNA Clean & Concentrator-5 concentrator kit (#D4004), following the manufacturer's

instructions with the following modifications: after addition of DNA binding buffer to each of the digestion reactions, all of the reactions were spun through the same column to concentrate 600 to 800 ng of digested insert onto a single column. Columns were washed according to the manufacturer's protocols, and the DNA eluted from the column by two sequential additions of 8  $\mu$ L of 50 mM Tris-HCl, pH 8.5. DNA of desired sizes (100-500 bp) was recovered from the concentrated eluate by purification using gel electrophoresis on 1% low melting point agarose (NuSieve GTG agarose, FMC bioproducts) gels. DNA bands in the gel were visualized following ethidium bromide staining of the gel, using a hand-held shortwave ultraviolet light source. Gel slices containing the desired DNA were excised using clean razor blades, and DNA extracted from the gel slice using the Qiagen gel purification kit, following manufacturer's instructions. The concentration of restricted and purified PCR product was determined by ethidium bromide staining of an agarose gel containing an aliquot of the purified PCR product, and a DNA sample of known composition and mass, as described above.

5. cDNA Library Preparation

Ligation reactions for each batch of insert prepared were set up as follows: (reaction 1) Vector control reaction: x  $\mu$ L vector DNA (150 ng), z  $\mu$ L water, 4  $\mu$ L 5X ligase buffer, 1  $\mu$ L T4 DNA ligase (BRL, 5 U/ $\mu$ L, #15224-041), where  $x + z = 15 \mu$ L; (reaction 2) Vector + insert: x  $\mu$ L vector DNA (150 ng), y  $\mu$ L insert DNA (12 ng); z  $\mu$ L water; 4  $\mu$ L 5X ligase buffer; 1  $\mu$ L T4 DNA ligase, where  $x + y + z = 15 \mu$ L. Ligation mixtures were incubated at 4°C for at least 16 hours. At the end of the ligation period, ligation products were precipitated under ethanol, the ethanol decanted and the precipitate washed three times with 70% EtOH, and the pellet dried and resuspended in 20  $\mu$ L of water. One  $\mu$ L of resuspended ligation product was used to electrotransform DH10B electrocompetent cells (Life Technologies, 18290-015) according to manufacturers instructions; the balance of the ligation mixture was stored at -20°C. Following transformation, bacteria was recovered in 960  $\mu$ L of room temperature SOC media, and recovery mixtures incubated at 37°C in a rotary shaker, 250-300 rpm, for at least 40 minutes. After the recovery period, 4 ten-fold serially diluted samples (*i.e.*, 1:10, 1:100, 1:1000, and 1:10000) of each transformation culture were set up, and 50  $\mu$ L from each dilution was plated on LB-agar plates containing carbenicillin. Plates were incubated at 37°C overnight, and colony counts for each plate scored the following morning.

Insert sizes in a subset of clones were determined by performing PCR directly on bacterial colonies as follows. A disposable pipette tip was used to harvest a single bacterial colony from the LB plate of interest. The colony was transferred into 25  $\mu$ L of water, carefully swishing the tip to dislodge the bacterial colony. Five microliters of bacterial solution was spotted to an LB plate and allowed to incubate overnight. PCR was performed on the bacterial solution using the following recipe: 2  $\mu$ L 10 mM primer M13F(17) 5'-GTA AAA CGA CGG CCA GT-3' (SEQ ID NO:117), 2  $\mu$ L 10 mM primer p6X 5'-TCT GCA GCC CAG GTA AAA TTC GCT AGC CTC TAG T-3' (SEQ ID NO:118), 4  $\mu$ L 10X PCR buffer, 1  $\mu$ L 25 mM dNTP mix, 0.5  $\mu$ L Taq DNA polymerase (Roche, 1146165), 10.5  $\mu$ L PCR grade water, 20  $\mu$ L of bacterial solution. The cycling parameters were 95°C for 3 min., then 25 cycles of 95°C for 30 sec., 60°C for 30 sec., 72°C for 1 min., followed by 72°C for 5 min., and a 4°C soak. At the completion of the PCR, 10  $\mu$ L of each PCR product was resolved on a 2% agarose gel containing ethidium bromide. DNA mobility for each of the samples was evaluated. The balance of the PCR product was submitted for DNA sequencing to determine the sequence content of the inserts for these clones.

Ligations described above were used for further electro-transformations. The calculated cfu /  $\mu$ g for each of the QC controlled ligations was used to compute the total number of electrotransformations required to achieve the required complexity for the library being constructed. Multiple electrotransformations were performed in parallel, using 1  $\mu$ L of ligation mix per transformation as described above. At the end of the 40-minute recovery period following the electrotransformation, up to 10 independent transformations were pooled, and 50  $\mu$ L from these pooled samples used to establish 4 ten-fold serially diluted samples (*i.e.*, 1:10, 1:100, 1:1000, and 1:10000). Fifty  $\mu$ L of each serial dilution (*i.e.*, 1:10, 1:100, 1:1000, and 1:10000) was plated on LB-agar plates containing carbenicillin. The remaining volumes of undiluted and diluted transformation solutions were used to seed a bacterial culture flask containing 0.5L of LB broth, after which the seeded flask was incubated at 30°C overnight, about 14 – 16 hours, in a rotary shaker at 300 rpm. Plates from the serially diluted samples were incubated at 37°C overnight, and colony counts for each plate scored the following morning to determine the total number of colonies seeded into the 0.5L culture. Library plasmid DNA was recovered from the 0.5L cultures using a Qiagen Maxiprep plasmid kit, according to manufacturer's instructions.

The AOLC1U library was constructed using the normalized inserts prepared as described in section 4 above; the library was composed of greater than 80 million transformants. The AOLC1A library was constructed from GSEs recovered from apoptotic HCT116 cells collected 24, 48, 72 and 96 hours after transduction. The AOLC1B library was constructed from GSEs recovered from apoptotic HCT116 cells collected 24, 48, and 72 hours after transduction. The AOLC1C library was constructed from GSEs recovered from apoptotic HCT116 cells collected 48 hours after transduction. It was found that the AOLC1C library was highly enriched for RPX and *E. coli* sequences; with the RPL5, RPL36, RPL8, Fau, RPL13a species being the majority species. To subtract these sequences from AOLC1C library, the following procedure was performed: (1) library DNA was linearized using FseI restriction endonuclease, (2) primers specific to selected RPX and *E. coli* species were annealed to linearized DNA and (3) DNA synthesis extended from the primer using Bst DNA polymerase, a polymerase that lacks 3' exonuclease activity. Upon primer extension, the overhang of the FseI half-site adjacent to the insert will be lost, since extension products will yield blunt dsDNA. This blunted Fse I half-site will be incapable of adhering to the cohesive Fse I half-site present at the other end of the plasmid. Therefore, the DNA molecules to which primers have bound (*e.g.* the RPX and *E. coli* species) should have their Fse I sites blunted, and therefore be incapable of resealing by T4 DNA ligase. Hence, all linearized library DNA is treated with T4 DNA ligase, and the ligation products are transformed into electrocompetent DH10B *E.coli* to generate a library enriched in sequences that do not contain RPX or *E. coli* species. The enriched or subtracted library so created from the AOLC1C library was termed AOLC1CS. Sequencing of the AOLC1CS library showed that the targeted plasmids were substantially reduced in number, but they were still predominant species in the AOLC1CS library. Thus, the AOLC1CS library was subjected to another round of subtraction using the same method, with the resulting library termed AOLC1CS2 (AOLC1C library after 2 rounds of subtraction). The primers used in this method to make library AOLC1CS were: RPS5: 5'- TCG TTC GAG GAG CCC TTG GCA GCA T -3' (SEQ ID NO:119); RPL36A, 5'- CGC CCT TCC GCC ACG GCC GTC TCT -3' (SEQ ID NO:120); RPL18 5'- GAA AGG ACC CGT CGC CAT GGG CCG T -3' (SEQ ID NO:121); Fau, 5'- CAG TCG CCA ATA TGC AGC TCT TTG T -3' (SEQ ID NO:122); RPL13A , 5'- CGA GGT ATG CTG CCC CAC AA -3' (SEQ ID NO:123). For library AOLC1CS2, the above primers were used and these primers were



- added as well: RPS5, 5'- CGA GCG CCT GTG CAC AGC AGC CAG A -3' (SEQ ID NO:124); RPL36A, 5'- GCG GGA CAT GAT TCG GGA GGT GTG T -3' (SEQ ID NO:125); RPL8, 5'- CTG CGC GCC TGC GCG CCG TGG ATT T -3' (SEQ ID NO:126); Fau, 5'- CTT CGA GGT GAC CGG CCA GGA AAC G -3' (SEQ ID NO:127);
- 5 RPL13A, 5'- CAG GCC GCT CTG GAC CGT CTC AAG G -3' (SEQ ID NO:128); *E coli*, 5'- AAC GGT GGG CTT GTT GCT GCT CTG G -3' (SEQ ID NO:129), 5'- ATT GGT ATT GGT AAC GGG CGT CAG G -3' (SEQ ID NO:130), 5'- ACC ATC TTC CAG GCG CAG TTG AGT T -3' (SEQ ID NO:131).

The target genes and encoded proteins identified by the present invention are explicitly disclosed in Table 1, which contains a common name for the gene and the

10 GENBANK accession number, which can be retrieved from public sequence databases, as well as a sequence identifier for the nucleic acid sequence (first number) and encoded amino acid sequence (second number).

15 **Table 1**

Accession Number	Common Name	Sequence Identifier (nucleic acid & protein)	Description
NM_001087	AAMP	SEQ ID NO:1 & 2	angio-associated, migratory cell protein
NM_001109	ADAM8	SEQ ID NO:3 & 4	a disintegrin and metalloproteinase domain 8
NM_139057	ADAMTS17	SEQ ID NO:5 & 6	a disintegrin-like and metalloprotease (reprolysin type) with thrombospondin type 1 motif, 17
NM_004036	ADCY3	SEQ ID NO:7 & 8	adenylate cyclase 3
NM_001619	ADRBK1	SEQ ID NO:9 & 10	adrenergic, beta, receptor kinase 1
NM_006698	BLCAP	SEQ ID NO:11 & 12	bladder cancer associated protein
NM_012264	C22orf5	SEQ ID NO:13 & 14	chromosome 22 open reading frame 5
NM_004356	CD81	SEQ ID NO:15 & 16	CD81 antigen (target of antiproliferative antibody 1)
NM_001769	CD9	SEQ ID NO:17 & 18	CD9 antigen (p24)
NM_001305	CLDN4	SEQ ID NO:19 & 20	claudin 4
NM_001288	CLIC1	SEQ ID NO:21 & 22	chloride intracellular channel 1
NM_058175	COL6A2	SEQ ID NO:23 & 24	collagen, type VI, alpha 2
AF070636 or NM_020428	CTL2	SEQ ID NO:25 & 26	CTL2 gene
NM_001397	ECE1	SEQ ID NO:27 & 28	endothelin converting enzyme 1
NM_004429	EFNB1	SEQ ID NO:29 & 30	ephrin-B1
NM_004475	FLOT2	SEQ ID NO:31 & 32	flotillin 2
AC011511 or BC058903	ICAM3	SEQ ID NO:33 & 34	intercellular adhesion molecule 3

Accession Number	Common Name	Sequence Identifier (nucleic acid & protein)	Description
NM_006123	IDS	SEQ ID NO:35 & 36	iduronate 2-sulfatase (Hunter syndrome)
NM_002226	JAG2	SEQ ID NO:37 & 38	jagged 2
BC001699	JAM1	SEQ ID NO:39 & 40	junctional adhesion molecule 1
NM_005567	LGALS3BP	SEQ ID NO:41 & 42	lectin, galactoside-binding, soluble, 3 binding protein
XM_085426	LOC146330	SEQ ID NO:43 & 44	similar to possible G-protein receptor
BC020590	LOC51107	SEQ ID NO:45 & 46	CGI-78 protein
NM_000237	LPL	SEQ ID NO:47 & 48	lipoprotein lipase
NM_002335	LRP5	SEQ ID NO:49 & 50	low density lipoprotein receptor-related protein 5
NM_005581	LU	SEQ ID NO:51 & 52	Lutheran blood group (Auberger b antigen included)
NM_005898	M11S1	SEQ ID NO:53 & 54	membrane component, chromosome 11, surface marker 1
NM_007061	MSE55	SEQ ID NO:55 & 56	serum constituent protein
NM_006702	NTE	SEQ ID NO:57 & 58	neuropathy target esterase
AK055605 or AK126101	PLXNA1	SEQ ID NO:59 & 60	Homo sapiens cDNA FLJ31043 fis, clone HSYRA2000248 (PLEXIN A1) or Homo sapiens cDNA FLJ44113 fis, clone TESTI4046487, highly similar to Mus musculus plexin A1
AF034800	PPFIA3	SEQ ID NO:61 & 62	protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF), interacting protein (liprin), alpha 3
NM_145648	PTR4	SEQ ID NO:63 & 64	Homo sapiens peptide-histidine transporter 4 (PTR4), mRNA
NM_004207	SLC16A3	SEQ ID NO:65 & 66	solute carrier family 16 (monocarboxylic acid transporters), member 3
NM_005628	SLC1A5	SEQ ID NO:67 & 68	solute carrier family 1 (neutral amino acid transporter), member 5
NM_014437	SLC39A1	SEQ ID NO:69 & 70	solute carrier family 39 (zinc transporter), member 3
NM_021102	SPINT2	SEQ ID NO:71 & 72	serine protease inhibitor, Kunitz type, 2
NM_003714	STC2	SEQ ID NO:73 & 74	stanniocalcin 2
NM_014452	TNFRSF21	SEQ ID NO:75 & 76	tumor necrosis factor receptor superfamily, member 21
NM_003299	TRA1	SEQ ID NO:77 & 78	tumor rejection antigen (gp96) 1
NM_017636	TRPM4	SEQ ID NO:79 & 80	transient receptor potential cation channel, subfamily M, member 4

It should be understood that the foregoing disclosure emphasizes certain specific embodiments of the invention and that all modifications or alternatives equivalent thereto are within the spirit and scope of the invention as set forth in the appended claims.

**WHAT WE CLAIM IS:**

1. A method for identifying a compound for inducing apoptosis, comprising identifying an inhibitor of a target selected from the group consisting of: angio-associated, migratory cell protein (AAMP, comprising SEQ ID NO:2), a disintegrin and metalloproteinase domain 8 (ADAM8, comprising SEQ ID NO:4), a disintegrin-like and metalloprotease (reporlysin type) with thrombospondin type 1 motif, 17 (ADAMTS17, comprising SEQ ID NO:6), adenylate cyclase 3 (ADCY3, comprising SEQ ID NO:8), adrenergic beta receptor kinase 1 (ADRBK1, comprising SEQ ID NO:10), bladder cancer associated protein (BLCAP, comprising SEQ ID NO:12), chromosome 22 open reading frame 5 (C22orf5, comprising SEQ ID NO:14), CD81 antigen (target of antiproliferative antibody 1 (CD81, comprising SEQ ID NO:16), CD9 antigen (p24) (CD9, comprising SEQ ID NO:18), claudin 4 (CLDN4, comprising SEQ ID NO:20), chloride intracellular channel 1 (CLIC1, comprising SEQ ID NO:22), collagen, type VI, alpha 2 (COL6A2, comprising SEQ ID NO:24), CTL2 (CTL2, comprising SEQ ID NO:26), endothelin converting enzyme 1 (ECE1, comprising SEQ ID NO:28), ephrin-B1 (EFNB1, comprising SEQ ID NO:30), flotillin 2 (FLOT2, comprising SEQ ID NO:32), intercellular adhesion molecule 3 (ICAM3, comprising SEQ ID NO:34), iduronate 2-sulfatase (Hunter syndrome) (IDS, comprising SEQ ID NO:36), jagged 2 (JAG2, comprising SEQ ID NO:38), junctional adhesion molecule 1 (JAM1, comprising SEQ ID NO:40), lectin, galactoside-binding soluble 3 binding protein (LGALS3BP, comprising SEQ ID NO:42), similar to possible G-protein receptor (LOC146330, comprising SEQ ID NO:44), CGI-78 protein (LOC51107, comprising SEQ ID NO:46), lipoprotein lipase (LPL, comprising SEQ ID NO:48), low density lipoprotein receptor-related protein 5 (LRP5, comprising SEQ ID NO:50), Lutheran blood group (Auberger b antigen included) (LU, comprising SEQ ID NO:52), membrane component, chromosome 11, surface marker 1 (M11S1, comprising SEQ ID NO:54), serum constituent protein (MSE55, comprising SEQ ID NO:56), neuropathy target esterase (NTE, comprising SEQ ID NO:58), Homo sapiens cDNA FL31043 fis, clone HSYRA2000248 (PLEXIN A1) or Homo sapiens cDNA FLJ44113 fis, clone TESTI4046487, highly similar to Mus musculus plexin A1 (PLXNA1, comprising SEQ ID NO:60), protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF), interacting protein )(liprin), alpha 3 (PPFIA3, comprising SEQ ID NO:62), Homo sapiens peptide-histidine transporter 4 (PTR4), mRNA (PTR4, comprising SEQ ID NO:64), solute carrier family 16

(monocarboxylic acid transporters) member 3 (SLC16A3, comprising SEQ ID NO:66), solute carrier family 1 (neutral amino acid transporter) member 5 (SLC1A5, comprising SEQ ID NO:68), solute carrier family 39 (zinc transporter) member 3 (SLC39A1, comprising SEQ ID NO:70), serine protease inhibitor, Kunitz type 2 (SPINT2, comprising SEQ ID NO:72), stanniocalcin 2 (STC2, comprising SEQ ID NO:74), tumor necrosis receptor superfamily member 21 (TNFRSF21, comprising SEQ ID NO:76), tumor rejection antigen (gp96) 1 (TRA1, comprising SEQ ID NO:78), and transient receptor potential cation channel, subfamily M member 4 (TRPM4, comprising SEQ ID NO:80).

10           2.     The method of Claim 1, further comprising assessing the ability of an identified inhibitor to induce apoptosis in a cell.

              3.     The method of Claim 2, further comprising detecting whether a compound identified as inducing apoptosis inhibits growth of tumor cells.

              4.     The method of Claim 1, wherein the step of identifying comprises  
15 identifying an inhibitor of expression or activity of the target.

              5.     The method of Claim 1, comprising the steps of:

              a)     contacting a host cell with a putative regulatory compound, wherein the host cell expresses the target or a biologically active fragment thereof; and

              b)     detecting whether the putative regulatory compound inhibits the target or  
20 biologically active fragment thereof, wherein a putative regulatory compound that inhibits the target as compared to in the absence of the compound is indicated to be a candidate compound for the induction of apoptosis in a host cell.

              6.     The method of Claim 5, wherein the host cell is a tumor cell line.

              7.     The method of Claim 5, wherein the step of detecting is selected from the  
25 group consisting of:

              a)     detecting expression of the target in the presence of the putative regulatory compound; and

              b)     detecting activity of the target in the presence of the putative regulatory compound.

30           8.     The method of Claim 7, wherein the expression of the target is measured by polymerase chain reaction.

              9.     The method of Claim 7, wherein the expression of the target is measured using an antibody or antigen binding partner that selectively binds to the target.

10. The method of Claim 7, wherein the activity of the target is measured by measuring the amount of a product generated in a biochemical reaction mediated by the target.

11. The method of Claim 7, wherein the activity of the target is measured by  
5 measuring the amount of a substrate consumed in a biochemical reaction mediated by the target.

12. The method of Claim 1, comprising the steps of:

- a) determining the three-dimensional structure of the target;
- b) identifying the three-dimensional structure of a putative inhibitor by using  
10 computer software to model an interaction between the target structure and a structure of a test compound; and
- c) synthesizing compounds identified in (b) and assaying the compounds in an *in vitro* assay to determine whether the compound inhibits the expression or activity of the target.

13. The method of Claim 1, wherein the target has been validated as being  
15 involved in tumor cell growth.

14. The method of Claim 14, wherein the target has been validated as being involved in tumor cell growth by a process comprising:

- a) inhibiting the target in a cell by a method selected from the group  
20 consisting of gene knock-out, anti-sense oligonucleotide expression, use of RNAi molecules and GSE expression; and
- b) assaying the cell for the ability of the cell to grow.

15. A method for inducing apoptosis, comprising inhibiting the expression or activity of a target or a gene encoding the target, wherein the target is selected from the group consisting of: angio-associated, migratory cell protein (AAMP, comprising SEQ  
25 ID NO:2), a disintegrin and metalloproteinase domain 8 (ADAM8, comprising SEQ ID NO:4), a disintegrin-like and metalloprotease (reporlysin type) with thrombospondin type 1 motif, 17 (ADAMTS17, comprising SEQ ID NO:6), adenylate cyclase 3 (ADCY3, comprising SEQ ID NO:8), adrenergic beta receptor kinase 1 (ADRBK1, comprising  
30 SEQ ID NO:10), bladder cancer associated protein (BLCAP, comprising SEQ ID NO:12), chromosome 22 open reading frame 5 (C22orf5, comprising SEQ ID NO:14), CD81 antigen (target of antiproliferative antibody 1 (CD81, comprising SEQ ID NO:16), CD9 antigen (p24) (CD9, comprising SEQ ID NO:18), claudin 4 (CLDN4, comprising SEQ ID

NO:20), chloride intracellular channel 1 (CLIC1, comprising SEQ ID NO:22), collagen, type VI, alpha 2 (COL6A2, comprising SEQ ID NO:24), CTL2 (CTL2, comprising SEQ ID NO:26), endothelin converting enzyme 1 (ECE1, comprising SEQ ID NO:28), ephrin-B1 (EFNB1, comprising SEQ ID NO:30), flotillin 2 (FLOT2, comprising SEQ ID NO:32), intercellular adhesion molecule 3 (ICAM3, comprising SEQ ID NO:34), iduronate 2-sulfatase (Hunter syndrome) (IDS, comprising SEQ ID NO:36), jagged 2 (JAG2, comprising SEQ ID NO:38), junctional adhesion molecule 1 (JAM1, comprising SEQ ID NO:40), lectin, galactoside-binding soluble 3 binding protein (LGALS3BP, comprising SEQ ID NO:42), similar to possible G-protein receptor (LOC146330, comprising SEQ ID NO:44), CGI-78 protein (LOC51107, comprising SEQ ID NO:46), lipoprotein lipase (LPL, comprising SEQ ID NO:48), low density lipoprotein receptor-related protein 5 (LRP5, comprising SEQ ID NO:50), Lutheran blood group (Auburger b antigen included) (LU, comprising SEQ ID NO:52), membrane component, chromosome 11, surface marker 1 (M11S1, comprising SEQ ID NO:54), serum constituent protein (MSE55, comprising SEQ ID NO:56), neuropathy target esterase (NTE, comprising SEQ ID NO:58), Homo sapiens cDNA FL31043 fis, clone HSYRA2000248 (PLEXIN A1) or Homo sapiens cDNA FLJ44113 fis, clone TESTI4046487, highly similar to Mus musculus plexin A1 (PLXNA1, comprising SEQ ID NO:60), protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF), interacting protein )(liprin), alpha 3 (PPFIA3, comprising SEQ ID NO:62), Homo sapiens peptide-histidine transporter 4 (PTR4), mRNA (PTR4, comprising SEQ ID NO:64), solute carrier family 16 (monocarboxylic acid transporters) member 3 (SLC16A3, comprising SEQ ID NO:66), solute carrier family 1 (neutral amino acid transporter) member 5 (SLC1A5, comprising SEQ ID NO:68), solute carrier family 39 (zinc transporter) member 3 (SLC39A1, comprising SEQ ID NO:70), serine protease inhibitor, Kunitz type 2 (SPINT2, comprising SEQ ID NO:72), stanniocalcin 2 (STC2, comprising SEQ ID NO:74), tumor necrosis receptor superfamily member 21 (TNFRSF21, comprising SEQ ID NO:76), tumor rejection antigen (gp96) 1 (TRA1, comprising SEQ ID NO:78), and transient receptor potential cation channel, subfamily M member 4 (TRPM4, comprising SEQ ID NO:80).

16. The method of Claim 15, wherein the step of inhibiting is conducted by contacting a cell with an inhibitor of the target, wherein the inhibitor induces apoptosis in the cell.

17. A method for the diagnosis of a tumor comprising:

- a) detecting a level of expression or activity of at least one biomarker in a test sample from a patient to be diagnosed, wherein the biomarker is selected from the group consisting of: angio-associated, migratory cell protein (AAMP, comprising SEQ ID NO:2), a disintegrin and metalloproteinase domain 8 (ADAM8, comprising SEQ ID NO:4), a disintegrin-like and metalloprotease (reporlysin type) with thrombospondin type 1 motif, 17 (ADAMTS17, comprising SEQ ID NO:6), adenylate cyclase 3 (ADCY3, comprising SEQ ID NO:8), adrenergic beta receptor kinase 1 (ADRBK1, comprising SEQ ID NO:10), bladder cancer associated protein (BLCAP, comprising SEQ ID NO:12), chromosome 22 open reading frame 5 (C22orf5, comprising SEQ ID NO:14), CD81 antigen (target of antiproliferative antibody 1 (CD81, comprising SEQ ID NO:16), CD9 antigen (p24) (CD9, comprising SEQ ID NO:18), claudin 4 (CLDN4, comprising SEQ ID NO:20), chloride intracellular channel 1 (CLIC1, comprising SEQ ID NO:22), collagen, type VI, alpha 2 (COL6A2, comprising SEQ ID NO:24), CTL2 (CTL2, comprising SEQ ID NO:26), endothelin converting enzyme 1 (ECE1, comprising SEQ ID NO:28), ephrin-B1 (EFNB1, comprising SEQ ID NO:30), flotillin 2 (FLOT2, comprising SEQ ID NO:32), intercellular adhesion molecule 3 (ICAM3, comprising SEQ ID NO:34), iduronate 2-sulfatase (Hunter syndrome) (IDS, comprising SEQ ID NO:36), jagged 2 (JAG2, comprising SEQ ID NO:38), junctional adhesion molecule 1 (JAM1, comprising SEQ ID NO:40), lectin, galactoside-binding soluble 3 binding protein (LGALS3BP, comprising SEQ ID NO:42), similar to possible G-protein receptor (LOC146330, comprising SEQ ID NO:44), CGI-78 protein (LOC51107, comprising SEQ ID NO:46), lipoprotein lipase (LPL, comprising SEQ ID NO:48), low density lipoprotein receptor-related protein 5 (LRP5, comprising SEQ ID NO:50), Lutheran blood group (Auberger b antigen included) (LU, comprising SEQ ID NO:52), membrane component, chromosome 11, surface marker 1 (M11S1, comprising SEQ ID NO:54), serum constituent protein (MSE55, comprising SEQ ID NO:56), neuropathy target esterase (NTE, comprising SEQ ID NO:58), Homo sapiens cDNA FL31043 fis, clone HSYRA2000248 (PLEXIN A1) or Homo sapiens cDNA FLJ44113 fis, clone TESTI4046487, highly similar to Mus musculus plexin A1 (PLXNA1, comprising SEQ ID NO:60), protein tyrosine phosphatase, receptor type, f polypeptide (PTPRF), interacting protein )(liprin), alpha 3 (PPFIA3, comprising SEQ ID NO:62), Homo sapiens peptide-histidine transporter 4 (PTR4), mRNA (PTR4, comprising SEQ ID NO:64), solute carrier family 16

(monocarboxylic acid transporters) member 3 (SLC16A3, comprising SEQ ID NO:66), solute carrier family 1 (neutral amino acid transporter) member 5 (SLC1A5, comprising SEQ ID NO:68), solute carrier family 39 (zinc transporter) member 3 (SLC39A1, comprising SEQ ID NO:70), serine protease inhibitor, Kunitz type 2 (SPINT2, comprising SEQ ID NO:72), stanniocalcin 2 (STC2, comprising SEQ ID NO:74), tumor necrosis receptor superfamily member 21 (TNFRSF21, comprising SEQ ID NO:76), tumor rejection antigen (gp96) 1 (TRA1, comprising SEQ ID NO:78), and transient receptor potential cation channel, subfamily M member 4 (TRPM4, comprising SEQ ID NO:80);

- 10           b)       comparing the level of expression or activity of the biomarker in the test sample to a baseline level of biomarker expression or activity established from a control sample; wherein detection of a statistically significant difference in the expression or activity of the biomarker in the test sample, as compared to the baseline level of the expression or biological activity of the biomarker, is an indicator of a difference in the
- 15   tumorigenicity or potential therefore of cells in the patient.

18.     The method of Claim 17, wherein the step of detecting comprises detecting biomarker mRNA transcription in the test sample.

19.     The method of Claim 18, wherein the step of detecting is by a method selected from the group consisting of polymerase chain reaction (PCR), reverse transcriptase-PCR (RT-PCR), *in situ* hybridization, Northern blot, sequence analysis,
- 20   gene microarray analysis, and detection of a reporter gene.

20.     The method of Claim 17, wherein the step of detecting comprises detecting the biomarker protein in the test sample.

21.     The method of Claim 20, wherein the step of detecting is by a method selected from the group consisting of immunoblot, enzyme-linked immunosorbant assay (ELISA), radioimmunoassay (RIA), immunoprecipitation, immunohistochemistry and immunofluorescence.
- 25

22.     The method of Claim 17, wherein the step of detecting comprises detecting biomarker biological activity in the test sample.

- 30       23.     The method of Claim 17, wherein detection of a statistically significant difference in the level of biomarker expression or activity in the test sample as compared to the baseline level, with a confidence of  $p < 0.05$ , indicates that the cells in the test



sample have a difference in tumorigenicity or potential therefore as compared to the control sample.

24. The method of Claim 17, wherein the test sample is from a patient being diagnosed for cancer and wherein the baseline level is established from a control sample that is established as non-tumorigenic.

25. The method of Claim 24, wherein an increase in the level of biomarker expression or activity of the test sample as compared to the baseline level of expression or activity indicates that cells from which the test sample was derived are predicted to be tumorigenic or predisposed to becoming tumorigenic.

26. The method of Claim 17, wherein the test sample is from a patient who is known to have cancer, and wherein the baseline level comprises a level of biomarker expression or activity from a previous tumor cell sample from the patient;

wherein a statistically significant decrease in the level of biomarker expression or activity in the test sample as compared to the first baseline level of expression or activity from the previous tumor cell sample, indicates that the test sample is less tumorigenic than the previous tumor cell sample;

and wherein a statistically significant increase in the level of biomarker expression or activity in the test sample as compared to the first baseline level of expression or activity, indicates that the test sample is more tumorigenic than the previous tumor cell sample.

27. The method of Claim 26, wherein the method further comprises a step (c) of modifying cancer treatment for the patient based on whether an increase or decrease in tumorigenicity is indicated in step (b).

28. The method of Claim 17, wherein the baseline level is established by a method selected from the group consisting of:

(1) establishing a baseline level of biomarker expression or activity in an autologous control sample from the patient, wherein the autologous sample is from a same cell type, tissue type or bodily fluid type as the test sample of step (a);

(2) establishing a baseline level of biomarker expression or activity from at least one previous detection of biomarker expression or activity in a previous test sample from the patient, wherein the previous test sample was of a same cell type, tissue type or bodily fluid type as the test sample of step (a); and

(3) establishing a baseline level of biomarker expression or activity from an average of control samples of a same cell type, tissue type or bodily fluid type as the test sample of step (a), the control samples having been obtained from a population of matched individuals.

5           29. The method of Claim 17, wherein the patient test sample is immobilized on a substrate.

30. The method of Claim 17, wherein the test sample is a bodily fluid sample.


31. The method of Claim 17, wherein the biomarker level is determined by contacting the patient test sample with an antibody or a fragment thereof that selectively  
10 binds specifically to the biomarker, and determining whether the antibody or fragment thereof has bound to the marker.

32. The method of Claim 17, wherein the method is used to determine the prognosis for cancer in the patient.

33. The method of Claim 17, wherein the method is used to determine the  
15 susceptibility of the patient to a therapeutic treatment.


1/3

Fig. 1




2/3

Fig. 2



3/3



## SEQUENCE LISTING

<110> SurroMed, Inc.  
Axenovich, Sergey  
Stull, Robert  
Gelman, Marina  
Chui, Kitty  
Ng, Dean

<120> DIAGNOSTIC METHODS FOR CANCER DETECTION

<130> 5189-2-PCT

<140> not yet assigned

<141> 2004-02-26

<160> 131

<170> PatentIn version 3.1

<210> 1

<211> 1762

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(1359)

<223>

<400> 1

atg gac tct ggg agg cgt ttg ggc cca gag aag tgg atc cgc cgc ttg	48
Met Asp Ser Gly Arg Arg Leu Gly Pro Glu Lys Trp Ile Arg Arg Leu	
1 5 10 15	
cgc cgc atg gag tcc gaa tcg gaa agc ggg gct gct gct gac acc ccc	96
Arg Arg Met Glu Ser Glu Ser Glu Ser Gly Ala Ala Ala Asp Thr Pro	
20 25 30	
cca ctg gag acc cta agc ttc cat ggt gat gaa gag att atc gag gtg	144
Pro Leu Glu Thr Leu Ser Phe His Gly Asp Glu Glu Ile Ile Glu Val	
35 40 45	
gta gaa ctt gat ccc ggt ccg ccg gac cca gat gac ctg gcc cag gag	192
Val Glu Leu Asp Pro Gly Pro Pro Asp Pro Asp Asp Leu Ala Gln Glu	
50 55 60	
atg gaa gat gtg gac ttt gag gaa gaa gag gag gaa gag ggc aac gaa	240
Met Glu Asp Val Asp Phe Glu Glu Glu Glu Glu Glu Gly Asn Glu	
65 70 75 80	
gag ggc tgg gtt cta gaa ccc cag gaa ggg gtg gtc ggc agc atg gag	288
Glu Gly Trp Val Leu Glu Pro Gln Glu Gly Val Val Gly Ser Met Glu	
85 90 95	
ggc ccc gac gat agc gag gtc acc ttt gca ttg cac tca gca tct gtg	336
Gly Pro Asp Asp Ser Glu Val Thr Phe Ala Leu His Ser Ala Ser Val	
100 105 110	
ttt tgt gtg agc ctg gac ccc aag acc aat acc ttg gca gtg acc ggg	384
Phe Cys Val Ser Leu Asp Pro Lys Thr Asn Thr Leu Ala Val Thr Gly	
115 120 125	
ggt gaa gat gac aaa gcc ttc gta tgg cgg ctc agc gat ggg gag ctg	432
Gly Glu Asp Asp Lys Ala Phe Val Trp Arg Leu Ser Asp Gly Glu Leu	
130 135 140	
ctc ttt gag tgt gca ggc cat aaa gac tct gtg act tgt gct ggt ttc	480
Leu Phe Glu Cys Ala Gly His Lys Asp Ser Val Thr Cys Ala Gly Phe	
145 150 155 160	
agc cat gac tcc act cta gtg gcc aca ggg gac atg agt ggc ctc ttg	528
Ser His Asp Ser Thr Leu Val Ala Thr Gly Asp Met Ser Gly Leu Leu	
165 170 175	
aaa gtg tgg cag gtg gac act aag gag gag gtc tgg tcc ttt gaa gcg	576
Lys Val Trp Gln Val Asp Thr Lys Glu Glu Val Trp Ser Phe Glu Ala	

180										185										190										
gga Gly	gac Asp	ctg Leu 195	gag Glu	tgg Trp	atg Met	gag Glu	tgg Trp 200	cat His	cct Pro	cgg Arg	gca Ala	cct Pro 205	gtc Val	ctg Leu	ttg Leu	624														
gcg Ala	ggc Gly 210	aca Thr	gct Ala	gac Asp	ggc Gly	aac Asn 215	acc Thr	tgg Trp	atg Met	tgg Trp	aaa Lys 220	gtc Val	ccg Pro	aat Asn	ggt Gly	672														
gac Asp 225	tgc Cys	aag Lys	acc Thr	ttc Phe	cag Gln 230	ggt Gly	ccc Pro	aac Asn	tgc Cys	cca Pro 235	gcc Ala	acc Thr	tgt Cys	ggc Gly	cga Arg 240	720														
gtc Val	ctc Leu	cct Pro	gat Asp	ggg Gly 245	aag Lys	aga Arg	gct Ala	gtg Val	gta Val 250	ggc Gly	tat Tyr	gaa Glu	gat Asp	ggg Gly 255	acc Thr	768														
atc Ile	agg Arg	att Ile	tgg Trp 260	gac Asp	ctg Leu	aag Lys	cag Gln	gga Gly 265	agc Ser	cct Pro	atc Ile	cat His	gta Val 270	ctg Leu	aaa Lys	816														
ggg Gly	act Thr	gag Glu 275	ggt Gly	cac His	cag Gln	ggc Gly	cca Pro 280	ctc Leu	acc Thr	tgt Cys	gtt Val	gct Ala 285	gcc Ala	aac Asn	cag Gln	864														
gat Asp	ggc Gly 290	agc Ser	ttg Leu	atc Ile	cta Leu	act Thr 295	ggc Gly	tct Ser	gtg Val	gac Asp	tgc Cys 300	cag Gln	gcc Ala	aag Lys	ctg Leu	912														
gtc Val 305	agt Ser	gcc Ala	acc Thr	acc Thr	ggc Gly 310	aag Lys	gtg Val	gtg Val	ggt Gly	gtt Val 315	ttt Phe	aga Arg	cct Pro	gag Glu	act Thr 320	960														
gtg Val	gcc Ala	tcc Ser	cag Gln	ccc Pro 325	agc Ser	ctg Leu	gga Gly	gaa Glu	ggg Gly 330	gag Glu	gag Glu	agt Ser	gag Glu	tcc Ser 335	aac Asn	1008														
tcg Ser	gtg Val	gag Glu	tcc Ser 340	ttg Leu	ggc Gly	ttc Phe	tgc Cys	agt Ser 345	gtg Val	atg Met	ccc Pro	ctg Leu	gca Ala 350	gct Ala	gtt Val	1056														
ggc Gly	tac Tyr	ctg Leu 355	gat Asp	ggg Gly	acc Thr	ttg Leu	gcc Ala 360	atc Ile	tat Tyr	gac Asp	ctg Leu	gct Ala 365	acg Thr	cag Gln	act Thr	1104														
ctt Leu	agg Arg 370	cat His	cag Gln	tgt Cys	cag Gln	cac His 375	cag Gln	tcg Ser	ggc Gly	atc Ile	gtg Val 380	cag Gln	ctg Leu	ctg Leu	tgg Trp	1152														
gag Glu 385	gca Ala	ggc Gly	act Thr	gcc Ala	gtg Val 390	gta Val	tat Tyr	acc Thr	tgc Cys	agc Ser 395	ctg Leu	gat Asp	ggc Gly	atc Ile	gtg Val 400	1200														
cgc Arg	ctc Leu	tgg Trp	gac Asp	gcc Ala 405	cgg Arg	acc Thr	ggc Gly	cgc Arg	ctg Leu 410	ctt Leu	act Thr	gac Asp	tac Tyr	cgg Arg 415	ggc Gly	1248														
cac His	acg Thr	gct Ala	gag Glu 420	atc Ile	ctg Leu	gac Asp	ttt Phe	gcc Ala 425	ctc Leu	agc Ser	aaa Lys	gat Asp	gcc Ala 430	tcc Ser	ctg Leu	1296														
gtg Val	gtg Val	acc Thr 435	acg Thr	tca Ser	gga Gly	gac Asp	cac His 440	aaa Lys	gcg Ala	aaa Lys	gta Val	ttt Phe 445	tgt Cys	gtc Val	caa Gln	1344														
agg Arg 450	cct Pro	gac Asp	cgt Arg	taa	tgg	ctg	cag	c	ctg	c	ctg	gtg	ctg	g	g	1399														
gaagggaccc ctgcccctgt ctgccagcag aggcagtagg gcacagaggg aagaggaggg																1459														
tggggccctg gatgactttc cagcctcttc aactgacttg ctcccctctc cttttcttct																1519														
ctttagagac ccagcccagg gccctccac ccttgcccag acctggtggg cccttcagag																1579														
ggaggggtgg acctgtttct ctttcacttt catttgctgg tgtgagccat ggggtgtgta																1639														
tttgtatgtgggggagtaggt gtttgaggtt cccgttcttt cccttcccaa gtctctgggg																1699														

gtggaaagga ggaagagata ctagttaaag attttaaaaa tgtaaataaa atataacttcc 1759  
cag 1762

<210> 2  
<211> 452  
<212> PRT  
<213> Homo sapiens

<400> 2

Met Asp Ser Gly Arg Arg Leu Gly Pro Glu Lys Trp Ile Arg Arg Leu  
1 5 10 15  
Arg Arg Met Glu Ser Glu Ser Glu Ser Gly Ala Ala Ala Asp Thr Pro  
20 25 30  
Pro Leu Glu Thr Leu Ser Phe His Gly Asp Glu Glu Ile Ile Glu Val  
35 40 45  
Val Glu Leu Asp Pro Gly Pro Pro Asp Pro Asp Asp Leu Ala Gln Glu  
50 55 60  
Met Glu Asp Val Asp Phe Glu Glu Glu Glu Glu Glu Glu Gly Asn Glu  
65 70 75 80  
Glu Gly Trp Val Leu Glu Pro Gln Glu Gly Val Val Gly Ser Met Glu  
85 90 95  
Gly Pro Asp Asp Ser Glu Val Thr Phe Ala Leu His Ser Ala Ser Val  
100 105 110  
Phe Cys Val Ser Leu Asp Pro Lys Thr Asn Thr Leu Ala Val Thr Gly  
115 120 125  
Gly Glu Asp Asp Lys Ala Phe Val Trp Arg Leu Ser Asp Gly Glu Leu  
130 135 140  
Leu Phe Glu Cys Ala Gly His Lys Asp Ser Val Thr Cys Ala Gly Phe  
145 150 155 160  
Ser His Asp Ser Thr Leu Val Ala Thr Gly Asp Met Ser Gly Leu Leu  
165 170 175  
Lys Val Trp Gln Val Asp Thr Lys Glu Glu Val Trp Ser Phe Glu Ala  
180 185 190  
Gly Asp Leu Glu Trp Met Glu Trp His Pro Arg Ala Pro Val Leu Leu  
195 200 205  
Ala Gly Thr Ala Asp Gly Asn Thr Trp Met Trp Lys Val Pro Asn Gly  
210 215 220  
Asp Cys Lys Thr Phe Gln Gly Pro Asn Cys Pro Ala Thr Cys Gly Arg  
225 230 235 240  
Val Leu Pro Asp Gly Lys Arg Ala Val Val Gly Tyr Glu Asp Gly Thr  
245 250 255  
Ile Arg Ile Trp Asp Leu Lys Gln Gly Ser Pro Ile His Val Leu Lys  
260 265 270



Gly Thr Glu Gly His Gln Gly Pro Leu Thr Cys Val Ala Ala Asn Gln  
 275 280 285  
 Asp Gly Ser Leu Ile Leu Thr Gly Ser Val Asp Cys Gln Ala Lys Leu  
 290 295 300  
 Val Ser Ala Thr Thr Gly Lys Val Val Gly Val Phe Arg Pro Glu Thr  
 305 310 315 320  
 Val Ala Ser Gln Pro Ser Leu Gly Glu Gly Glu Glu Ser Glu Ser Asn  
 325 330 335  
 Ser Val Glu Ser Leu Gly Phe Cys Ser Val Met Pro Leu Ala Ala Val  
 340 345 350  
 Gly Tyr Leu Asp Gly Thr Leu Ala Ile Tyr Asp Leu Ala Thr Gln Thr  
 355 360 365  
 Leu Arg His Gln Cys Gln His Gln Ser Gly Ile Val Gln Leu Leu Trp  
 370 375 380  
 Glu Ala Gly Thr Ala Val Val Tyr Thr Cys Ser Leu Asp Gly Ile Val  
 385 390 395 400  
 Arg Leu Trp Asp Ala Arg Thr Gly Arg Leu Leu Thr Asp Tyr Arg Gly  
 405 410 415  
 His Thr Ala Glu Ile Leu Asp Phe Ala Leu Ser Lys Asp Ala Ser Leu  
 420 425 430  
 Val Val Thr Thr Ser Gly Asp His Lys Ala Lys Val Phe Cys Val Gln  
 435 440 445  
 Arg Pro Asp Arg  
 450

<210> 3  
 <211> 3236  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (10)..(2484)  
 <223>

<400> 3  
 gaccggcc atg cgc gcc ctc ggg ctc tgg ctg ctg gcc gcg atg atg ctg 51  
 Met Arg Gly Leu Gly Leu Trp Leu Leu Gly Ala Met Met Leu  
 1 5 10  
 cct gcg att gcc ccc agc cgg ccc tgg gcc ctc atg gag cag tat gag 99  
 Pro Ala Ile Ala Pro Ser Arg Pro Trp Ala Leu Met Glu Gln Tyr Glu  
 15 20 25 30  
 gtc gtg ttg ccg cgg cgt ctg cca gcc ccc cga gtc cgc cga gct ctg 147  
 Val Val Leu Pro Arg Arg Leu Pro Gly Pro Arg Val Arg Arg Ala Leu  
 35 40 45  
 ccc tcc cac ttg gcc ctg cac cca gag agg gtg agc tac gtc ctt ggg 195  
 Pro Ser His Leu Gly Leu His Pro Glu Arg Val Ser Tyr Val Leu Gly  
 50 55 60  
 gcc aca ggg cac aac ttc acc ctc cac ctg cgg aag aac agg gac ctg 243  
 Ala Thr Gly His Asn Phe Thr Leu His Leu Arg Lys Asn Arg Asp Leu  
 65 70 75  
 ctg ggt tcc ggc tac aca gag acc tat acg gct gcc aat ggc tcc gag 291

Leu	Gly	Ser	Gly	Tyr	Thr	Glu	Thr	Tyr	Thr	Ala	Ala	Asn	Gly	Ser	Glu	
80						85				90						
gtg	acg	gag	cag	cct	cgc	ggg	cag	gac	cac	tgc	tta	tac	cag	ggc	cac	339
Val	Thr	Glu	Gln	Pro	Arg	Gly	Gln	Asp	His	Cys	Leu	Tyr	Gln	Gly	His	
95					100					105					110	
gta	gag	ggg	tac	ccg	gac	tca	gcc	gcc	agc	ctc	agc	acc	tgt	gcc	ggc	387
Val	Glu	Gly	Tyr	Pro	Asp	Ser	Ala	Ala	Ser	Leu	Ser	Thr	Cys	Ala	Gly	
				115					120					125		
ctc	agg	ggt	ttc	ttc	cag	gtg	ggg	tca	gac	ctg	cac	ctg	atc	gag	ccc	435
Leu	Arg	Gly	Phe	Phe	Gln	Val	Gly	Ser	Asp	Leu	His	Leu	Ile	Glu	Pro	
			130					135					140			
ctg	gat	gaa	ggt	ggc	gag	ggc	gga	cgg	cac	gcc	gtg	tac	cag	gct	gag	483
Leu	Asp	Glu	Gly	Gly	Glu	Gly	Gly	Arg	His	Ala	Val	Tyr	Gln	Ala	Glu	
		145					150					155				
cac	ctg	ctg	cag	acg	gcc	ggg	acc	tgc	ggg	gtc	agc	gac	gac	agc	ctg	531
His	Leu	Leu	Gln	Thr	Ala	Gly	Thr	Cys	Gly	Val	Ser	Asp	Asp	Ser	Leu	
	160					165					170					
ggc	agc	ctc	ctg	gga	ccc	cgg	acg	gca	gcc	gtc	ttc	agg	cct	cgg	ccc	579
Gly	Ser	Leu	Leu	Gly	Pro	Arg	Thr	Ala	Ala	Val	Phe	Arg	Pro	Arg	Pro	
175					180					185				190		
ggg	gac	tct	ctg	cca	tcc	cga	gag	acc	cgc	tac	gtg	gag	ctg	tat	gtg	627
Gly	Asp	Ser	Leu	Pro	Ser	Arg	Glu	Thr	Arg	Tyr	Val	Glu	Leu	Tyr	Val	
				195					200					205		
gtc	gtg	gac	aat	gca	gag	ttc	cag	atg	ctg	ggg	agc	gaa	gca	gcc	gtg	675
Val	Val	Asp	Asn	Ala	Glu	Phe	Gln	Met	Leu	Gly	Ser	Glu	Ala	Ala	Val	
			210					215					220			
cgt	cat	cgg	gtg	ctg	gag	gtg	gtg	aat	cac	gtg	gac	aag	cta	tat	cag	723
Arg	His	Arg	Val	Leu	Glu	Val	Val	Asn	His	Val	Asp	Lys	Leu	Tyr	Gln	
		225					230					235				
aaa	ctc	aac	ttc	cgt	gtg	gtc	ctg	gtg	ggc	ctg	gag	att	tgg	aat	agt	771
Lys	Leu	Asn	Phe	Arg	Val	Val	Leu	Val	Gly	Leu	Glu	Ile	Trp	Asn	Ser	
	240					245					250					
cag	gac	agg	ttc	cac	gtc	agc	ccc	gac	ccc	agt	gtc	aca	ctg	gag	aac	819
Gln	Asp	Arg	Phe	His	Val	Ser	Pro	Asp	Pro	Ser	Val	Thr	Leu	Glu	Asn	
					260					265					270	
ctc	ctg	acc	tgg	cag	gca	cgg	caa	cgg	aca	cgg	cgg	cac	ctg	cat	gac	867
Leu	Leu	Thr	Trp	Gln	Ala	Arg	Gln	Arg	Thr	Arg	Arg	His	Leu	His	Asp	
				275					280					285		
aac	gta	cag	ctc	atc	acg	ggt	gtc	gac	ttc	acc	ggg	act	act	gtg	ggg	915
Asn	Val	Gln	Leu	Ile	Thr	Gly	Val	Asp	Phe	Thr	Gly	Thr	Thr	Val	Gly	
			290					295					300			
ttt	gcc	agg	gtg	tcc	gcc	atg	tgc	tcc	cac	agc	tca	ggg	gct	gtg	aac	963
Phe	Ala	Arg	Val	Ser	Ala	Met	Cys	Ser	His	Ser	Ser	Gly	Ala	Val	Asn	
		305					310					315				
cag	gac	cac	agc	aag	aac	ccc	gtg	ggc	gtg	gcc	tgc	acc	atg	gcc	cat	1011
Gln	Asp	His	Ser	Lys	Asn	Pro	Val	Gly	Val	Ala	Cys	Thr	Met	Ala	His	
						325					330					
gag	atg	ggc	cac	aac	ctg	ggc	atg	gac	cat	gat	gag	aac	gtc	cag	ggc	1059
Glu	Met	Gly	His	Asn	Leu	Gly	Met	Asp	His	Asp	Glu	Asn	Val	Gln	Gly	
					340					345					350	
tgc	cgc	tgc	cag	gaa	cgc	ttc	gag	gcc	ggc	cgc	tgc	atc	atg	gca	ggc	1107
Cys	Arg	Cys	Gln	Glu	Arg	Phe	Glu	Ala	Gly	Arg	Cys	Ile	Met	Ala	Gly	
				355					360					365		
agc	att	ggc	tcc	agt	ttc	ccc	agg	atg	ttc	agt	gac	tgc	agc	cag	ggc	1155
Ser	Ile	Gly	Ser	Ser	Phe	Pro	Arg	Met	Phe	Ser	Asp	Cys	Ser	Gln	Ala	
				370				375					380			
tac	ctg	gag	agc	ttt	ttg	gag	cgg	ccg	cag	tgc	gtg	tgc	ctc	gcc	aac	1203
Tyr	Leu	Glu	Ser	Phe	Leu	Glu	Arg	Pro	Gln	Ser	Val	Cys	Leu	Ala	Asn	
							390					395				
gcc	cct	gac	ctc	agc	cac	ctg	gtg	ggc	ggc	ccc	gtg	tgt	ggg	aac	ctg	1251

Ala	Pro	Asp	Leu	Ser	His	Leu	Val	Gly	Gly	Pro	Val	Cys	Gly	Asn	Leu	
400						405					410					
ttt	gtg	gag	cgt	ggg	gag	cag	tgc	gac	tgc	ggc	ccc	ccc	gag	gac	tgc	1299
Phe	Val	Glu	Arg	Gly	Glu	Gln	Cys	Asp	Cys	Gly	Pro	Pro	Glu	Asp	Cys	
415					420					425					430	
cgg	aac	cgc	tgc	tgc	aac	tct	acc	acc	tgc	cag	ctg	gct	gag	ggg	gcc	1347
Arg	Asn	Arg	Cys	Cys	Asn	Ser	Thr	Thr	Cys	Gln	Leu	Ala	Glu	Gly	Ala	
				435					440					445		
cag	tgt	gcg	cac	ggt	acc	tgc	tgc	cag	gag	tgc	aag	gtg	aag	ccg	gct	1395
Gln	Cys	Ala	His	Gly	Thr	Cys	Cys	Gln	Glu	Cys	Lys	Val	Lys	Pro	Ala	
			450					455					460			
ggt	gag	ctg	tgc	cgt	ccc	aag	aag	gac	atg	tgt	gac	ctc	gag	gag	ttc	1443
Gly	Glu	Leu	Cys	Arg	Pro	Lys	Lys	Asp	Met	Cys	Asp	Leu	Glu	Glu	Phe	
		465				470						475				
tgt	gac	ggc	cgg	cac	cct	gag	tgc	ccg	gaa	gac	gcc	ttc	cag	gag	aac	1491
Cys	Asp	Gly	Arg	His	Pro	Glu	Cys	Pro	Glu	Asp	Ala	Phe	Gln	Glu	Asn	
	480					485					490					
ggc	acg	ccc	tgc	tcc	ggg	ggc	tac	tgc	tac	aac	ggg	gcc	tgt	ccc	aca	1539
Gly	Thr	Pro	Cys	Ser	Gly	Gly	Tyr	Cys	Tyr	Asn	Gly	Ala	Cys	Pro	Thr	
495					500					505					510	
ctg	gcc	cag	cag	tgc	cag	gcc	ttc	tgg	ggg	cca	ggt	ggg	cag	gct	gcc	1587
Leu	Ala	Gln	Gln	Cys	Gln	Ala	Phe	Trp	Gly	Pro	Gly	Gly	Gln	Ala	Ala	
				515				520						525		
gag	gag	tcc	tgc	ttc	tcc	tat	gac	atc	cta	cca	ggc	tgc	aag	gcc	agc	1635
Glu	Glu	Ser	Cys	Phe	Ser	Tyr	Asp	Ile	Leu	Pro	Gly	Cys	Lys	Ala	Ser	
			530					535					540			
cgg	tac	agg	gct	gac	atg	tgt	ggc	gtt	ctg	cag	tgc	aag	ggt	ggg	cag	1683
Arg	Tyr	Arg	Ala	Asp	Met	Cys	Gly	Val	Leu	Gln	Cys	Lys	Gly	Gly	Gln	
		545					550					555				
cag	ccc	ctg	ggg	cgt	gcc	atc	tgc	atc	gtg	gat	gtg	tgc	cac	gcg	ctc	1731
Gln	Pro	Leu	Gly	Arg	Ala	Ile	Cys	Ile	Val	Asp	Val	Cys	His	Ala	Leu	
	560					565					570					
acc	aca	gag	gat	ggc	act	gcg	tat	gaa	cca	gtg	ccc	gag	ggc	acc	cgg	1779
Thr	Thr	Glu	Asp	Gly	Thr	Ala	Tyr	Glu	Pro	Val	Pro	Glu	Gly	Thr	Arg	
575					580					585					590	
tgt	gga	cca	gag	aag	gtt	tgc	tgg	aaa	gga	cgt	tgc	cag	gac	tta	cac	1827
Cys	Gly	Pro	Glu	Lys	Val	Cys	Trp	Lys	Gly	Arg	Cys	Gln	Asp	Leu	His	
				595				600						605		
gtt	tac	aga	tcc	agc	aac	tgc	tct	gcc	cag	tgc	cac	aac	cat	ggg	gtg	1875
Val	Tyr	Arg	Ser	Ser	Asn	Cys	Ser	Ala	Gln	Cys	His	Asn	His	Gly	Val	
			610					615					620			
tgc	aac	cac	aag	cag	gag	tgc	cac	tgc	cac	gcg	ggc	tgg	gcc	ccg	ccc	1923
Cys	Asn	His	Lys	Gln	Glu	Cys	His	Cys	His	Ala	Gly	Trp	Ala	Pro	Pro	
		625					630					635				
cac	tgc	gcg	aag	ctg	ctg	act	gag	gtg	cac	gca	gcg	tcc	ggg	agc	ctc	1971
His	Cys	Ala	Lys	Leu	Leu	Thr	Glu	Val	His	Ala	Ala	Ser	Gly	Ser	Leu	
	640					645					650					
ccc	gtc	ctc	gtg	gtg	gtg	gtt	ctg	gtg	ctc	ctg	gca	gtt	gtg	ctg	gtc	2019
Pro	Val	Leu	Val	Val	Val	Val	Leu	Val	Leu	Leu	Ala	Val	Val	Leu	Val	
655					660					665					670	
acc	ctg	gca	ggc	atc	atc	gtc	tac	cgc	aaa	gcc	cgg	agc	cgc	atc	ctg	2067
Thr	Leu	Ala	Gly	Ile	Ile	Val	Tyr	Arg	Lys	Ala	Arg	Ser	Arg	Ile	Leu	
				675					680					685		
agc	agg	aac	gtg	gct	ccc	aag	acc	aca	atg	ggg	cgc	tcc	aac	ccc	ctg	2115
Ser	Arg	Asn	Val	Ala	Pro	Lys	Thr	Thr	Met	Gly	Arg	Ser	Asn	Pro	Leu	
			690					695					700			
ttc	cac	cag	gct	gcc	agc	cgc	gtg	ccg	gcc	aag	ggc	ggg	gct	cca	gcc	2163
Phe	His	Gln	Ala	Ala	Ser	Arg	Val	Pro	Ala	Lys	Gly	Gly	Ala	Pro	Ala	
		705					710					715				
cca	tcc	agg	ggc	ccc	caa	gag	ctg	gtc	ccc	acc	acc	cac	ccg	ggc	cag	2211

Pro Ser Arg Gly Pro Gln Glu Leu Val Pro Thr Thr His Pro Gly Gln  
 720 725 730

ccc gcc cga cac ccg gcc tcc tcg gtg gct ctg aag agg ccg ccc cct 2259  
 Pro Ala Arg His Pro Ala Ser Ser Val Ala Leu Lys Arg Pro Pro Pro 750  
 735 740 745

gct cct ccg gtc act gtg tcc agc cca ccc ttc cca gtt cct gtc tac 2307  
 Ala Pro Pro Val Thr Val Ser Ser Pro Pro Phe Pro Val Pro Val Tyr 755 760 765

acc cgg cag gca cca aag cag gtc atc aag cca acg ttc gca ccc cca 2355  
 Thr Arg Gln Ala Pro Lys Gln Val Ile Lys Pro Thr Phe Ala Pro Pro 770 775 780

gtg ccc cca gtc aaa ccc ggg gct ggt gcg gcc aac cct ggt cca gct 2403  
 Val Pro Pro Val Lys Pro Gly Ala Gly Ala Asn Pro Gly Pro Ala 785 790 795

gag ggt gct gtt ggc cca aag gtt gcc ctg aag ccc ccc atc cag agg 2451  
 Glu Gly Ala Val Gly Pro Lys Val Ala Leu Lys Pro Pro Ile Gln Arg 800 805 810

aag caa gga gcc gga gct ccc aca gca ccc tag gggggcacct gcgcctgtgt 2504  
 Lys Gln Gly Ala Gly Ala Pro Thr Ala Pro 815 820

ggaaatttgg agaagttgcg gcagagaagc catgcgttcc agccttccac ggtccagcta 2564  
 gtgccgtca gccctagacc ctgactttgc aggctcagct gctgttctaa cctcagtaat 2624  
 gcatctacct gagaggctcc tgctgtccac gccctcagcc aattccttct cccgccttg 2684  
 gccacgtgta gccccagctg tctgcaggca ccaggctggg atgagctgtg tgcttgctgg 2744  
 tgcgtgtgtg tgtacgtgtc tccaggtggc cgctggtctc ccgctgtgtt caggaggcca 2804  
 catatacagc cctcccagc cacacctgcc cctgctctgg ggcctgctga gccggctgcc 2864  
 ctggggcacc ggttccaggc agcacagacg tggggcatcc ccagaaagac tccatcccag 2924  
 gaccaggttc cctccgtgc tcttcgagag ggtgtcagtg agcagactgc accccaagct 2984  
 cccgactcca ggtcccctga tcttgggctt gtttcccatg ggattcaaga gggacagccc 3044  
 cagctttgtg tgtgtttaag cttaggaatg ccctttatgg aaagggtat gtgggagagt 3104  
 cagctatctt gtctggtttt cttgagacct cagatgtgtg ttcagcaggg ctgaaagctt 3164  
 ttattcttta ataatgagaa atgtatatat tactaataaa ttattgaccg agttctgtag 3224  
 attcttgta ga 3236

<210> 4  
 <211> 824  
 <212> PRT  
 <213> Homo sapiens

<400> 4

Met Arg Gly Leu Gly Leu Trp Leu Leu Gly Ala Met Met Leu Pro Ala  
 1 5 10 15

Ile Ala Pro Ser Arg Pro Trp Ala Leu Met Glu Gln Tyr Glu Val Val  
 20 25 30

Leu Pro Arg Arg Leu Pro Gly Pro Arg Val Arg Arg Ala Leu Pro Ser  
 35 40 45

His Leu Gly Leu His Pro Gly Arg Val Ser Tyr Val Leu Gly Ala Thr  
 50 55 60

Gly His Asn Phe Thr Leu His Leu Arg Lys Asn Arg Asp Leu Leu Gly  
 65 70 75 80

Ser Gly Tyr Thr <sup>85</sup> Glu Thr Tyr Thr Ala <sup>90</sup> Ala Asn Gly Ser Glu <sup>95</sup> Val Thr  
 Glu Gln Pro <sup>100</sup> Arg Gly Gln Asp His <sup>105</sup> Cys Leu Tyr Gln Gly <sup>110</sup> His Val Glu  
 Gly Tyr <sup>115</sup> Pro Asp Ser Ala Ala <sup>120</sup> Ser Leu Ser Thr Cys <sup>125</sup> Ala Gly Leu Arg  
 Gly <sup>130</sup> Phe Phe Gln Val Gly <sup>135</sup> Ser Asp Leu His Leu <sup>140</sup> Ile Glu Pro Leu Asp  
<sup>145</sup> Glu Gly Gly Glu Gly <sup>150</sup> Gly Arg His Ala Val <sup>155</sup> Tyr Gln Ala Glu His <sup>160</sup> Leu  
 Leu Gln Thr Ala <sup>165</sup> Gly Thr Cys Gly Val <sup>170</sup> Ser Asp Asp Ser Leu <sup>175</sup> Gly Ser  
 Leu Leu Gly <sup>180</sup> Pro Arg Thr Ala Ala <sup>185</sup> Val Phe Arg Pro Arg <sup>190</sup> Pro Gly Asp  
 Ser Leu <sup>195</sup> Pro Ser Arg Glu Thr <sup>200</sup> Arg Tyr Val Glu Leu <sup>205</sup> Tyr Val Val Val  
 Asp <sup>210</sup> Asn Ala Glu Phe Gln <sup>215</sup> Met Leu Gly Ser Glu <sup>220</sup> Ala Ala Val Arg His  
 Arg <sup>225</sup> Val Leu Glu Val <sup>230</sup> Val Asn His Val Asp <sup>235</sup> Lys Leu Tyr Gln Lys <sup>240</sup> Leu  
 Asn Phe Arg Val <sup>245</sup> Val Leu Val Gly Leu <sup>250</sup> Glu Ile Trp Asn Ser <sup>255</sup> Gln Asp  
 Arg Phe His <sup>260</sup> Val Ser Pro Asp Pro <sup>265</sup> Ser Val Thr Leu Glu <sup>270</sup> Asn Leu Leu  
 Thr Trp <sup>275</sup> Gln Ala Arg Gln Arg <sup>280</sup> Thr Arg Arg His Leu <sup>285</sup> His Asp Asn Val  
 Gln <sup>290</sup> Leu Ile Thr Gly Val <sup>295</sup> Asp Phe Thr Gly Thr <sup>300</sup> Thr Val Gly Phe Ala  
 Arg <sup>305</sup> Val Ser Ala Met <sup>310</sup> Cys Ser His Ser Ser <sup>315</sup> Gly Ala Val Asn Gln <sup>320</sup> Asp  
 His Ser Lys Asn <sup>325</sup> Pro Val Gly Val Ala <sup>330</sup> Cys Thr Met Ala His <sup>335</sup> Glu Met  
 Gly His Asn <sup>340</sup> Leu Gly Met Asp His <sup>345</sup> Asp Glu Asn Val Gln <sup>350</sup> Gly Cys Arg  
 Cys Gln <sup>355</sup> Glu Arg Phe Glu Ala <sup>360</sup> Gly Arg Cys Ile Met <sup>365</sup> Ala Gly Ser Ile  
 Gly <sup>370</sup> Ser Ser Phe Pro Arg <sup>375</sup> Met Phe Ser Asp Cys <sup>380</sup> Ser Gln Ala Tyr Leu  
<sup>385</sup> Glu Ser Phe Leu Glu <sup>390</sup> Arg Pro Gln Ser Val <sup>395</sup> Cys Leu Ala Asn Ala <sup>400</sup> Pro

Asp Leu Ser His Leu Val Gly Gly Pro Val Cys Gly Asn Leu Phe Val  
 405 410 415  
 Glu Arg Gly Glu Gln Cys Asp Cys Gly Pro Pro Glu Asp Cys Arg Asn  
 420 425 430  
 Arg Cys Cys Asn Ser Thr Thr Cys Gln Leu Ala Glu Gly Ala Gln Cys  
 435 440 445  
 Ala His Gly Thr Cys Cys Gln Glu Cys Lys Val Lys Pro Ala Gly Glu  
 450 455 460  
 Leu Cys Arg Pro Lys Lys Asp Met Cys Asp Leu Glu Glu Phe Cys Asp  
 465 470 475 480  
 Gly Arg His Pro Glu Cys Pro Glu Asp Ala Phe Gln Glu Asn Gly Thr  
 485 490 495  
 Pro Cys Ser Gly Gly Tyr Cys Tyr Asn Gly Ala Cys Pro Thr Leu Ala  
 500 505 510  
 Gln Gln Cys Gln Ala Phe Trp Gly Pro Gly Gly Gln Ala Ala Glu Glu  
 515 520 525  
 Ser Cys Phe Ser Tyr Asp Ile Leu Pro Gly Cys Lys Ala Ser Arg Tyr  
 530 535 540  
 Arg Ala Asp Met Cys Gly Val Leu Gln Cys Lys Gly Gly Gln Gln Pro  
 545 550 555 560  
 Leu Gly Arg Ala Ile Cys Ile Val Asp Val Cys His Ala Leu Thr Thr  
 565 570 575  
 Glu Asp Gly Thr Ala Tyr Glu Pro Val Pro Glu Gly Thr Arg Cys Gly  
 580 585 590  
 Pro Glu Lys Val Cys Trp Lys Gly Arg Cys Gln Asp Leu His Val Tyr  
 595 600 605  
 Arg Ser Ser Asn Cys Ser Ala Gln Cys His Asn His Gly Val Cys Asn  
 610 615 620  
 His Lys Gln Glu Cys His Cys His Ala Gly Trp Ala Pro Pro His Cys  
 625 630 635 640  
 Ala Lys Leu Leu Thr Glu Val His Ala Ala Ser Gly Ser Leu Pro Val  
 645 650 655  
 Leu Val Val Val Val Leu Val Leu Leu Ala Val Val Leu Val Thr Leu  
 660 665 670  
 Ala Gly Ile Ile Val Tyr Arg Lys Ala Arg Ser Arg Ile Leu Ser Arg  
 675 680 685  
 Asn Val Ala Pro Lys Thr Thr Met Gly Arg Ser Asn Pro Leu Phe His  
 690 695 700  
 Gln Ala Ala Ser Arg Val Pro Ala Lys Gly Gly Ala Pro Ala Pro Ser  
 705 710 715 720

Arg Gly Pro Gln Glu Leu Val Pro Thr Thr His Pro Gly Gln Pro Ala  
 725 730 735

Arg His Pro Ala Ser Ser Val Ala Leu Lys Arg Pro Pro Pro Ala Pro  
 740 745 750

Pro Val Thr Val Ser Ser Pro Pro Phe Pro Val Pro Val Tyr Thr Arg  
 755 760 765

Gln Ala Pro Lys Gln Val Ile Lys Pro Thr Phe Ala Pro Pro Val Pro  
 770 775 780

Pro Val Lys Pro Gly Ala Gly Ala Ala Asn Pro Gly Pro Ala Glu Gly  
 785 790 795 800

Ala Val Gly Pro Lys Val Ala Leu Lys Pro Pro Ile Gln Arg Lys Gln  
 805 810 815

Gly Ala Gly Ala Pro Thr Ala Pro  
 820

<210> 5  
 <211> 3470  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (24)..(3311)  
 <223>

<400> 5  
 gggggctgcc ggtcccgggt acc atg tgt gac ggc gcc ctg ctg cct ccg ctc 53  
 Met Cys Asp Gly Ala Leu Leu Pro Pro Leu  
 1 5 10

gtc ctg ccc gtg ctg ctg ctg gtt tgg gga ctg gac ccg ggc aca 101  
 Val Leu Pro Val Leu Leu Leu Val Trp Gly Leu Asp Pro Gly Thr  
 15 20 25

gct gtc ggc gac gcg gcg gcc gac gtg gag gtg gtg ctc ccg tgg cgg 149  
 Ala Val Gly Asp Ala Ala Ala Asp Val Glu Val Val Leu Pro Trp Arg  
 30 35 40

gtg cgc ccc gac gac gtg cac ctg ccg ccg ctg ccc gca gcc ccc ggg 197  
 Val Arg Pro Asp Asp Val His Leu Pro Pro Leu Pro Ala Ala Pro Gly  
 45 50 55

ccc cga cgg cgg cga cgc ccc cgc acg ccc cca gcc gcc ccg cgc gcc 245  
 Pro Arg Arg Arg Arg Arg Pro Arg Thr Pro Pro Ala Ala Pro Arg Ala  
 60 65 70

cgg ccc gga gag cgc gcc ctg ctg ctg cac ctg ccg gcc ttc ggg cgc 293  
 Arg Pro Gly Glu Arg Ala Leu Leu Leu His Leu Pro Ala Phe Gly Arg  
 75 80 85 90

gac ctg tac ctt cag ctg cgc cgc gac ctg cgc ttc ctg tcc cga gcc 341  
 Asp Leu Tyr Leu Gln Leu Arg Arg Asp Leu Arg Phe Leu Ser Arg Gly  
 95 100 105

ttc gag gtg gag gag gcg ggc gcg gcc cgg cgc cgc ggc cgc ccc gcc 389  
 Phe Glu Val Glu Glu Ala Gly Ala Ala Arg Arg Arg Gly Arg Pro Ala  
 110 115 120

gag ctg tgc ttc tac tcg ggc cgt gtg ctc ggc cac ccc ggc tcc ctc 437  
 Glu Leu Cys Phe Tyr Ser Gly Arg Val Leu Gly His Pro Gly Ser Leu  
 125 130 135

gtc tcg ctc agc gcc tgc ggc gcc gcc ggc ggc ctg gtt ggc ctc att 485  
 Val Ser Leu Ser Ala Cys Gly Ala Ala Gly Gly Leu Val Gly Leu Ile  
 140 145 150

cag ctt ggg cag gag cag gtg cta atc cag ccc ctc aac aac tcc cag 533

Gln 155	Leu	Gly	Gln	Glu	Gln 160	Val	Leu	Ile	Gln	Pro 165	Leu	Asn	Asn	Ser	Gln 170	
ggc Gly	cca Pro	ttc Phe	agt Ser	gga Gly 175	cga Arg	gaa Glu	cat His	ctg Leu	atc Ile 180	agg Arg	cgc Arg	aaa Lys	tgg Trp	tcc Ser 185	ttg Leu	581
acc Thr	ccc Pro	agc Ser	cct Pro 190	tct Ser	gct Ala	gag Glu	gcc Ala	cag Gln 195	aga Arg	cct Pro	gag Glu	cag Gln	ctc Leu 200	tgc Cys	aag Lys	629
gtt Val	cta Leu	aca Thr 205	gaa Glu	aag Lys	aag Lys	aag Lys	ccg Pro 210	acg Thr	tgg Trp	ggc Gly	agg Arg	cct Pro 215	tcg Ser	cgg Arg	gac Asp	677
tgg Trp	cgg Arg 220	gag Glu	cgg Arg	agg Arg	aac Asn	gct Ala 225	atc Ile	cgg Arg	ctc Leu	acc Thr	agc Ser 230	gag Glu	cac His	acg Thr	gtg Val	725
gag Glu 235	acc Thr	ctg Leu	gtg Val	gtg Val	gcc Ala 240	gac Asp	gcc Ala	gac Asp	atg Met	gtg Val 245	cag Gln	tac Tyr	cac His	ggg Gly	gcc Ala 250	773
gag Glu	gcc Ala	gcc Ala	cag Gln	agg Arg 255	ttc Phe	atc Ile	ctg Leu	acc Thr	gtc Val 260	atg Met	aac Asn	atg Met	gta Val	tac Tyr 265	aat Asn	821
atg Met	ttt Phe	cag Gln	cac His 270	cag Gln	agc Ser	ctg Leu	ggg Gly	att Ile 275	aaa Lys	att Ile	aac Asn	att Ile	caa Gln 280	gtg Val	acc Thr	869
aag Lys	ctt Leu	gtc Val 285	ctg Leu	cta Leu	cga Arg	caa Gln	cgt Arg 290	ccc Pro	gct Ala	aag Lys	ttg Leu	tcc Ser 295	att Ile	ggg Gly	cac His	917
cat His	ggt Gly 300	gag Glu	cgg Arg	tcc Ser	ctg Leu	gag Glu 305	agc Ser	ttc Phe	tgt Cys	cac His	tgg Trp 310	cag Gln	aac Asn	gag Glu	gag Glu	965
tat Tyr 315	gga Gly	gga Gly	gcg Ala	cga Arg	tac Tyr 320	ctc Leu	ggc Gly	aat Asn	aac Asn	cag Gln 325	gtt Val	ccc Pro	ggc Gly	ggg Gly	aag Lys 330	1013
gac Asp	gac Asp	ccg Pro	ccc Pro	ctg Leu 335	gtg Val	gat Asp	gct Ala	gct Ala	gtg Val 340	ttt Phe	gtg Val	acc Thr	agg Arg	aca Thr 345	gat Asp	1061
ttc Phe	tgt Cys	gta Val	cac His 350	aaa Lys	gat Asp	gaa Glu	ccg Pro	tgt Cys 355	gac Asp	act Thr	gtt Val	gga Gly	att Ile 360	gct Ala	tac Tyr	1109
tta Leu	gga Gly	ggt Gly 365	gtg Val	tgc Cys	agt Ser	gct Ala	aag Lys 370	agg Arg	aag Lys	tgt Cys	gtg Val	ctt Leu 375	gcc Ala	gaa Glu	gac Asp	1157
aat Asn	ggt Gly 380	ctc Leu	aat Asn	ttg Leu	gcc Ala	ttt Phe 385	acc Thr	atc Ile	gcc Ala	cat His	gag Glu 390	ctg Leu	ggc Gly	cac His	aac Asn	1205
ttg Leu 395	ggc Gly	atg Met	aac Asn	cac His	gac Asp 400	gat Asp	gac Asp	cac His	tca Ser	tct Ser 405	tgc Cys	gct Ala	ggc Gly	agg Arg	tcc Ser 410	1253
cac His	atc Ile	atg Met	tca Ser	gga Gly 415	gag Glu	tgg Trp	gtg Val	aaa Lys	ggc Gly 420	cgg Arg	aac Asn	cca Pro	agt Ser	gac Asp 425	ctc Leu	1301
tct Ser	tgg Trp	tcc Ser	tcc Ser 430	tgc Cys	agc Ser	cga Arg	gat Asp	gac Asp 435	ctt Leu	gaa Glu	aac Asn	ttc Phe	ctc Leu 440	aag Lys	tca Ser	1349
aaa Lys	gtc Val	agc Ser 445	acc Thr	tgc Cys	ttg Leu	cta Leu	gtc Val 450	acg Thr	gac Asp	ccc Pro	aga Arg	agc Ser 455	cag Gln	cac His	aca Thr	1397
gta Val	cgc Arg 460	ctc Leu	ccg Pro	cac His	aag Lys	ctg Leu 465	ccg Pro	ggc Gly	atg Met	cac His	tac Tyr 470	agt Ser	gcc Ala	aac Asn	gag Glu	1445
cag	tgc	cag	atc	ctg	ttt	ggc	atg	aat	gcc	acc	ttc	tgc	aga	aac	atg	1493



Gln 475	Cys	Gln	Ile	Leu	Phe 480	Gly	Met	Asn	Ala	Thr 485	Phe	Cys	Arg	Asn	Met 490	
gag Glu	cat His	cta Leu	atg Met	tgt Cys 495	gct Ala	gga Gly	ctg Leu	tgg Trp	tgc Cys 500	ctg Leu	gta Val	gaa Glu	gga Gly	gac Asp 505	aca Thr	1541
tcc Ser	tgc Cys	aag Lys	acc Thr 510	aag Lys	ctg Leu	gac Asp	cct Pro	ccc Pro 515	ctg Leu	gat Asp	ggc Gly	acc Thr	gag Glu 520	tgt Cys	ggg Gly	1589
gca Ala	gac Asp	aag Lys 525	tgg Trp	tgc Cys	cgc Arg	gca Ala	ggg Gly 530	gag Glu	tgc Cys	gtg Val	agc Ser	aag Lys 535	acg Thr	ccc Pro	atc Ile	1637
ccg Pro	gag Glu 540	cat His	gtg Val	gac Asp	gga Gly	gac Asp 545	tgg Trp	agc Ser	ccg Pro	tgg Trp	ggc Gly 550	gcc Ala	tgg Trp	agc Ser	atg Met	1685
tgc Cys 555	agc Ser	cga Arg	aca Thr	tgt Cys	ggg Gly 560	acg Thr	gga Gly	gcc Ala	cgc Arg	ttc Phe 565	agg Arg	cag Gln	agg Arg	aaa Lys	tgt Cys 570	1733
gac Asp	aac Asn	ccc Pro	ccc Pro	cct Pro 575	ggg Gly	cct Pro	gga Gly	ggc Gly	aca Thr 580	cac His	tgc Cys	ccg Pro	ggt Gly	gcc Ala 585	agt Ser	1781
gta Val	gaa Glu	cat His	gcg Ala 590	gtc Val	tgc Cys	gag Glu	aac Asn	ctg Leu 595	ccc Pro	tgc Cys	ccc Pro	aag Lys	ggt Gly 600	ctg Leu	ccc Pro	1829
agc Ser	ttc Phe	cgg Arg 605	gac Asp	cag Gln	cag Gln	tgc Cys	cag Gln 610	gca Ala	cac His	gac Asp	cgg Arg	ctg Leu 615	agc Ser	ccc Pro	aag Lys	1877
aag Lys	aaa Lys 620	ggc Gly	ctg Leu	ctg Leu	aca Thr	gcc Ala 625	gtg Val	gtg Val	gtt Val	gac Asp	gat Asp 630	aag Lys	cca Pro	tgt Cys	gaa Glu	1925
ctc Leu 635	tac Tyr	tgc Cys	tcg Ser	ccc Pro	ctc Leu 640	ggg Gly	aag Lys	gag Glu	tcc Ser	cca Pro 645	ctg Leu	ctg Leu	gtg Val	gcc Ala	gac Asp 650	1973
agg Arg	gtc Val	ctg Leu	gac Asp	ggt Gly 655	aca Thr	ccc Pro	tgc Cys	ggg Gly	ccc Pro 660	tac Tyr	gag Glu	act Thr	gat Asp	ctc Leu 665	tgc Cys	2021
gtg Val	cac His	ggc Gly	aag Lys 670	tgc Cys	cag Gln	aaa Lys	atc Ile	ggc Gly 675	tgt Cys	gac Asp	ggc Gly	atc Ile	atc Ile 680	ggg Gly	tct Ser	2069
gca Ala	gcc Ala	aaa Lys 685	gag Glu	gac Asp	aga Arg	tgc Cys	ggg Gly 690	gtc Val	tgc Cys	agc Ser	ggg Gly	gac Asp 695	ggc Gly	aag Lys	acc Thr	2117
tgc Cys	cac His 700	ttg Leu	gtg Val	aag Lys	ggc Gly	gac Asp 705	ttc Phe	agc Ser	cac His	gcc Ala	cgg Arg 710	ggg Gly	aca Thr	gct Ala	ctc Leu	2165
aaa Lys 715	gac Asp	tcg Ser	ggt Gly	aag Lys	ggg Gly 720	tcc Ser	atc Ile	aac Asn	agt Ser	gac Asp 725	tgg Trp	aag Lys	ata Ile	gag Glu	ctc Leu 730	2213
ccc Pro	gga Gly	gag Glu	ttc Phe	cag Gln 735	att Ile	gca Ala	ggc Gly	aca Thr	act Thr 740	gtt Val	cgc Arg	tat Tyr	gtg Val	aga Arg 745	agg Arg	2261
ggg Gly	ctg Leu	tgg Trp	gag Glu 750	aag Lys	atc Ile	tct Ser	gcc Ala	aag Lys 755	gga Gly	cca Pro	acc Thr	aaa Lys	cta Leu 760	ccg Pro	ctg Leu	2309
cac His	ttg Leu	atg Met 765	gtg Val	ttg Leu	tta Leu	ttt Phe	cac His 770	gac Asp	caa Gln	gat Asp	tat Tyr	gga Gly 775	att Ile	cat His	tat Tyr	2357
gaa Glu	tac Tyr 780	act Thr	gtt Val	cct Pro	gta Val	aac Asn 785	cgc Arg	act Thr	gcg Ala	gaa Glu	aat Asn 790	caa Gln	agc Ser	gaa Glu	cca Pro	2405
gaa	aaa	ccg	cag	gac	tct	ttg	ttc	atc	tgg	acc	cac	agc	ggc	tgg	gaa	2453

Glu 795	Lys	Pro	Gln	Asp	Ser 800	Leu	Phe	Ile	Trp	Thr 805	His	Ser	Gly	Trp	Glu 810	
ggg Gly	tgc Cys	agt Ser	gtg Val	cag Gln 815	tgc Cys	ggc Gly	gga Gly	ggg Gly	gag Glu 820	cgc Arg	aga Arg	acc Thr	atc Ile	gtc Val 825	tcg Ser	2501
tgt Cys	aca Thr	cgg Arg	att Ile 830	gtc Val	aac Asn	aag Lys	acc Thr	aca Thr 835	act Thr	ctg Leu	gtg Val	aac Asn	gac Asp 840	agt Ser	gac Asp	2549
tgc Cys	cct Pro	caa Gln 845	gca Ala	agc Ser	cgc Arg	cca Pro	gag Glu 850	ccc Pro	cag Gln	gtc Val	cga Arg	agg Arg 855	tgc Cys	aac Asn	ttg Leu	2597
cac His	ccc Pro 860	tgc Cys	cag Gln	tca Ser	cgg Arg	tgg Trp 865	gtg Val	gca Ala	ggc Gly	ccg Pro	tgg Trp 870	agc Ser	ccc Pro	tgc Cys	tcg Ser	2645
gcg Ala 875	acc Thr	tgt Cys	gag Glu	aaa Lys	ggc Gly 880	ttc Phe	cag Gln	cac His	cgg Arg	gag Glu 885	gtg Val	acc Thr	tgc Cys	gtg Val	tac Tyr 890	2693
cag Gln	ctg Leu	cag Gln	aac Asn	ggc Gly 895	aca Thr	cac His	gtc Val	gct Ala	acg Thr 900	cgg Arg	ccc Pro	ctc Leu	tac Tyr	tgc Cys 905	ccg Pro	2741
ggc Gly	ccc Pro	cgg Arg	ccg Pro 910	ggc Ala	gca Ala	gtg Val	cag Gln	agc Ser 915	tgt Cys	gaa Glu	ggc Gly	cag Gln	gac Asp 920	tgc Cys	ctg Leu	2789
tcc Ser	atc Ile	tgg Trp 925	gag Glu	gcg Ala	tct Ser	gag Glu	tgg Trp 930	tca Ser	cag Gln	tgc Cys	tct Ser	gcc Ala 935	agc Ser	tgt Cys	ggt Gly	2837
aaa Lys	ggg Gly 940	gtg Val	tgg Trp	aaa Lys	cgg Arg	acc Thr 945	gtg Val	gcg Ala	tgc Cys	acc Thr	aac Asn 950	tca Ser	caa Gln	ggg Gly	aaa Lys	2885
tgc Cys 955	gac Asp	gca Ala	tcc Ser	acg Thr	agg Arg 960	ccg Pro	aga Arg	gcc Ala	gag Glu	gag Glu 965	gcc Ala	tgc Cys	gag Glu	gac Asp	tac Tyr 970	2933
tca Ser	ggc Gly	tgc Cys	tac Tyr	gag Glu 975	tgg Trp	aaa Lys	act Thr	ggg Gly	gac Asp 980	tgg Trp	tct Ser	acg Thr	tgc Cys	tcg Ser 985	tcg Ser	2981
acc Thr	tgc Cys	ggg Gly	aag Lys 990	ggc Gly	ctg Leu	cag Gln	tcc Ser	cgg Arg 995	gtg Val	gtg Val	cag Gln	tgc Cys	atg Met 1000	cac His	aag Lys	3029
gtc Val	aca Thr	ggg Gly 1005	cgc Arg	cac His	ggc Gly	agc Ser	gag Glu 1010	tgc Cys	ccc Pro	gcc Ala	ctc Leu	tcg Ser 1015	aag Lys	cct Pro		3074
gcc Ala	ccc Pro	tac Tyr 1020	aga Arg	cag Gln	tgc Cys	tac Tyr	cag Gln 1025	gag Glu	gtc Val	tgc Cys	aac Asn	gac Asp 1030	agg Arg	atc Ile		3119
aac Asn	gcc Ala	aac Asn 1035	acc Thr	atc Ile	acc Thr	tcc Ser	ccc Pro 1040	cgc Arg	ctt Leu	gct Ala	gct Ala	ctg Leu 1045	acc Thr	tac Tyr		3164
aaa Lys	tgc Cys	aca Thr 1050	cga Arg	gac Asp	cag Gln	tgg Trp	acg Thr 1055	gta Val	tat Tyr	tgc Cys	cgg Arg	gtc Val 1060	atc Ile	cga Arg		3209
gaa Glu	aag Lys	aac Asn 1065	ctc Leu	tgc Cys	cag Gln	gac Asp	atg Met 1070	cgg Arg	tgg Trp	tac Tyr	cag Gln	cgc Arg 1075	tgc Cys	tgc Cys		3254
cag Gln	acc Thr	tgc Cys 1080	agg Arg	gac Asp	ttc Phe	tat Tyr	gca Ala 1085	aac Asn	aag Lys	atg Met	cgc Arg	cag Gln 1090	cca Pro	ccg Pro		3299
ccg Pro	agc Ser	tcg Ser 1095	tga	cacg	cagtc	cc	caagg	gtcgc	tcaa	agctca	gact	caggtc				3351
tga	aaccc	ac	ccccc	gcaa	gcct	acc	agc	ctt	gtgg	ccca	cgcccc	cacc	cgg	ctg	ccac	3411

aagaatccaa ctgcatagaa catgagcgtg gacttggaaa aaaaaaaaaa aaaaaaaaaa 3470

<210> 6  
 <211> 1095  
 <212> PRT  
 <213> Homo sapiens

<400> 6

Met Cys Asp Gly Ala Leu Leu Pro Pro Leu Val Leu Pro Val Leu Leu  
 1 5 10 15  
 Leu Leu Val Trp Gly Leu Asp Pro Gly Thr Ala Val Gly Asp Ala Ala  
 20 25 30  
 Ala Asp Val Glu Val Val Leu Pro Trp Arg Val Arg Pro Asp Asp Val  
 35 40 45  
 His Leu Pro Pro Leu Pro Ala Ala Pro Gly Pro Arg Arg Arg Arg Arg  
 50 55 60  
 Pro Arg Thr Pro Pro Ala Ala Pro Arg Ala Arg Pro Gly Glu Arg Ala  
 65 70 75 80  
 Leu Leu Leu His Leu Pro Ala Phe Gly Arg Asp Leu Tyr Leu Gln Leu  
 85 90 95  
 Arg Arg Asp Leu Arg Phe Leu Ser Arg Gly Phe Glu Val Glu Glu Ala  
 100 105 110  
 Gly Ala Ala Arg Arg Arg Gly Arg Pro Ala Glu Leu Cys Phe Tyr Ser  
 115 120 125  
 Gly Arg Val Leu Gly His Pro Gly Ser Leu Val Ser Leu Ser Ala Cys  
 130 135 140  
 Gly Ala Ala Gly Gly Leu Val Gly Leu Ile Gln Leu Gly Gln Glu Gln  
 145 150 155 160  
 Val Leu Ile Gln Pro Leu Asn Asn Ser Gln Gly Pro Phe Ser Gly Arg  
 165 170 175  
 Glu His Leu Ile Arg Arg Lys Trp Ser Leu Thr Pro Ser Pro Ser Ala  
 180 185 190  
 Glu Ala Gln Arg Pro Glu Gln Leu Cys Lys Val Leu Thr Glu Lys Lys  
 195 200 205  
 Lys Pro Thr Trp Gly Arg Pro Ser Arg Asp Trp Arg Glu Arg Arg Asn  
 210 215 220  
 Ala Ile Arg Leu Thr Ser Glu His Thr Val Glu Thr Leu Val Val Ala  
 225 230 235 240  
 Asp Ala Asp Met Val Gln Tyr His Gly Ala Glu Ala Ala Gln Arg Phe  
 245 250 255  
 Ile Leu Thr Val Met Asn Met Val Tyr Asn Met Phe Gln His Gln Ser  
 260 265 270  
 Leu Gly Ile Lys Ile Asn Ile Gln Val Thr Lys Leu Val Leu Leu Arg  
 275 280 285

Gln Arg Pro Ala Lys Leu Ser Ile Gly His His Gly Glu Arg Ser Leu  
 290 295 300  
 Glu Ser Phe Cys His Trp Gln Asn Glu Glu Tyr Gly Gly Ala Arg Tyr  
 305 310 315 320  
 Leu Gly Asn Asn Gln Val Pro Gly Gly Lys Asp Asp Pro Pro Leu Val  
 325 330 335  
 Asp Ala Ala Val Phe Val Thr Arg Thr Asp Phe Cys Val His Lys Asp  
 340 345 350  
 Glu Pro Cys Asp Thr Val Gly Ile Ala Tyr Leu Gly Gly Val Cys Ser  
 355 360 365  
 Ala Lys Arg Lys Cys Val Leu Ala Glu Asp Asn Gly Leu Asn Leu Ala  
 370 375 380  
 Phe Thr Ile Ala His Glu Leu Gly His Asn Leu Gly Met Asn His Asp  
 385 390 395 400  
 Asp Asp His Ser Ser Cys Ala Gly Arg Ser His Ile Met Ser Gly Glu  
 405 410 415  
 Trp Val Lys Gly Arg Asn Pro Ser Asp Leu Ser Trp Ser Ser Cys Ser  
 420 425 430  
 Arg Asp Asp Leu Glu Asn Phe Leu Lys Ser Lys Val Ser Thr Cys Leu  
 435 440 445  
 Leu Val Thr Asp Pro Arg Ser Gln His Thr Val Arg Leu Pro His Lys  
 450 455 460  
 Leu Pro Gly Met His Tyr Ser Ala Asn Glu Gln Cys Gln Ile Leu Phe  
 465 470 475 480  
 Gly Met Asn Ala Thr Phe Cys Arg Asn Met Glu His Leu Met Cys Ala  
 485 490 495  
 Gly Leu Trp Cys Leu Val Glu Gly Asp Thr Ser Cys Lys Thr Lys Leu  
 500 505 510  
 Asp Pro Pro Leu Asp Gly Thr Glu Cys Gly Ala Asp Lys Trp Cys Arg  
 515 520 525  
 Ala Gly Glu Cys Val Ser Lys Thr Pro Ile Pro Glu His Val Asp Gly  
 530 535 540  
 Asp Trp Ser Pro Trp Gly Ala Trp Ser Met Cys Ser Arg Thr Cys Gly  
 545 550 555 560  
 Thr Gly Ala Arg Phe Arg Gln Arg Lys Cys Asp Asn Pro Pro Pro Gly  
 565 570 575  
 Pro Gly Gly Thr His Cys Pro Gly Ala Ser Val Glu His Ala Val Cys  
 580 585 590  
 Glu Asn Leu Pro Cys Pro Lys Gly Leu Pro Ser Phe Arg Asp Gln Gln  
 595 600 605

Cys Gln Ala His Asp Arg Leu Ser Pro Lys Lys Gly Leu Leu Thr  
 610 615 620  
 Ala Val Val Val Asp Asp Lys Pro Cys Glu Leu Tyr Cys Ser Pro Leu  
 625 630 635  
 Gly Lys Glu Ser Pro Leu Leu Val Ala Asp Arg Val Leu Asp Gly Thr  
 645 650 655  
 Pro Cys Gly Pro Tyr Glu Thr Asp Leu Cys Val His Gly Lys Cys Gln  
 660 665 670  
 Lys Ile Gly Cys Asp Gly Ile Ile Gly Ser Ala Ala Lys Glu Asp Arg  
 675 680 685  
 Cys Gly Val Cys Ser Gly Asp Gly Lys Thr Cys His Leu Val Lys Gly  
 690 695 700  
 Asp Phe Ser His Ala Arg Gly Thr Ala Leu Lys Asp Ser Gly Lys Gly  
 705 710 715 720  
 Ser Ile Asn Ser Asp Trp Lys Ile Glu Leu Pro Gly Glu Phe Gln Ile  
 725 730 735  
 Ala Gly Thr Thr Val Arg Tyr Val Arg Arg Gly Leu Trp Glu Lys Ile  
 740 745 750  
 Ser Ala Lys Gly Pro Thr Lys Leu Pro Leu His Leu Met Val Leu Leu  
 755 760 765  
 Phe His Asp Gln Asp Tyr Gly Ile His Tyr Glu Tyr Thr Val Pro Val  
 770 775 780  
 Asn Arg Thr Ala Glu Asn Gln Ser Glu Pro Glu Lys Pro Gln Asp Ser  
 785 790 795 800  
 Leu Phe Ile Trp Thr His Ser Gly Trp Glu Gly Cys Ser Val Gln Cys  
 805 810 815  
 Gly Gly Gly Glu Arg Arg Thr Ile Val Ser Cys Thr Arg Ile Val Asn  
 820 825 830  
 Lys Thr Thr Thr Leu Val Asn Asp Ser Asp Cys Pro Gln Ala Ser Arg  
 835 840 845  
 Pro Glu Pro Gln Val Arg Arg Cys Asn Leu His Pro Cys Gln Ser Arg  
 850 855 860  
 Trp Val Ala Gly Pro Trp Ser Pro Cys Ser Ala Thr Cys Glu Lys Gly  
 865 870 875 880  
 Phe Gln His Arg Glu Val Thr Cys Val Tyr Gln Leu Gln Asn Gly Thr  
 885 890 895  
 His Val Ala Thr Arg Pro Leu Tyr Cys Pro Gly Pro Arg Pro Ala Ala  
 900 905 910  
 Val Gln Ser Cys Glu Gly Gln Asp Cys Leu Ser Ile Trp Glu Ala Ser  
 915 920 925

Glu Trp Ser Gln Cys Ser Ala Ser Cys Gly Lys Gly Val Trp Lys Arg  
 930 935 940  
 Thr Val Ala Cys Thr Asn Ser Gln Gly Lys Cys Asp Ala Ser Thr Arg  
 945 950 955 960  
 Pro Arg Ala Glu Glu Ala Cys Glu Asp Tyr Ser Gly Cys Tyr Glu Trp  
 965 970 975  
 Lys Thr Gly Asp Trp Ser Thr Cys Ser Ser Thr Cys Gly Lys Gly Leu  
 980 985 990  
 Gln Ser Arg Val Val Gln Cys Met His Lys Val Thr Gly Arg His Gly  
 995 1000 1005  
 Ser Glu Cys Pro Ala Leu Ser Lys Pro Ala Pro Tyr Arg Gln Cys  
 1010 1015 1020  
 Tyr Gln Glu Val Cys Asn Asp Arg Ile Asn Ala Asn Thr Ile Thr  
 1025 1030 1035  
 Ser Pro Arg Leu Ala Ala Leu Thr Tyr Lys Cys Thr Arg Asp Gln  
 1040 1045 1050  
 Trp Thr Val Tyr Cys Arg Val Ile Arg Glu Lys Asn Leu Cys Gln  
 1055 1060 1065  
 Asp Met Arg Trp Tyr Gln Arg Cys Cys Gln Thr Cys Arg Asp Phe  
 1070 1075 1080  
 Tyr Ala Asn Lys Met Arg Gln Pro Pro Pro Ser Ser  
 1085 1090 1095

<210> 7  
 <211> 4342  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (148)..(3582)  
 <223>

<400> 7  
 gctggagggtg gcctccccctc cgccccagac aagaagaggc cctcagccct cccccggtct 60  
 cagagagccc tgagaggagg ccagtcacag agctcttcct ccgttcccag tccacttctc 120  
 tagggccagt agcagacacc agccagt atg ccg agg aac cag ggc ttc tcc gag 174  
 Met Pro Arg Asn Gln Gly Phe Ser Glu  
 1 5  
 ccc gaa tac tcg gcc gag tac tca gcc gag tac tcc gtc agc ctg ccc 222  
 Pro Glu Tyr Ser Ala Glu Tyr Ser Ala Glu Tyr Ser Val Ser Leu Pro 25  
 tcc gac cct gac cgc ggg gtg ggc cgg acc cat gaa atc tcg gtc cgg 270  
 Ser Asp Pro Asp Arg Gly Val Gly Arg Thr His Glu Ile Ser Val Arg 30 35 40  
 aac tcg ggc tcc tgc ctg tgc ctg cct cgc ttc atg cgg ctg act ttc 318  
 Asn Ser Gly Ser Cys Leu Cys Leu Pro Arg Phe Met Arg Leu Thr Phe 45 50 55  
 gtg ccg gag tcc ttg gag aac ctc tac cag acc tac ttc aaa agg cag 366  
 Val Pro Glu Ser Leu Glu Asn Leu Tyr Gln Thr Tyr Phe Lys Arg Gln 60 65 70  
 cgc cac gag acc ctg ctg gtg ctg gtg gtc ttt gca gcc ctc ttt gag 414

Arg	His 75	Glu	Thr	Leu	Leu	Val 80	Leu	Val	Val	Phe	Ala 85	Ala	Leu	Phe	Asp	
tgc Cys 90	tac Tyr	gtg Val	gtg Val	gtc Val	atg Met 95	tgt Cys	gct Ala	gtg Val	gtc Val	ttc Phe 100	tcc Ser	agc Ser	gac Asp	aag Lys	ctg Leu 105	462
gct Ala	ccc Pro	ctc Leu	gcc Ala	gtg Val 110	gct Ala	gga Gly	att Ile	gga Gly	ctg Leu 115	gtg Val	ttg Leu	gac Asp	atc Ile	atc Ile 120	ctc Leu	510
ttc Phe	gtg Val	ctc Leu	tgc Cys 125	aaa Lys	aag Lys	ggg Gly	ctg Leu	ctc Leu 130	ccg Pro	gac Asp	cgg Arg	gtc Val	acc Thr 135	cgc Arg	aga Arg	558
gtg Val	ctg Leu	ccc Pro 140	tac Tyr	gtg Val	ctg Leu	tgg Trp	ctg Leu 145	ctc Leu	ata Ile	acc Thr	gcc Ala	cag Gln 150	atc Ile	ttc Phe	tcc Ser	606
tac Tyr	ctg Leu 155	ggc Gly	ctg Leu	aac Asn	ttc Phe	gcg Ala 160	cgt Arg	gcc Ala	cac His	gcg Ala	gct Ala 165	agt Ser	gac Asp	acg Thr	gtg Val	654
ggc Gly 170	tgg Trp	cag Gln	gtc Val	ttc Phe	ttt Phe 175	gtc Val	ttc Phe	tcc Ser	ttc Phe	ttc Phe 180	atc Ile	acg Thr	ctg Leu	ccc Pro	ctc Leu 185	702
agc Ser	ctc Leu	agc Ser	ccc Pro	atc Ile 190	gtg Val	atc Ile	atc Ile	tcc Ser	gtg Val 195	gtc Val	tcc Ser	tgt Cys	gtg Val	gtg Val 200	cac His	750
acg Thr	ttg Leu	gtc Val	ctg Leu 205	ggg Gly	gtc Val	acc Thr	gtg Val	gcc Ala 210	cag Gln	cag Gln	cag Gln	cag Gln	gag Glu 215	gag Glu	ctc Leu	798
aag Lys	ggg Gly	atg Met 220	cag Gln	ctg Leu	ctg Leu	cgg Arg	gag Glu 225	atc Ile	ctg Leu	gcc Ala	aac Asn	gtc Val 230	ttc Phe	ctc Leu	tac Tyr	846
ctg Leu	tgc Cys 235	gcc Ala	atc Ile	gct Ala	gtg Val	ggc Gly 240	atc Ile	atg Met	tcc Ser	tac Tyr 245	tac Tyr 245	atg Met	gct Ala	gac Asp	cgc Arg	894
aag Lys 250	cac His	cgc Arg	aag Lys	gcc Ala	ttc Phe 255	ctg Leu	gag Glu	gcc Ala	cgc Arg	cag Gln 260	tgc Ser	ctg Leu	gag Glu	gtg Val	aag Lys 265	942
atg Met	aac Asn	ctg Leu	gaa Glu	gag Glu 270	cag Gln	agc Ser	cag Gln	cag Gln	cag Gln 275	gag Glu	aac Asn	ctc Leu	atg Met	ctt Leu 280	tcc Ser	990
atc Ile	ctg Leu	ccc Pro	aag Lys 285	cac His	gtg Val	gct Ala	gac Asp	gag Glu 290	atg Met	ctg Leu	aaa Lys	gac Asp	atg Met 295	aag Lys	aaa Lys	1038
gac Asp	gag Glu	agc Ser 300	cag Gln	aag Lys	gac Asp	cag Gln	cag Gln 305	ttc Phe	aac Asn	acc Thr	atg Met 310	tac Tyr	atg Met	tac Tyr		1086
cgt Arg	cac His 315	gag Glu	aac Asn	gtc Val	agc Ser	atc Ile 320	ctc Leu	ttt Phe	gcc Ala	gac Asp	atc Ile 325	gtg Val	ggc Gly	ttt Phe	acc Thr	1134
cag Gln 330	ctg Leu	tct Ser	tct Ser	gcc Ala	tgc Cys 335	agt Ser	gcc Ala	cag Gln	gag Glu	ctt Leu 340	gtg Val	aag Lys	ctg Leu	ctc Leu	aac Asn 345	1182
gag Glu	ctc Leu	ttt Phe	gcc Ala	cgc Arg 350	ttt Phe	gac Asp	aag Lys	ctg Leu	gca Ala 355	gct Ala	aaa Lys	tac Tyr	cac His	cag Gln 360	ctg Leu	1230
cgg Arg	att Ile	aag Lys	atc Ile 365	ctg Leu	ggc Gly	gac Asp	tgc Cys	tac Tyr 370	tac Tyr	tgc Cys	atc Ile	tgc Cys	ggc Gly 375	ttg Leu	cct Pro	1278
gac Asp	tac Tyr	cgg Arg 380	gag Glu	gac Asp	cac His	gcc Ala	gtc Val 385	tgc Cys	tcc Ser	atc Ile	ctc Leu	atg Met 390	ggg Gly	ctg Leu	gcc Ala	1326
atg	gtg	gag	gcc	atc	tcg	tat	gtg	cgg	gag	aag	acc	aag	act	ggg	gtg	1374

Met	Val	Glu	Ala	Ile	Ser	Tyr	Val	Arg	Glu	Lys	Thr	Lys	Thr	Gly	Val	
395						400					405					
gac	atg	cgt	gtg	ggg	gtg	cac	acg	ggc	acc	gtg	ctg	ggg	ggc	gtc	ctg	1422
Asp	Met	Arg	Val	Gly	Val	His	Thr	Gly	Thr	Val	Leu	Gly	Gly	Val	Leu	
410				415				420							425	
ggc	cag	aag	cgc	tgg	cag	tac	gac	gtg	tgg	tgc	act	gat	gtc	act	gta	1470
Gly	Gln	Lys	Arg	Trp	Gln	Tyr	Asp	Val	Trp	Ser	Thr	Asp	Val	Thr	Val	
				430				435						440		
gcc	aac	aag	atg	gag	gcc	ggc	ggc	atc	cct	ggg	cgc	gtg	cac	atc	tcc	1518
Ala	Asn	Lys	Met	Glu	Ala	Gly	Gly	Ile	Pro	Gly	Arg	Val	His	Ile	Ser	
			445					450					455			
cag	agc	acc	atg	gac	tgc	ctg	aaa	ggg	gag	ttt	gat	gtg	gag	cca	ggc	1566
Gln	Ser	Thr	Met	Asp	Cys	Leu	Lys	Gly	Glu	Phe	Asp	Val	Glu	Pro	Gly	
			460				465					470				
gat	ggg	ggc	agc	cgc	tgt	gat	tac	cta	gaa	gag	aag	ggt	att	gaa	acc	1614
Asp	Gly	Gly	Ser	Arg	Cys	Asp	Tyr	Leu	Glu	Glu	Lys	Gly	Ile	Glu	Thr	
	475					480					485					
tac	ctc	atc	att	gcc	tcc	aag	cca	gag	gtg	aag	aaa	aca	gcc	acc	cag	1662
Tyr	Leu	Ile	Ile	Ala	Ser	Lys	Pro	Glu	Val	Lys	Lys	Thr	Ala	Thr	Gln	
490					495					500					505	
aat	ggc	ctc	aat	ggc	tgc	gcc	ctg	ccc	aat	gga	gca	cca	gct	tcc	tca	1710
Asn	Gly	Leu	Asn	Gly	Ser	Ala	Leu	Pro	Asn	Gly	Ala	Pro	Ala	Ser	Ser	
				510					515					520		
aag	tcc	agc	tcc	cct	gcc	ctc	att	gag	acc	aag	gag	ccc	aac	ggg	agt	1758
Lys	Ser	Ser	Ser	Pro	Ala	Leu	Ile	Glu	Thr	Lys	Glu	Pro	Asn	Gly	Ser	
			525					530					535			
gcc	cac	agc	agt	ggg	tcc	acg	tcg	gag	aag	ccc	gag	gag	cag	gat	gcc	1806
Ala	His	Ser	Ser	Gly	Ser	Thr	Ser	Glu	Lys	Pro	Glu	Glu	Gln	Asp	Ala	
		540					545				550					
cag	gcc	gac	aac	ccc	tca	ttc	ccc	aac	cca	cgc	cgg	agg	ctg	cgc	ctg	1854
Gln	Ala	Asp	Asn	Pro	Ser	Phe	Pro	Asn	Pro	Arg	Arg	Arg	Leu	Arg	Leu	
	555					560					565					
cag	gac	ctg	gct	gac	cga	gtg	gtg	gat	gcc	tct	gaa	gat	gag	cac	gag	1902
Gln	Asp	Leu	Ala	Asp	Arg	Val	Val	Asp	Ala	Ser	Glu	Asp	Glu	His	Glu	
570					575					580					585	
ctc	aac	cag	ctg	ctc	aac	gag	gcc	ctg	ctt	gag	cga	gag	tcc	gcc	caa	1950
Leu	Asn	Gln	Leu	Leu	Asn	Glu	Ala	Leu	Leu	Glu	Arg	Glu	Ser	Ala	Gln	
				590					595					600		
gta	gta	aag	aag	aga	aac	acc	ttc	ctc	ttg	tcc	atg	cgg	ttc	atg	gac	1998
Val	Val	Lys	Lys	Arg	Asn	Thr	Phe	Leu	Leu	Ser	Met	Arg	Phe	Met	Asp	
			605				610						615			
ccc	gag	atg	gaa	acc	cgc	tac	tcg	gtg	gag	aag	gag	aag	cag	agt	ggg	2046
Pro	Glu	Met	Glu	Thr	Arg	Tyr	Ser	Val	Glu	Lys	Glu	Lys	Gln	Ser	Gly	
		620					625					630				
gct	gcc	ttc	agc	tgc	tcc	tgc	gtc	gtc	ctg	ctc	tgc	acg	gcc	ctg	gtc	2094
Ala	Ala	Phe	Ser	Cys	Ser	Cys	Val	Val	Leu	Leu	Cys	Thr	Ala	Leu	Val	
	635					640					645					
gag	ata	ctc	atc	gac	ccc	tgg	cta	atg	aca	aac	tat	gtg	acc	ttc	atg	2142
Glu	Ile	Leu	Ile	Asp	Pro	Trp	Leu	Met	Thr	Asn	Tyr	Val	Thr	Phe	Met	
650					655					660					665	
gtg	ggg	gag	att	ctg	ctc	ctc	atc	ctg	acc	atc	tgc	tcc	ctg	gct	gcc	2190
Val	Gly	Glu	Ile	Leu	Leu	Leu	Ile	Leu	Thr	Ile	Cys	Ser	Leu	Ala	Ala	
				670					675					680		
atc	ttt	ccc	cgg	gcc	ttt	cct	aag	aag	ctt	gtg	gcc	ttc	tca	act	tgg	2238
Ile	Phe	Pro	Arg	Ala	Phe	Pro	Lys	Lys	Leu	Val	Ala	Phe	Ser	Thr	Trp	
			685					690					695			
att	gac	cgg	acc	cgc	tgg	gcc	agg	aac	acc	tgg	gcc	atg	ctc	gcc	atc	2286
Ile	Asp	Arg	Thr	Arg	Trp	Ala	Arg	Asn	Thr	Trp	Ala	Met	Leu	Ala	Ile	
		700					705					710				
ttc	atc	ctg	gtg	atg	gca	aat	gtc	gtg	gac	atg	ctc	agc	tgt	ctc	cag	2334



Phe	Ile	Leu	Val	Met	Ala	Asn	Val	Val	Asp	Met	Leu	Ser	Cys	Leu	Gln	
715						720					725					
tac	tac	acg	gga	ccc	agc	aat	gca	acg	gca	ggg	atg	gag	acg	gag	ggc	2382
Tyr	Tyr	Thr	Gly	Pro	Ser	Asn	Ala	Thr	Ala	Gly	Met	Glu	Thr	Glu	Gly	
730					735					740					745	
agc	tgc	ctg	gag	aac	ccc	aag	tat	tac	aac	tat	gtg	gcc	gtg	ctg	tcc	2430
Ser	Cys	Leu	Glu	Asn	Pro	Lys	Tyr	Tyr	Asn	Tyr	Val	Ala	Val	Leu	Ser	
				750					755					760		
ctc	atc	gcc	acc	atc	atg	ctg	gtg	cag	gtc	agc	cac	atg	gtg	aag	ctc	2478
Leu	Ile	Ala	Thr	Ile	Met	Leu	Val	Gln	Val	Ser	His	Met	Val	Lys	Leu	
			765					770					775			
acg	ctc	atg	ctg	ctc	gtc	gca	ggc	gcc	gtg	gcc	acc	atc	aac	ctc	tat	2526
Thr	Leu	Met	Leu	Leu	Val	Ala	Gly	Ala	Val	Ala	Thr	Ile	Asn	Leu	Tyr	
		780					785					790				
gcc	tgg	cgt	ccc	gtc	ttt	gat	gaa	tac	gac	cac	aag	cgt	ttt	cgg	gag	2574
Ala	Trp	Arg	Pro	Val	Phe	Asp	Glu	Tyr	Asp	His	Lys	Arg	Phe	Arg	Glu	
	795					800					805					
cac	gac	tta	cct	atg	gtg	gcc	tta	gag	cag	atg	caa	gga	ttc	aac	cct	2622
His	Asp	Leu	Pro	Met	Val	Ala	Leu	Glu	Gln	Met	Gln	Gly	Phe	Asn	Pro	
				815						820					825	
ggg	ctc	aat	ggc	act	gac	agg	ctg	ccc	ctg	gtg	cct	tcc	aag	tac	tct	2670
Gly	Leu	Asn	Gly	Thr	Asp	Arg	Leu	Pro	Leu	Val	Pro	Ser	Lys	Tyr	Ser	
				830					835					840		
atg	acg	gtg	atg	gtg	ttc	ctc	atg	atg	ctc	agc	ttc	tac	tac	ttc	tcc	2718
Met	Thr	Val	Met	Val	Phe	Leu	Met	Met	Leu	Ser	Phe	Tyr	Tyr	Phe	Ser	
			845					850					855			
cgc	cac	gta	gaa	aaa	ctg	gca	cgg	aca	ctt	ttc	ttg	tgg	aag	att	gag	2766
Arg	His	Val	Glu	Lys	Leu	Ala	Arg	Thr	Leu	Phe	Leu	Trp	Lys	Ile	Glu	
		860					865					870				
gtc	cac	gac	cag	aag	gaa	cgt	gtc	tat	gag	atg	cga	cgc	tgg	aac	gag	2814
Val	His	Asp	Gln	Lys	Glu	Arg	Val	Tyr	Glu	Met	Arg	Arg	Trp	Asn	Glu	
					880						885					
gcc	ttg	gtc	acc	aac	atg	ttg	cct	gag	cac	gtg	gca	cgc	cat	ttc	ctg	2862
Ala	Leu	Val	Thr	Asn	Met	Leu	Pro	Glu	His	Val	Ala	Arg	His	Phe	Leu	
					895					900					905	
ggg	tcc	aag	aag	aga	gat	gag	gag	ctg	tat	agc	cag	acg	tat	gat	gag	2910
Gly	Ser	Lys	Lys	Arg	Asp	Glu	Glu	Leu	Tyr	Ser	Gln	Thr	Tyr	Asp	Glu	
				910					915					920		
att	gga	gtc	atg	ttt	gcc	tcc	ctg	ccc	aac	ttt	gct	gac	ttc	tac	aca	2958
Ile	Gly	Val	Met	Phe	Ala	Ser	Leu	Pro	Asn	Phe	Ala	Asp	Phe	Tyr	Thr	
			925					930					935			
gag	gag	agc	atc	aac	aat	ggt	ggt	att	gag	tgt	ctg	cgt	ttc	ctc	aat	3006
Glu	Glu	Ser	Ile	Asn	Asn	Gly	Gly	Ile	Glu	Cys	Leu	Arg	Phe	Leu	Asn	
		940				945						950				
gaa	atc	atc	tca	gat	ttt	gac	tct	ctc	ctg	gac	aat	ccc	aag	ttc	cgg	3054
Glu	Ile	Ile	Ser	Asp	Phe	Asp	Ser	Leu	Leu	Asp	Asn	Pro	Lys	Phe	Arg	
						960					965					
gtg	atc	acc	aag	atc	aaa	acc	att	ggc	agc	acg	tat	atg	gcg	gct	tca	3102
Val	Ile	Thr	Lys	Ile	Lys	Thr	Ile	Gly	Ser	Thr	Tyr	Met	Ala	Ala	Ser	
					975					980					985	
gga	gtc	acc	ccc	gat	gtc	aac	acc	aat	ggc	ttt	gcc	agc	tcc	aac	aag	3150
Gly	Val	Thr	Pro	Asp	Val	Asn	Thr	Asn	Gly	Phe	Ala	Ser	Ser	Asn	Lys	
				990					995					1000		
gaa	gac	aag	tcc	gag	aga	gag	cgc	tgg	cag	cac	ctg	gct	gac	ctg		3195
Glu	Asp	Lys	Ser	Glu	Arg	Glu	Arg	Trp	Gln	His	Leu	Ala	Asp	Leu		
			1005					1010					1015			
gcc	gac	ttc	gcg	ctg	gcc	atg	aag	gat	acg	ctc	acc	aac	atc	aac		3240
Ala	Asp	Phe	Ala	Leu	Ala	Met	Lys	Asp	Thr	Leu	Thr	Asn	Ile	Asn		
			1020					1025					1030			
aac	cag	tcc	ttc	aat	aac	ttc	atg	ctg	cgc	ata	ggc	atg	aac	aaa		3285

Asn Gln Ser Phe Asn Asn Phe Met Leu Arg Ile Gly Met Asn Lys  
 1035 1040 1045  
 ggc ggg gtt ctg gct ggg gtc atc gga gcc cgg aaa cca cac tac 3330  
 Gly Gly Val Leu Ala Gly Val Ile Gly Ala Arg Lys Pro His Tyr 1050 1055 1060  
 gac atc tgg ggc aat aca gtc aat gta gcc agc agg atg gag tcc 3375  
 Asp Ile Trp Gly Asn Thr Val Asn Val Ala Ser Arg Met Glu Ser 1065 1070 1075  
 acg ggg gtc atg ggc aac att cag gtg gta gaa gaa acc caa gtc 3420  
 Thr Gly Val Met Gly Asn Ile Gln Val Val Glu Glu Thr Gln Val 1080 1085 1090  
 atc ctc cga gag tac ggc ttc cgc ttt gtg agg cga ggc ccc atc 3465  
 Ile Leu Arg Glu Tyr Gly Phe Arg Phe Val Arg Arg Gly Pro Ile 1095 1100 1105  
 ttt gtg aag ggg aag ggg gag ctg ctg acc ttc ttc ttg aag ggg 3510  
 Phe Val Lys Gly Lys Gly Glu Leu Leu Thr Phe Phe Leu Lys Gly 1110 1115 1120  
 cgg gat aag cta gcc acc ttc ccc aat ggc ccc tct gtc aca ctg 3555  
 Arg Asp Lys Leu Ala Thr Phe Pro Asn Gly Pro Ser Val Thr Leu 1125 1130 1135  
 ccc cac cag gtg gtg gac aac tcc tga atggcctcga gcctgaaaca 3602  
 Pro His Gln Val Val Asp Asn Ser 1140  
 gtccaaaccg gaagggagaa tttatTTTTT gaaactgaag gaagtcccga cttccttgga 3662  
 ttgaagtgca cactcatgga ctttaggttt agaaacctcc tcagccttca tttgttcgtg 3722  
 gatgtgtgag ctctgagggg ggccctgcta ttcctctgcg tgcctgtagt gtccccagca 3782  
 taggggtctt aggcataagg ctgaacagtc cttccagagc cctcgttcca atccctgccg 3842  
 tccttgcccc tgagggggccc tgaccactgt gagcaggagg gtggcagagc tgggacaaag 3902  
 ctgcctttgc cgctgggctt tccgggactg tggagggagc acaggcgggg aagctccact 3962  
 tcagacaggg cttggtgggg caggacatgg ctccatttt gaagggagggt ctccatgtgg 4022  
 tccgagttag gtgagacggc cctcgtcctg gtgttcctga tcattcttgaa aggttcttct 4082  
 ggaactcctg tccccttagt catgagaaca gaaagtgcaa tatttccttt cacctggcag 4142  
 gggagggggg atttatttct gaaagaaaaa tatataaaca gatcttctac atttatattt 4202  
 ttaatcttct gttaaataca ctttccgata ttgccttgcc ttttgagctc ttgtacagt 4262  
 cgcctttgct actgctttaa gagaatttac aggtattgat aaagaacaag actgttttat 4322  
 taaaagcttt attcaacttg 4342

<210> 8  
 <211> 1144  
 <212> PRT  
 <213> Homo sapiens

<400> 8

Met Pro Arg Asn Gln Gly Phe Ser Glu Pro Glu Tyr Ser Ala Glu Tyr  
1 5 10 15

Ser Ala Glu Tyr Ser Val Ser Leu Pro Ser Asp Pro Asp Arg Gly Val  
20 25 30

Gly Arg Thr His Glu Ile Ser Val Arg Asn Ser Gly Ser Cys Leu Cys  
35 40 45

Leu Pro Arg Phe Met Arg Leu Thr Phe Val Pro Glu Ser Leu Glu Asn  
50 55 60

Leu Tyr Gln Thr Tyr Phe Lys Arg Gln Arg His Glu Thr Leu Leu Val  
 65 70 75 80  
 Leu Val Val Phe Ala Ala Leu Phe Asp Cys Tyr Val Val Val Met Cys  
 85 90 95  
 Ala Val Val Phe Ser Ser Asp Lys Leu Ala Pro Leu Ala Val Ala Gly  
 100 105 110  
 Ile Gly Leu Val Leu Asp Ile Ile Leu Phe Val Leu Cys Lys Lys Gly  
 115 120 125  
 Leu Leu Pro Asp Arg Val Thr Arg Arg Val Leu Pro Tyr Val Leu Trp  
 130 135 140  
 Leu Leu Ile Thr Ala Gln Ile Phe Ser Tyr Leu Gly Leu Asn Phe Ala  
 145 150 155 160  
 Arg Ala His Ala Ala Ser Asp Thr Val Gly Trp Gln Val Phe Phe Val  
 165 170 175  
 Phe Ser Phe Phe Ile Thr Leu Pro Leu Ser Leu Ser Pro Ile Val Ile  
 180 185 190  
 Ile Ser Val Val Ser Cys Val Val His Thr Leu Val Leu Gly Val Thr  
 195 200 205  
 Val Ala Gln Gln Gln Gln Glu Glu Leu Lys Gly Met Gln Leu Leu Arg  
 210 215 220  
 Glu Ile Leu Ala Asn Val Phe Leu Tyr Leu Cys Ala Ile Ala Val Gly  
 225 230 235 240  
 Ile Met Ser Tyr Tyr Met Ala Asp Arg Lys His Arg Lys Ala Phe Leu  
 245 250 255  
 Glu Ala Arg Gln Ser Leu Glu Val Lys Met Asn Leu Glu Glu Gln Ser  
 260 265 270  
 Gln Gln Gln Glu Asn Leu Met Leu Ser Ile Leu Pro Lys His Val Ala  
 275 280 285  
 Asp Glu Met Leu Lys Asp Met Lys Lys Asp Glu Ser Gln Lys Asp Gln  
 290 295 300  
 Gln Gln Phe Asn Thr Met Tyr Met Tyr Arg His Glu Asn Val Ser Ile  
 305 310 315 320  
 Leu Phe Ala Asp Ile Val Gly Phe Thr Gln Leu Ser Ser Ala Cys Ser  
 325 330 335  
 Ala Gln Glu Leu Val Lys Leu Leu Asn Glu Leu Phe Ala Arg Phe Asp  
 340 345 350  
 Lys Leu Ala Ala Lys Tyr His Gln Leu Arg Ile Lys Ile Leu Gly Asp  
 355 360 365  
 Lys Tyr Tyr Cys Ile Cys Gly Leu Pro Asp Tyr Arg Glu Asp His Ala  
 370 375 380

val Cys Ser Ile Leu Met Gly Leu Ala Met Val Glu Ala Ile Ser Tyr  
 385 390 395 400  
 Val Arg Glu Lys Thr Lys Thr Gly Val Asp Met Arg Val Gly Val His  
 405 410 415  
 Thr Gly Thr Val Leu Gly Gly Val Leu Gly Gln Lys Arg Trp Gln Tyr  
 420 425 430  
 Asp Val Trp Ser Thr Asp Val Thr Val Ala Asn Lys Met Glu Ala Gly  
 435 440 445  
 Gly Ile Pro Gly Arg Val His Ile Ser Gln Ser Thr Met Asp Cys Leu  
 450 455 460  
 Lys Gly Glu Phe Asp Val Glu Pro Gly Asp Gly Gly Ser Arg Cys Asp  
 465 470 475 480  
 Tyr Leu Glu Glu Lys Gly Ile Glu Thr Tyr Leu Ile Ile Ala Ser Lys  
 485 490 495  
 Pro Glu Val Lys Lys Thr Ala Thr Gln Asn Gly Leu Asn Gly Ser Ala  
 500 505 510  
 Leu Pro Asn Gly Ala Pro Ala Ser Ser Lys Ser Ser Ser Pro Ala Leu  
 515 520 525  
 Ile Glu Thr Lys Glu Pro Asn Gly Ser Ala His Ser Ser Gly Ser Thr  
 530 535 540  
 Ser Glu Lys Pro Glu Glu Gln Asp Ala Gln Ala Asp Asn Pro Ser Phe  
 545 550 555 560  
 Pro Asn Pro Arg Arg Arg Leu Arg Leu Gln Asp Leu Ala Asp Arg Val  
 565 570 575  
 Val Asp Ala Ser Glu Asp Glu His Glu Leu Asn Gln Leu Leu Asn Glu  
 580 585 590  
 Ala Leu Leu Glu Arg Glu Ser Ala Gln Val Val Lys Lys Arg Asn Thr  
 595 600 605  
 Phe Leu Leu Ser Met Arg Phe Met Asp Pro Glu Met Glu Thr Arg Tyr  
 610 615 620  
 Ser Val Glu Lys Glu Lys Gln Ser Gly Ala Ala Phe Ser Cys Ser Cys  
 625 630 635 640  
 Val Val Leu Leu Cys Thr Ala Leu Val Glu Ile Leu Ile Asp Pro Trp  
 645 650 655  
 Leu Met Thr Asn Tyr Val Thr Phe Met Val Gly Glu Ile Leu Leu Leu  
 660 665 670  
 Ile Leu Thr Ile Cys Ser Leu Ala Ala Ile Phe Pro Arg Ala Phe Pro  
 675 680 685  
 Lys Lys Leu Val Ala Phe Ser Thr Trp Ile Asp Arg Thr Arg Trp Ala  
 690 695 700

Arg<sup>705</sup> Asn Thr Trp Ala Met<sup>710</sup> Leu Ala Ile Phe Ile<sup>715</sup> Leu Val Met Ala Asn<sup>720</sup>  
 Val Val Asp Met<sup>725</sup> Leu Ser Cys Leu Gln Tyr<sup>730</sup> Tyr Thr Gly Pro Ser<sup>735</sup> Asn  
 Ala Thr Ala Gly<sup>740</sup> Met Glu Thr Glu Gly<sup>745</sup> Ser Cys Leu Glu Asn<sup>750</sup> Pro Lys  
 Tyr Tyr Asn<sup>755</sup> Tyr Val Ala Val Leu<sup>760</sup> Ser Leu Ile Ala Thr<sup>765</sup> Ile Met Leu  
 Val Gln<sup>770</sup> Val Ser His Met Val<sup>775</sup> Lys Leu Thr Leu Met<sup>780</sup> Leu Leu Val Ala  
 Gly<sup>785</sup> Ala Val Ala Thr Ile<sup>790</sup> Asn Leu Tyr Ala Trp<sup>795</sup> Arg Pro Val Phe Asp<sup>800</sup>  
 Glu Tyr Asp His<sup>805</sup> Arg Phe Arg Glu His<sup>810</sup> Asp Leu Pro Met Val<sup>815</sup> Ala  
 Leu Glu Gln Met<sup>820</sup> Gln Gly Phe Asn Pro<sup>825</sup> Gly Leu Asn Gly Thr<sup>830</sup> Asp Arg  
 Leu Pro Leu<sup>835</sup> Val Pro Ser Lys Tyr<sup>840</sup> Ser Met Thr Val Met<sup>845</sup> Val Phe Leu  
 Met Met<sup>850</sup> Leu Ser Phe Tyr Tyr<sup>855</sup> Phe Ser Arg His Val<sup>860</sup> Glu Lys Leu Ala  
 Arg<sup>865</sup> Thr Leu Phe Leu Trp<sup>870</sup> Lys Ile Glu Val His<sup>875</sup> Asp Gln Lys Glu Arg<sup>880</sup>  
 Val Tyr Glu Met<sup>885</sup> Arg Arg Trp Asn Glu Ala<sup>890</sup> Leu Val Thr Asn Met<sup>895</sup> Leu  
 Pro Glu His Val<sup>900</sup> Ala Arg His Phe Leu<sup>905</sup> Gly Ser Lys Lys Arg<sup>910</sup> Asp Glu  
 Glu Leu Tyr<sup>915</sup> Ser Gln Thr Tyr Asp<sup>920</sup> Glu Ile Gly Val Met<sup>925</sup> Phe Ala Ser  
 Leu Pro<sup>930</sup> Asn Phe Ala Asp Phe<sup>935</sup> Tyr Thr Glu Glu Ser<sup>940</sup> Ile Asn Asn Gly  
 Gly<sup>945</sup> Ile Glu Cys Leu Arg<sup>950</sup> Phe Leu Asn Glu Ile<sup>955</sup> Ile Ser Asp Phe Asp<sup>960</sup>  
 Ser Leu Leu Asp Asn<sup>965</sup> Pro Lys Phe Arg Val<sup>970</sup> Ile Thr Lys Ile Lys<sup>975</sup> Thr  
 Ile Gly Ser Thr<sup>980</sup> Tyr Met Ala Ala Ser<sup>985</sup> Gly Val Thr Pro Asp<sup>990</sup> Val Asn  
 Thr Asn Gly<sup>995</sup> Phe Ala Ser Ser Asn<sup>1000</sup> Lys Glu Asp Lys Ser<sup>1005</sup> Glu Arg Glu  
 Arg Trp<sup>1010</sup> Gln His Leu Ala Asp<sup>1015</sup> Leu Ala Asp Phe Ala<sup>1020</sup> Leu Ala Met

Lys<sup>1025</sup> Asp Thr Leu Thr Asn Ile Asn Asn Gln Ser Phe<sup>1035</sup> Asn Asn Phe  
 Met Leu<sup>1040</sup> Arg Ile Gly Met Asn<sup>1045</sup> Lys Gly Gly Val Leu<sup>1050</sup> Ala Gly Val  
 Ile Gly<sup>1055</sup> Ala Arg Lys Pro His<sup>1060</sup> Tyr Asp Ile Trp Gly<sup>1065</sup> Asn Thr Val  
 Asn Val<sup>1070</sup> Ala Ser Arg Met Glu<sup>1075</sup> Ser Thr Gly Val Met<sup>1080</sup> Gly Asn Ile  
 Gln Val<sup>1085</sup> Val Glu Glu Thr Gln<sup>1090</sup> Val Ile Leu Arg Glu<sup>1095</sup> Tyr Gly Phe  
 Arg Phe<sup>1100</sup> Val Arg Arg Gly Pro<sup>1105</sup> Ile Phe Val Lys Gly<sup>1110</sup> Lys Gly Glu  
 Leu Leu<sup>1115</sup> Thr Phe Phe Leu Lys<sup>1120</sup> Gly Arg Asp Lys Leu<sup>1125</sup> Ala Thr Phe  
 Pro Asn<sup>1130</sup> Gly Pro Ser Val Thr<sup>1135</sup> Leu Pro His Gln Val<sup>1140</sup> Val Asp Asn

Ser

<210> 9  
 <211> 3603  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (86)..(2155)  
 <223>

<400> 9  
 ctcgacctcg ggcgcgcccg agcgccgcgc gagcaggagc ggcgccggcg gcggcgccgg 60  
 cgggaggagg cagcgccggc ccaag atg gcg gac ctg gag gcg gtg ctg gcc 112  
 Met Ala Asp Leu Glu Ala Val Leu Ala  
 1 5  
 gac gtg agc tac ctg atg gcc atg gag aag agc aag gcc acg ccg gcc 160  
 Asp Val Ser Tyr Leu Met Ala Met Glu Lys Ser Lys Ala Thr Pro Ala  
 10 15 20 25  
 gcg cgc gcc agc aag aag ata ctg ctg ccc gag ccc agc atc cgc agt 208  
 Ala Arg Ala Ser Lys Lys Ile Leu Leu 35 Glu Pro Ser Ile Arg Ser  
 30 40  
 gtc atg cag aag tac ctg gag gac cgg ggc gag gtg acc ttt gag aag 256  
 Val Met Gln Lys Tyr Leu Glu Asp Arg Gly Glu Val Thr Phe Glu Lys  
 45 50 55  
 atc ttt tcc cag aag ctg ggg tac ctg ctc ttc cga gac ttc tgc ctg 304  
 Ile Phe Ser Gln Lys Leu Gly Tyr 65 Leu Leu Phe Arg Asp 70 Phe Cys Leu  
 60 65 70  
 aac cac ctg gag gag gcc agg ccc ttg gtg gaa ttc tat gag gag atc 352  
 Asn His 75 Leu Glu Glu Ala Arg 80 Pro Leu Val Glu 85 Phe Tyr Glu Glu Ile  
 75 80 85  
 aag aag tac gag aag ctg gag acg gag gag gag cgt gtg gcc cgc agc 400  
 Asn Lys Tyr Glu Lys Leu Glu Thr Glu Glu Glu Arg Val Ala Arg Ser  
 90 95 100 105  
 cgg gag atc ttc gac tca tac atc atg aag gag ctg ctg gcc tgc tcg 448  
 Arg Glu Ile Phe Asp Ser Tyr Ile Met Lys 115 Glu Leu Leu Ala Cys Ser  
 110 115 120

cat His	ccc Pro	ttc Phe	tgc Ser 125	aag Lys	agt Ser	gcc Ala	act Thr	gag Glu 130	cat His	gtc Val	caa Gln	ggc Gly	cac His 135	ctg Leu	ggg Gly	496
aag Lys	aag Lys	cag Gln 140	gtg Val	cct Pro	ccg Pro	gat Asp	ctc Leu 145	ttc Phe	cag Gln	cca Pro	tac Tyr	atc Ile 150	gaa Glu	gag Glu	att Ile	544
tgt Cys	caa Gln 155	aac Asn	ctc Leu	cga Arg	ggg Gly	gac Asp 160	gtg Val	ttc Phe	cag Gln	aaa Lys	ttc Phe 165	att Ile	gag Glu	agc Ser	gat Asp	592
aag Lys 170	ttc Phe	aca Thr	cgg Arg	ttt Phe	tgc Cys 175	cag Gln	tgg Trp	aag Lys	aat Asn	gtg Val 180	gag Glu	ctc Leu	aac Asn	atc Ile	cac His 185	640
ctg Leu	acc Thr	atg Met	aat Asn	gac Asp 190	ttc Phe	agc Ser	gtg Val	cat His	cgc Arg 195	atc Ile	att Ile	ggg Gly	cgc Arg	ggg Gly 200	ggc Gly	688
ttt Phe	ggc Gly	gag Glu	gtc Val 205	tat Tyr	ggg Gly	tgc Cys	cgg Arg	aag Lys 210	cgt Arg	gac Asp	aca Thr	ggc Gly	aag Lys 215	atg Met	tac Tyr	736
gcc Ala	atg Met	aag Lys 220	tgc Cys	ctg Leu	gac Asp	aaa Lys	aag Lys 225	cgc Arg	atc Ile	aag Lys	atg Met	aag Lys 230	cag Gln	ggg Gly	gag Glu	784
acc Thr	ctg Leu 235	gcc Ala	ctg Leu	aac Asn	gag Glu	cgc Arg 240	atc Ile	atg Met	ctc Leu	tgc Ser	ctc Leu 245	gtc Val	agc Ser	act Thr	ggg Gly	832
gac Asp 250	tgc Cys	cca Pro	ttc Phe	att Ile	gtc Val 255	tgc Cys	atg Met	tca Ser	tac Tyr	gcg Ala 260	ttc Phe	cac His	acg Thr	cca Pro	gac Asp 265	880
aag Lys	ctc Leu	agc Ser	ttc Phe	atc Ile 270	ctg Leu	gac Asp	ctc Leu	atg Met	aac Asn 275	ggg Gly	ggg Gly	gac Asp	ctg Leu	cac His 280	tac Tyr	928
cac His	ctc Leu	tcc Ser	cag Gln 285	cac His	ggg Gly	gtc Val	ttc Phe	tca Ser 290	gag Glu	gct Ala	gac Asp	atg Met	cgc Arg 295	ttc Phe	tat Tyr	976
gcg Ala	gcc Ala	gag Glu 300	atc Ile	atc Ile	ctg Leu	ggc Gly	ctg Leu 305	gag Glu	cac His	atg Met	cac His	aac Asn 310	cgc Arg	ttc Phe	gtg Val	1024
gtc Val	tac Tyr 315	cgg Arg	gac Asp	ctg Leu	aag Lys	cca Pro 320	gcc Ala	aac Asn	atc Ile	ctt Leu	ctg Leu 325	gac Asp	gag Glu	cat His	ggc Gly	1072
cac His 330	gtg Val	cgg Arg	atc Ile	tgc Ser	gac Asp 335	ctg Leu	ggc Gly	ctg Leu	gcc Ala	tgt Cys 340	gac Asp	ttc Phe	tcc Ser	aag Lys	aag Lys 345	1120
aag Lys	ccc Pro	cat His	gcc Ala	agc Ser 350	gtg Val	ggc Gly	acc Thr	cac His	ggg Gly 355	tac Tyr	atg Met	gct Ala	ccg Pro	gag Glu 360	gtc Val	1168
ctg Leu	cag Gln	aag Lys	ggc Gly 365	gtg Val	gcc Ala	tac Tyr	gac Asp	agc Ser 370	agt Ser	gcc Ala	gac Asp	tgg Trp	ttc Phe 375	tct Ser	ctg Leu	1216
ggg Gly	tgc Cys	atg Met 380	ctc Leu	ttc Phe	aag Lys	ttg Leu	ctg Leu 385	cgg Arg	ggg Gly	cac His	agc Ser	ccc Pro 390	ttc Phe	cgg Arg	cag Gln	1264
cac His	aag Lys 395	acc Thr	aaa Lys	gac Asp	aag Lys	cat His 400	gag Glu	atc Ile	gac Asp	cgc Arg	atg Met 405	acg Thr	ctg Leu	acg Thr	atg Met	1312
gcc Ala 410	gtg Val	gag Glu	ctg Leu	ccc Pro	gac Asp 415	tcc Ser	ttc Phe	tcc Ser	cct Pro	gaa Glu 420	cta Leu	cac His	tcc Ser	ctg Leu	ctg Leu 425	1360
gag Glu	ggg Gly	ttg Leu	ctg Leu	cag Gln 430	agg Arg	gat Asp	gtc Val	aac Asn	cgg Arg 435	aga Arg	ttg Leu	ggc Gly	tgc Cys	ctg Leu 440	ggc Gly	1408

tga	ggg	gct	cag	gag	gtg	aaa	gag	agc	ccc	ttt	ttc	cgc	tcc	ctg	gac	1456
Arg	Gly	Ala	Gln	Glu	Val	Lys	Glu	Ser	Pro	Phe	Phe	Arg	Ser	Leu	Asp	
			445					450					455			
tgg	cag	atg	gtc	ttc	ttg	cag	agg	tac	cct	ccc	ccg	ctg	atc	ccc	cca	1504
Trp	Gln	Met	Val	Phe	Leu	Gln	Arg	Tyr	Pro	Pro	Pro	Leu	Ile	Pro	Pro	
		460					465					470				
cga	ggg	gag	gtg	aac	gcg	gcc	gac	gcc	ttc	gac	att	ggc	tcc	ttc	gat	1552
Arg	Gly	Glu	Val	Asn	Ala	Ala	Asp	Ala	Phe	Asp	Ile	Gly	Ser	Phe	Asp	
	475					480					485					
gag	gag	gac	aca	aaa	gga	atc	aag	tta	ctg	gac	agt	gat	cag	gag	ctc	1600
Glu	Glu	Asp	Thr	Lys	Gly	Ile	Lys	Leu	Leu	Asp	Ser	Asp	Gln	Glu	Leu	
490					495					500					505	
tac	cgc	aac	ttc	ccc	ctc	acc	atc	tcg	gag	cgg	tgg	cag	cag	gag	gtg	1648
Tyr	Arg	Asn	Phe	Pro	Leu	Thr	Ile	Ser	Glu	Arg	Trp	Gln	Gln	Glu	Val	
				510					515					520		
gca	gag	act	gtc	ttc	gac	acc	atc	aac	gct	gag	aca	gac	cgg	ctg	gag	1696
Ala	Glu	Thr	Val	Phe	Asp	Thr	Ile	Asn	Ala	Glu	Thr	Asp	Arg	Leu	Glu	
			525					530					535			
gct	cgc	aag	aaa	gcc	aag	aac	aag	cag	ctg	ggc	cat	gag	gaa	gac	tac	1744
Ala	Arg	Lys	Lys	Ala	Lys	Asn	Lys	Gln	Leu	Gly	His	Glu	Glu	Asp	Tyr	
		540					545					550				
gcc	ctg	ggc	aag	gac	tgc	atc	atg	cat	ggc	tac	atg	tcc	aag	atg	ggc	1792
Ala	Leu	Gly	Lys	Asp	Cys	Ile	Met	His	Gly	Tyr	Met	Ser	Lys	Met	Gly	
	555					560					565					
aac	ccc	ttt	ctg	acc	cag	tgg	cag	cgg	cgg	tac	ttc	tac	ctg	ttc	ccc	1840
Asn	Pro	Phe	Leu	Thr	Gln	Trp	Gln	Arg	Arg	Tyr	Phe	Tyr	Leu	Phe	Pro	
570					575					580					585	
aac	cgc	ctc	gag	tgg	cgg	ggc	gag	ggc	gag	gcc	ccg	cag	agc	ctg	ctg	1888
Asn	Arg	Leu	Glu	Trp	Arg	Gly	Glu	Gly	Glu	Ala	Pro	Gln	Ser	Leu	Leu	
				590				595						600		
acc	atg	gag	gag	atc	cag	tcg	gtg	gag	gag	acg	cag	atc	aag	gag	cgc	1936
Thr	Met	Glu	Glu	Ile	Gln	Ser	Val	Glu	Glu	Thr	Gln	Ile	Lys	Glu	Arg	
			605					610					615			
aag	tgc	ctg	ctc	ctc	aag	atc	cgc	ggt	ggg	aaa	cag	ttc	att	ttg	cag	1984
Lys	Cys	Leu	Leu	Leu	Lys	Ile	Arg	Gly	Gly	Lys	Gln	Phe	Ile	Leu	Gln	
		620					625					630				
tgc	gat	agc	gac	cct	gag	ctg	gtg	cag	tgg	aag	aag	gag	ctg	cgc	gac	2032
Cys	Asp	Ser	Asp	Pro	Glu	Leu	Val	Gln	Trp	Lys	Lys	Glu	Leu	Arg	Asp	
	635					640					645					
gcc	tac	cgc	gag	gcc	cag	cag	ctg	gtg	cag	cgg	gtg	ccc	aag	atg	aag	2080
Ala	Tyr	Arg	Glu	Ala	Gln	Gln	Leu	Val	Gln	Arg	Val	Pro	Lys	Met	Lys	
650					655				660						665	
aac	aag	ccg	cgc	tcg	ccc	gtg	gtg	gag	ctg	agc	aag	gtg	ccg	ctg	gtc	2128
Asn	Lys	Pro	Arg	Ser	Pro	Val	Val	Glu	Leu	Ser	Lys	Val	Pro	Leu	Val	
				670					675					680		
cag	cgc	ggc	agt	gcc	aac	ggc	ctc	tga	ccccccccacc	cgccttttat						2175
Gln	Arg	Gly	Ser	Ala	Asn	Gly	Leu									
			685													
aaacctctaa	tttattttgt	cgaattttta	ttattttgttt	tcccgcgaag	cgaagggtt											2235
ttattttgta	attattgtga	tttcccgtgg	ccccagcctg	gcccagctcc	cccgggagggc											2295
cccgccttgcc	tcggctcctg	ctgcaccaac	ccagccgctg	cccggcgccc	tctgtcctga											2355
cttcagggggc	tgcccgcctcc	cagtgtcttc	ctgtggggga	agagcacagc	cctcccgcctc											2415
cttccccgag	ggatgatgcc	acaccaagct	gtgccaccct	gggctctgtg	ggctgcactt											2475
gtgccatggg	actgtgggtg	gcccattccc	cctcaccagg	ggcaggcaca	gcacagggat											2535
ccgacttgaa	ttttcccact	gcaccccctc	ctgctgcaga	ggggcaggcc	ctgcactgtc											2595
ctgctccaca	gtgttgccga	gaggaggggc	ccgttgtctc	cctggccctc	aaggctccca											2655



cagtgactcg ggctcctgtg cccttattca ggaaaagcct ctgtgtcact ggctgcctcc 2715  
 actcccaactt ccctgacact gcggggccttg gctgagagag tggcattggc agcagggtgct 2775  
 gctaccctcc ctgctgtccc ctcttgcccc aacccccagc acccgggctc agggaccaca 2835  
 gcaaggcacc tgcaggttgg gccatactgg cctcgcttg cctgagggtc cgctgatgct 2895  
 gggctgggtg cgaccccatc tgcccaggac gggggccggc aggtggggcg gcagcacagc 2955  
 aaggaggctg gctggggcct atcagtgtgc ccccatcct ggcccatcag tgtacccccg 3015  
 cccagactgg ccagccccac agcccacgtc ctgtcagtgc cgccgcctcg cccaccgcat 3075  
 gccccctgtg ccagtgtctt gcctgtgtgt gtgcactcgt gtcgcgcctt ctcccccccg 3135  
 gggctgggtt ggcgcaccct cccctcccg tctactcattc cccggggcgt ttctttgccg 3195  
 atttttgaat gtgattttta agagtgaata atgagactat gcgtttttat aaaaaatggg 3255  
 gcctgattcg gctgtctcag actctttttg tacctgggtga ccccttttca gcttctgctg 3315  
 ggctggggcc tgatggggag ggtctcgggt gtaccaggtc tcctccaccg ccattggcttc 3375  
 caagggtggtc tgctcggggc caggccatct tccagggtgg gtgaggcagt ggggtccact 3435  
 tccccctcta cccctcccag ctgacagtcc tctccaccta gtggctgtcc agtgccatt 3495  
 cctcaccttt tcccggggag gagagagcag cttctgccac ttcccaggta agcaggagga 3555  
 ggtgccaaca gtgttaggcc tggcacagtg tctgggtgat cgggacct 3603

<210> 10  
 <211> 689  
 <212> PRT  
 <213> Homo sapiens

<400> 10

Met Ala Asp Leu Glu Ala Val Leu Ala Asp Val Ser Tyr Leu Met Ala  
1 5 10 15

Met Glu Lys Ser Lys Ala Thr Pro Ala Ala Arg Ala Ser Lys Lys Ile  
20 25 30

Leu Leu Pro Glu Pro Ser Ile Arg Ser Val Met Gln Lys Tyr Leu Glu  
35 40 45

Asp Arg Gly Glu Val Thr Phe Glu Lys Ile Phe Ser Gln Lys Leu Gly  
50 55 60

Tyr Leu Leu Phe Arg Asp Phe Cys Leu Asn His Leu Glu Glu Ala Arg  
65 70 75 80

Pro Leu Val Glu Phe Tyr Glu Glu Ile Lys Lys Tyr Glu Lys Leu Glu  
85 90 95

Thr Glu Glu Glu Arg Val Ala Arg Ser Arg Glu Ile Phe Asp Ser Tyr  
100 105 110

Ile Met Lys Glu Leu Leu Ala Cys Ser His Pro Phe Ser Lys Ser Ala  
115 120 125

Thr Glu His Val Gln Gly His Leu Gly Lys Lys Gln Val Pro Pro Asp  
130 135 140

Leu Phe Gln Pro Tyr Ile Glu Glu Ile Cys Gln Asn Leu Arg Gly Asp  
145 150 155 160

Val Phe Gln Lys Phe Ile Glu Ser Asp Lys Phe Thr Arg Phe Cys Gln  
 165 170 175  
 Trp Lys Asn Val Glu Leu Asn Ile His Leu Thr Met Asn Asp Phe Ser  
 180 185 190  
 Val His Arg Ile Ile Gly Arg Gly Phe Gly Glu Val Tyr Gly Cys  
 195 200 205  
 Arg Lys Arg Asp Thr Gly Lys Met Tyr Ala Met Lys Cys Leu Asp Lys  
 210 215 220  
 Lys Arg Ile Lys Met Lys Gln Gly Glu Thr Leu Ala Leu Asn Glu Arg  
 225 230 235 240  
 Ile Met Leu Ser Leu Val Ser Thr Gly Asp Cys Pro Phe Ile Val Cys  
 245 250 255  
 Met Ser Tyr Ala Phe His Thr Pro Asp Lys Leu Ser Phe Ile Leu Asp  
 260 265 270  
 Leu Met Asn Gly Gly Asp Leu His Tyr His Leu Ser Gln His Gly Val  
 275 280 285  
 Phe Ser Glu Ala Asp Met Arg Phe Tyr Ala Ala Glu Ile Ile Leu Gly  
 290 295 300  
 Leu Glu His Met His Asn Arg Phe Val Val Tyr Arg Asp Leu Lys Pro  
 305 310 315 320  
 Ala Asn Ile Leu Leu Asp Glu His Gly His Val Arg Ile Ser Asp Leu  
 325 330 335  
 Gly Leu Ala Cys Asp Phe Ser Lys Lys Lys Pro His Ala Ser Val Gly  
 340 345 350  
 Thr His Gly Tyr Met Ala Pro Glu Val Leu Gln Lys Gly Val Ala Tyr  
 355 360 365  
 Asp Ser Ser Ala Asp Trp Phe Ser Leu Gly Cys Met Leu Phe Lys Leu  
 370 375 380  
 Leu Arg Gly His Ser Pro Phe Arg Gln His Lys Thr Lys Asp Lys His  
 385 390 395 400  
 Glu Ile Asp Arg Met Thr Leu Thr Met Ala Val Glu Leu Pro Asp Ser  
 405 410 415  
 Phe Ser Pro Glu Leu His Ser Leu Leu Glu Gly Leu Leu Gln Arg Asp  
 420 425 430  
 Val Asn Arg Arg Leu Gly Cys Leu Gly Arg Gly Ala Gln Glu Val Lys  
 435 440 445  
 Glu Ser Pro Phe Phe Arg Ser Leu Asp Trp Gln Met Val Phe Leu Gln  
 450 455 460  
 Arg Tyr Pro Pro Pro Leu Ile Pro Pro Arg Gly Glu Val Asn Ala Ala  
 465 470 475 480

Asp<sup>485</sup> Ala<sup>485</sup> Phe<sup>485</sup> Asp<sup>485</sup> Ile<sup>485</sup> Gly<sup>485</sup> Ser<sup>485</sup> Phe<sup>485</sup> Asp<sup>485</sup> Glu<sup>490</sup> Glu<sup>490</sup> Asp<sup>490</sup> Thr<sup>490</sup> Lys<sup>495</sup> Gly<sup>495</sup> Ile<sup>495</sup>

Lys<sup>500</sup> Leu<sup>500</sup> Leu<sup>500</sup> Asp<sup>500</sup> Ser<sup>500</sup> Asp<sup>500</sup> Gln<sup>500</sup> Glu<sup>505</sup> Leu<sup>505</sup> Tyr<sup>505</sup> Arg<sup>505</sup> Asn<sup>505</sup> Phe<sup>510</sup> Pro<sup>510</sup> Leu<sup>510</sup> Thr<sup>510</sup>

Ile<sup>515</sup> Ser<sup>515</sup> Glu<sup>515</sup> Arg<sup>515</sup> Trp<sup>515</sup> Gln<sup>515</sup> Gln<sup>515</sup> Glu<sup>520</sup> Val<sup>520</sup> Ala<sup>520</sup> Glu<sup>520</sup> Thr<sup>525</sup> Val<sup>525</sup> Phe<sup>525</sup> Asp<sup>525</sup> Thr<sup>525</sup>

Ile<sup>530</sup> Asn<sup>530</sup> Ala<sup>530</sup> Glu<sup>530</sup> Thr<sup>530</sup> Asp<sup>535</sup> Arg<sup>535</sup> Leu<sup>535</sup> Glu<sup>535</sup> Ala<sup>535</sup> Arg<sup>540</sup> Lys<sup>540</sup> Lys<sup>540</sup> Ala<sup>540</sup> Lys<sup>540</sup> Asn<sup>540</sup>

Lys<sup>545</sup> Gln<sup>545</sup> Leu<sup>545</sup> Gly<sup>545</sup> His<sup>545</sup> Glu<sup>550</sup> Glu<sup>550</sup> Asp<sup>550</sup> Tyr<sup>550</sup> Ala<sup>555</sup> Leu<sup>555</sup> Gly<sup>555</sup> Lys<sup>555</sup> Asp<sup>555</sup> Cys<sup>560</sup> Ile<sup>560</sup>

Met<sup>565</sup> His<sup>565</sup> Gly<sup>565</sup> Tyr<sup>565</sup> Met<sup>565</sup> Ser<sup>565</sup> Lys<sup>565</sup> Met<sup>565</sup> Gly<sup>570</sup> Asn<sup>570</sup> Pro<sup>570</sup> Phe<sup>570</sup> Leu<sup>570</sup> Thr<sup>575</sup> Gln<sup>575</sup> Trp<sup>575</sup>

Gln<sup>580</sup> Arg<sup>580</sup> Arg<sup>580</sup> Tyr<sup>580</sup> Phe<sup>580</sup> Tyr<sup>580</sup> Leu<sup>580</sup> Phe<sup>585</sup> Pro<sup>585</sup> Asn<sup>585</sup> Arg<sup>585</sup> Leu<sup>585</sup> Glu<sup>590</sup> Trp<sup>590</sup> Arg<sup>590</sup> Gly<sup>590</sup>

Glu<sup>595</sup> Gly<sup>595</sup> Glu<sup>595</sup> Ala<sup>595</sup> Pro<sup>595</sup> Gln<sup>595</sup> Ser<sup>600</sup> Leu<sup>600</sup> Leu<sup>600</sup> Thr<sup>600</sup> Met<sup>600</sup> Glu<sup>605</sup> Glu<sup>605</sup> Ile<sup>605</sup> Gln<sup>605</sup> Ser<sup>605</sup>

Val<sup>610</sup> Glu<sup>610</sup> Glu<sup>610</sup> Thr<sup>610</sup> Gln<sup>610</sup> Ile<sup>615</sup> Lys<sup>615</sup> Glu<sup>615</sup> Arg<sup>615</sup> Lys<sup>615</sup> Cys<sup>615</sup> Leu<sup>620</sup> Leu<sup>620</sup> Leu<sup>620</sup> Lys<sup>620</sup> Ile<sup>620</sup>

Arg<sup>625</sup> Gly<sup>625</sup> Gly<sup>625</sup> Lys<sup>625</sup> Gln<sup>625</sup> Phe<sup>630</sup> Ile<sup>630</sup> Leu<sup>630</sup> Gln<sup>630</sup> Cys<sup>635</sup> Asp<sup>635</sup> Ser<sup>635</sup> Asp<sup>635</sup> Pro<sup>635</sup> Glu<sup>640</sup> Leu<sup>640</sup>

Val<sup>645</sup> Gln<sup>645</sup> Trp<sup>645</sup> Lys<sup>645</sup> Lys<sup>645</sup> Glu<sup>645</sup> Leu<sup>645</sup> Arg<sup>645</sup> Asp<sup>650</sup> Ala<sup>650</sup> Tyr<sup>650</sup> Arg<sup>650</sup> Glu<sup>655</sup> Ala<sup>655</sup> Gln<sup>655</sup> Gln<sup>655</sup>

Leu<sup>660</sup> Val<sup>660</sup> Gln<sup>660</sup> Arg<sup>660</sup> Val<sup>660</sup> Pro<sup>660</sup> Lys<sup>665</sup> Met<sup>665</sup> Lys<sup>665</sup> Asn<sup>665</sup> Lys<sup>665</sup> Pro<sup>665</sup> Arg<sup>670</sup> Ser<sup>670</sup> Pro<sup>670</sup> Val<sup>670</sup>

Val<sup>675</sup> Glu<sup>675</sup> Leu<sup>675</sup> Ser<sup>675</sup> Lys<sup>675</sup> Val<sup>675</sup> Pro<sup>675</sup> Leu<sup>680</sup> Val<sup>680</sup> Gln<sup>680</sup> Arg<sup>680</sup> Gly<sup>685</sup> Ser<sup>685</sup> Ala<sup>685</sup> Asn<sup>685</sup> Gly<sup>685</sup>

Leu

<210> 11  
<211> 2031  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (255)..(518)  
<223>

<400> 11  
ggcacgaggg cgagctgagg tggaggcagg ctgcggcaga cggcgacagt ggcggcggcg 60  
ccatggcagg gcttgcagga tccctgctgc cttggtgatc ccgggctgac agccagagag 120  
cacagcggct cagctcctgg agagtggagg ttgaagaaag cggagggcag ccgcctgcgc 180  
ccgctggctc ccattaggtc ggttcttgca gcggtgcccg gcagccttgg tgaaggccct 240  
gcccggcaga gatc atg tat tgc ctc cag tgg ctg ctg ccc gtc ctc ctc 290  
Met Tyr Cys Leu Gln Trp Leu Leu Pro Val Leu Leu 10  
atc ccc aag ccc ctc aac ccc gcc ctg tgg ttc agc cac tcc atg ttc 338

Ile<sup>15</sup> Pro<sup>15</sup> Lys<sup>15</sup> Pro<sup>15</sup> Leu<sup>15</sup> Asn<sup>15</sup> Pro<sup>15</sup> Ala<sup>20</sup> Leu<sup>20</sup> Trp<sup>20</sup> Phe<sup>20</sup> Ser<sup>25</sup> His<sup>25</sup> Ser<sup>25</sup> Met<sup>25</sup> Phe<sup>25</sup>  
 atg ggc ttc tac ctg ctc agc ttc ctc ctg gaa cgg aag cct tgc aca 386  
 Met Gly Phe Tyr Leu Leu Ser Phe Leu Leu Glu Arg Lys Pro Cys Thr  
 att tgt gcc ttg gtt ttc ctg gca gcc ctg ttc ctt atc tgc tat agc 434  
 Ile Cys Ala Leu Val Phe Leu Ala Ala Leu Phe Leu Ile Cys Tyr Ser  
 tgc tgg gga aac tgt ttc ctg tac cac tgc tcc gat tcc ccg ctt cca 482  
 Cys Trp Gly Asn Cys Phe Leu Tyr His Cys Ser Asp Ser Pro Leu Pro  
 gaa tcg gcg cat gat ccc ggc gtt gtg ggc acc taa cggcctgccc 528  
 Glu Ser Ala His Asp Pro Gly Val Val Gly Thr  
 tgtagctttt ccaaggaagc agaagacggg aggggaggca ttgacatagg tcataaagca 588  
 ttggagtttc aaatcccgcg gcctcgcggg tgtcacattc ctgacggcgc ctttttggcc 648  
 tgtgatgttt tacccttaca atgtgaataa tggcactgac cgggtgctttt attgtaaagt 708  
 cctatagtgc tgggtggtct tgtggtgtgtg tgtgttctgt ccccatctag gtcctggctg 768  
 gccgcatgac caccctctc gcctcattac tgtgaggagt ctgggtccat cctggtcagc 828  
 tgcccaatg tgacctgggg cagataaaat gccagtctca ttgtcacctc tgtgacctc 888  
 cctgtgcagg gtctccttcc tcccagaat gttactgact cctcagtccc tcttctgggt 948  
 tccctttatt tctcttctac ctttttctt ttttggggag tacctgtcca agacagggtc 1008  
 catttttgca cttatctcga atttgaagag attgctgacg cccgagagcc tcgctttttc 1068  
 atccttcttt ccttggtcag caggctagac agaaacatgt cttgactgtt agttgtccac 1128  
 aaatcttcag tattttctcc acttcatttt taagaaagga agcaacagat agatgttgct 1188  
 ctttcacctg ggtgtctggg ctcaagcttt cccgccagc ctcaacttct ttgcccttcc 1248  
 tcctgccttt ctcaactgtc ccaaggaggg ggcctcattg tgtctcccgt gcatgctctg 1308  
 cagcattgaa gtatggtgtg ttcacgtagt tctagcagtc cccagctgag tgagtgggag 1368  
 agtacctgtg tgtttcgtaa cggccttgat ccccttgata gatgtttgga tatttttttg 1428  
 tgtgccctgt gtgtgtgtgt gtgtacaaat acatgtgtat attcctttta aagaagcttt 1488  
 atcgaacgtg gtctgatttt gaggttttagc aatagctagc tatatatggt aggtgccgct 1548  
 acagttttta tttagcatgg ggattgcaga gtgaccagca cactggactc cgagggtggtt 1608  
 cagacaagac agaggggagc agtggccatc atcctcccgc caggagcttc ttcgttcctg 1668  
 cgcatataga ctgtacgtta tgaagaatac ccaggaagac tttgtgactg tcacttgctg 1728  
 ctttttctgc gcttcagtaa caagtgttg caaacgagac tttctcctgg cccctgcctg 1788  
 ctggagatca gcatgcctgt cttttcagtc tgatccatcc atctctctct tgcttgaggg 1848  
 gaaagagaga tgggccaggc agagaacaga actggaggca gtccatctag ggaatgggac 1908  
 tgtgaggcca tacttgtaga acgtctggac tgctattcta gagcttttat ttggtgtgtt 1968  
 cgttgcacag ctgtttgaaa tgtttaataa agctttataa actttaaaaa aaaaaaaaaa 2028  
 aaa 2031

<210> 12  
 <211> 87  
 <212> PRT  
 <213> Homo sapiens

<400> 12

Met Tyr Cys Leu Gln Trp Leu Leu Pro Val Leu Leu Ile Pro Lys Pro

1 5 10 15  
 Leu Asn Pro Ala Leu Trp Phe Ser His Ser Met Phe Met Gly Phe Tyr  
                   20                  25                  30  
 Leu Leu Ser Phe Leu Leu Glu Arg Lys Pro Cys Thr Ile Cys Ala Leu  
                   35                  40                  45  
 Val Phe Leu Ala Ala Leu Phe Leu Ile Cys Tyr Ser Cys Trp Gly Asn  
           50                  55                  60  
 Cys Phe Leu Tyr His Cys Ser Asp Ser Pro Leu Pro Glu Ser Ala His  
   65                  70                  75                  80  
 Asp Pro Gly Val Val Gly Thr  
                   85

<210> 13  
 <211> 3578  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (268)..(1389)  
 <223>

<400> 13  
 cgccggcggc ggcggagact ccggggctgc ggcgccgccc gccccgccc cagagtccgg 60  
 ctgccgcgca tcgtccgcag acgccgccac cgccatgggc tcctgaggct agcttgctac 120  
 tttctgcaaa ggtttccctc agggagcctc ctgctgccag gcacccatgac agtgaggggg 180  
 gatgtgctgg ccccgatcc agcgtcgccc acgaccgcag cagcctcgcc cagcgtctcc 240  
 gtgatccccg agggcagccc cactgcc atg gag cag cct gtg ttc ctg atg aca 294  
                                   Met Glu Gln Pro Val Phe Leu Met Thr  
                                   1                  5  
 act gcc gct cag gcc atc tct ggc ttc ttc gtg tgg acg gcc ctg ctc 342  
 Thr Ala Ala Gln Ala Ile Ser Gly Phe Phe Val Trp Thr Ala Leu Leu  
 10                  15                  20  
 atc aca tgc cac cag atc tac atg cac ctg cgc tgc tac agc tgc ccc 390  
 Ile Thr Cys His Gln Ile Tyr Met His Leu Arg Cys Tyr Ser Cys Pro  
                   30                  35                  40  
 aac gag cag cgc tac atc gtg cgc atc ctc ttc atc gtg ccc atc tac 438  
 Asn Glu Gln Arg Tyr Ile Val Arg Ile Leu Phe Ile Val Pro Ile Tyr  
                   45                  50                  55  
 gcc ttt gac tcc tgg ctc agc ctc ctc ttc ttc acc aac gac cag tac 486  
 Ala Phe Asp Ser Trp Leu Ser Leu Leu Phe Phe Thr Asn Asp Gln Tyr  
                   60                  65                  70  
 tac gtg tac ttc ggc acc gtc cgc gac tgc tat gag gcc ttg gtc atc 534  
 Tyr Val Tyr Phe Gly Thr Val Arg Asp Cys Tyr Glu Ala Leu Val Ile  
                   75                  80                  85  
 tat aat ttc ctg agc ctg tgc tat gag tac cta gga gga gaa agt tcc 582  
 Tyr Asn Phe Leu Ser Leu Cys Tyr Glu Tyr Leu Gly Gly Glu Ser Ser  
                   90                  95                  100                  105  
 atc atg tcg gag atc aga gga aaa ccc att gag tcc agc tgt atg tat 630  
 Ile Met Ser Glu Ile Arg Gly Lys Pro Ile Glu Ser Ser Cys Met Tyr  
                   110                  115                  120  
 ggc acc tgc tgc ctc tgg gga aag act tat tcc atc gga ttt ctg agg 678  
 Gly Thr Cys Cys Leu Trp Gly Lys Thr Tyr Ser Ile Gly Phe Leu Arg  
                   125                  130                  135  
 ttc tgc aaa cag gcc acc ctg cag ttc tgt gtg gtg aag cca ctc atg 726  
 Phe Cys Lys Gln Ala Thr Leu Gln Phe Cys Val Val Lys Pro Leu Met

140	145	150	
gcg gtc agc act gtg gtc ctc cag gcc ttc ggc aag tac cgg gat ggg Ala Val Ser Thr Val Val Leu Gln Ala Phe Gly Lys Tyr Arg Asp Gly			774
gac ttt gac gtc acc agt ggc tac ctc tac gtg acc atc atc tac aac Asp Phe Asp Val Thr Ser Gly Tyr Leu Tyr Val Thr Ile Ile Tyr Asn			822
atc tcc gtc agc ctg gcc ctc tac gcc ctc ttc ctc ttc tac ttc gcc Ile Ser Val Ser Leu Ala Leu Tyr Ala Leu Phe Leu Phe Tyr Phe Ala			870
acc cgg gag ctg ctc agc ccc tac agc ccc gtc ctc aag ttc ttc atg Thr Arg Glu Leu Ser Pro Tyr Ser Pro Val Leu Lys Phe Phe Met			918
gtc aag tcc gtc atc ttt ctt tcc ttc tgg caa ggc atg ctc ctg gcc Val Lys Ser Val Ile Phe Leu Ser Phe Trp Gln Gly Met Leu Leu Ala			966
atc ctg gag aag tgt ggg gcc atc ccc aaa atc cac tcg gcc cgc gtg Ile Leu Glu Lys Cys Gly Ala Ile Pro Lys Ile His Ser Ala Arg Val			1014
tcg gtg ggc gag ggc acc gtg gct gcc ggc tac cag gac ttc atc atc Ser Val Gly Glu Gly Thr Val Ala Ala Gly Tyr Gln Asp Phe Ile Ile			1062
tgt gtg gag atg ttc ttt gca gcc ctg gcc ctg cgg cac gcc ttc acc Cys Val Glu Met Phe Phe Ala Ala Leu Ala Leu Arg His Ala Phe Thr			1110
tac aag gtc tat gct gac aag agg ctg gac gca caa ggc cgc tgt gcc Tyr Lys Val Tyr Ala Asp Lys Arg Leu Asp Ala Gln Gly Arg Cys Ala			1158
ccc atg aag agc atc tcc agc agc ctc aag gag acc atg aac ccg cac Pro Met Lys Ser Ile Ser Ser Ser Leu Lys Glu Thr Met Asn Pro His			1206
gac atc gtg cag gac gcc atc cac aac ttc tca cct gcc tac cag cag Asp Ile Val Gln Asp Ala Ile His Asn Phe Ser Pro Ala Tyr Gln Gln			1254
tac acg cag cag tcc acc ctg gag cct ggg ccc acc tgg cgt ggt ggc Tyr Thr Gln Gln Ser Thr Leu Glu Pro Gly Pro Thr Trp Arg Gly Gly			1302
gcc cac ggc ctc tcc cgc tcc cac agc ctc agt ggc gcc cgc gac aac Ala His Gly Leu Ser Arg Ser His Ser Leu Ser Gly Ala Arg Asp Asn			1350
gag aag act ctc ctg ctc agc tct gat gat gaa ttc tag gtgcgggctg Glu Lys Thr Leu Leu Ser Ser Asp Asp Glu Phe			1399
cagtggcgga agtgctggcgccatagccac ggtcaggctg tgccccacct ccagcctcac			1459
caccaggcca ggaggcagct ggcacagtgc tcacgccgcc tttatttatt ggaccagaaa			1519
cactcacatg tcacttccag aggaacgggg gacagccagg ctcgccccatg ggccttcagg			1579
aatatttata catggcccag cctgcactgc ccgggagagg gcagaggaca ctgggagcaa			1639
ggcttatgcc cctgctgccc gtcctgtgct gggggcatgc tgggaccagc cgcaccagg			1699
ccccaatgct tgtgtgtgga ccagcggtg cagccttcta gcccctcctc cccgcgagac			1759
tctcaggctg aggtcggcaa gccgtggctc cccacacac cgtgcaatac cctgtctgac			1819
ctgggctctt cccgcctgca tccctccctt gtccaccttt gtccagtgt agattcacct			1879
cacccggggc aggagtgggg atgtgggcgc tctgtggtcc tcccctcctg acccaggcct			1939
ctgtggcatg ctgcaaggat cagagccaga caccaggagt cacaggcccc acccaggaag			1999
ggcattcagg gccctgggc accgcttctg ttgaagcagg ggcttctggg cccctgggta			2059

```

tccccacctg tcgtggccac acctctgcct gcctcatgcc ctttccccct ggcctaccaa 2119
ggacagccca cagcccgcac tgccggtca cttgggtcct tcctcgatag ctttgggcag 2179
agcccttgct tcctggctgc ttcagggtc aggggtccc agccctcctt cccaggctga 2239
tgctgggtcc tctctctctt tggggcttct ccctcccggt tcaggggaaa ggtctgagtc 2299
tccacgtttc agaccagctt ctgggggaag gcagtccggc agggagaccg ggaggggtgg 2359
ccacacagtg gggagctggg aggtggggg aatgggtcca gactcctctc ggggccccta 2419
tccacacagg gcctggtggt ctaccccatc tggcccctgg cccatctctt ctgtgcctta 2479
gtcacatatg aaagcgcccc tccctggctc cccatctgtc ccacacgtc cctggggctc 2539
ttagttcagc tgctggcact cgcaggatcc tgcatgtctg ggcccagagc ccttgacag 2599
gcctcaggag tggtcaggac caccaagccc ctctctccc cctccacacc tctagacctg 2659
gggcctccgg aacccccagc aggtgggtt tatactagct cctgacttag gaagagcctc 2719
gtgtcacaac acgtgtccct acaggcaaag tgcctggca tttaaaaccc agattatccc 2779
tgggtttggg ctgcagtcac ctggagaagc tggtaggta agggagaggg accctgccgg 2839
tgttcactgg ggattctttc ttttggctc tcctggaatg aacagggttc ctccctgcc 2899
cctgtgagga gagttggggc ccagccgtct tcctggcctc cttcctttcc tcgtggcaga 2959
ggcctgcatg tgggtgccag aggccagctc tccccctcca tcttgggggg gcggagcagt 3019
tgggccaag ctgcccggga ggggtgggtgc agacacaggc tgaggaccag ccctggccct 3079
gccccgccat ctgctttcac caagctgtct ctccaccgtg gcttcccttc tccctccagg 3139
ccaaagtgct gctgattccc actcccttgg ttttcgctg cccagcgttg ctgtttgcgt 3199
ggaggggtggg gggagctcag tggcagggaa tcagcgggtc gtgggggtcgt ggggacggga 3259
acatgtgccc gaccgtcca tcccctctc ctcttagga tgcataacct acctgtctt 3319
tttttttta aattttctt ccaggtagag tagctctttg tacataaaga atacttgaaa 3379
aattaattgt atgatgtatg agaagacaga gtctcctagt tttgtatctt gttgtatgac 3439
tgccatgagt tccaccagaa agccactcta ttttgggtccc tgtgacattt taaatgcgtg 3499
acagaagtga gcaaataaag tgaggaagaa atctatatat gagataatat agattgtatt 3559
gaaaaaaaaa aaaaaaaaaa 3578

```

<210> 14  
 <211> 373  
 <212> PRT  
 <213> Homo sapiens

<400> 14

Met Glu Gln Pro Val Phe Leu Met Thr Thr Ala Ala Gln Ala Ile Ser  
1 5 10 15

Gly Phe Phe Val Trp Thr Ala Leu Leu Ile Thr Cys His Gln Ile Tyr  
20 25 30

Met His Leu Arg Cys Tyr Ser Cys Pro Asn Glu Gln Arg Tyr Ile Val  
35 40 45

Arg Ile Leu Phe Ile Val Pro Ile Tyr Ala Phe Asp Ser Trp Leu Ser  
50 55 60

Leu Leu Phe Phe Thr Asn Asp Gln Tyr Tyr Val Tyr Phe Gly Thr Val  
65 70 75 80

Arg Asp Cys Tyr <sup>85</sup>Glu Ala Leu Val Ile <sup>90</sup>Tyr Asn Phe Leu Ser <sup>95</sup>Leu Cys  
 Tyr Glu Tyr <sup>100</sup>Leu Gly Gly Glu Ser <sup>105</sup>Ser Ile Met Ser Glu <sup>110</sup>Ile Arg Gly  
 Lys Pro <sup>115</sup>Ile Glu Ser Ser Cys <sup>120</sup>Met Tyr Gly Thr Cys <sup>125</sup>Cys Leu Trp Gly  
 Lys Thr <sup>130</sup>Tyr Ser Ile Gly <sup>135</sup>Phe Leu Arg Phe Cys <sup>140</sup>Lys Gln Ala Thr Leu  
 Gln Phe Cys Val Val <sup>145</sup>Lys <sup>150</sup>Pro Leu Met Ala <sup>155</sup>Val Ser Thr Val Val <sup>160</sup>Leu  
 Gln Ala Phe Gly <sup>165</sup>Lys Tyr Arg Asp Gly <sup>170</sup>Asp Phe Asp Val Thr <sup>175</sup>Ser Gly  
 Tyr Leu Tyr <sup>180</sup>Val Thr Ile Ile Tyr <sup>185</sup>Asn Ile Ser Val Ser <sup>190</sup>Leu Ala Leu  
 Tyr Ala <sup>195</sup>Leu Phe Leu Phe Tyr <sup>200</sup>Phe Ala Thr Arg Glu <sup>205</sup>Leu Leu Ser Pro  
 Tyr Ser <sup>210</sup>Pro Val Leu Lys <sup>215</sup>Phe Phe Met Val Lys <sup>220</sup>Ser Val Ile Phe Leu  
 Ser Phe Trp Gln Gly <sup>225</sup>Met <sup>230</sup>Leu Leu Ala Ile <sup>235</sup>Leu Glu Lys Cys Gly <sup>240</sup>Ala  
 Ile Pro Lys Ile <sup>245</sup>His Ser Ala Arg Val <sup>250</sup>Ser Val Gly Glu Gly <sup>255</sup>Thr Val  
 Ala Ala Gly <sup>260</sup>Tyr Gln Asp Phe Ile <sup>265</sup>Ile Cys Val Glu Met <sup>270</sup>Phe Phe Ala  
 Ala Leu <sup>275</sup>Ala Leu Arg His Ala <sup>280</sup>Phe Thr Tyr Lys Val <sup>285</sup>Tyr Ala Asp Lys  
 Arg <sup>290</sup>Leu Asp Ala Gln Gly <sup>295</sup>Arg Cys Ala Pro Met <sup>300</sup>Lys Ser Ile Ser Ser  
 Ser <sup>305</sup>Leu Lys Glu Thr <sup>310</sup>Met Asn Pro His Asp <sup>315</sup>Ile Val Gln Asp Ala <sup>320</sup>Ile  
 His Asn Phe Ser <sup>325</sup>Pro Ala Tyr Gln Gln <sup>330</sup>Tyr Thr Gln Gln Ser <sup>335</sup>Thr Leu  
 Glu Pro Gly <sup>340</sup>Pro Thr Trp Arg Gly <sup>345</sup>Gly Ala His Gly Leu <sup>350</sup>Ser Arg Ser  
 His Ser <sup>355</sup>Leu Ser Gly Ala Arg <sup>360</sup>Asn Glu Lys Thr <sup>365</sup>Leu Leu Leu Ser  
 Ser <sup>370</sup>Asp Asp Glu Phe

<210> 15  
 <211> 1332  
 <212> DNA  
 <213> Homo sapiens



<220>  
 <221> CDS  
 <222> (41)..(751)  
 <223>

<400> 15

```

ccggcccgcg ccccgccaggc cgcccgccgc ccgcccgcgc atg gga gtg gag ggc      55
               Met Gly Val Glu Gly
               1      5

tgc acc aag tgc atc aag tac ctg ctc ttc gtc ttc aat ttc gtc ttc      103
Cys Thr Lys Cys Ile Lys Tyr Leu Leu Phe Val Phe Asn Phe Val Phe
               10      15      20

tgg ctg gct gga ggc gtg atc ctg ggt gtg gcc ctg tgg ctc cgc cat      151
Trp Leu Ala Gly Gly Val Ile Leu Gly Val Ala Leu Trp Leu Arg His
               25      30      35

gac ccg cag acc acc aac ctc ctg tat ctg gag ctg gga gac aag ccc      199
Asp Pro Gln Thr Thr Asn Leu Leu Tyr Leu Glu Leu Gly Asp Lys Pro
               40      45      50

gcg ccc aac acc ttc tat gta ggc atc tac atc ctc atc gct gtg ggc      247
Ala Pro Asn Thr Phe Tyr Val Gly Ile Tyr Ile Leu Ile Ala Val Gly
               55      60      65

gct gtc atg atg ttc gtt ggc ttc ctg ggc tgc tac ggg gcc atc cag      295
Ala Val Met Met Phe Val Gly Phe Leu Gly Cys Tyr Gly Ala Ile Gln
               70      75      80      85

gaa tcc cag tgc ctg ctg ggg acg ttc ttc acc tgc ctg gtc atc ctg      343
Glu Ser Gln Cys Leu Leu Gly Thr Phe Phe Thr Cys Leu Val Ile Leu
               90      95      100

ttt gcc tgt gag gtg gcc gcc ggc atc tgg ggc ttt gtc aac aag gac      391
Phe Ala Cys Glu Val Ala Ala Gly Ile Trp Gly Phe Val Asn Lys Asp
               105      110      115

cag atc gcc aag gat gtg aag cag ttc tat gac cag gcc cta cag cag      439
Gln Ile Ala Lys Asp Val Lys Gln Phe Tyr Asp Gln Ala Leu Gln Gln
               120      125      130

gcc gtg gtg gat gat gac gcc aac aac gcc aag gct gtg gtg aag acc      487
Ala Val Val Asp Asp Asp Ala Asn Asn Ala Lys Ala Val Val Lys Thr
               135      140      145

ttc cac gag acg ctt gac tgc tgt ggc tcc agc aca ctg act gct ttg      535
Phe His Glu Thr Leu Asp Cys Cys Gly Ser Ser Thr Leu Thr Ala Leu
               150      155      160      165

acc acc tca gtg ctc aag aac aat ttg tgt ccc tcg ggc agc aac atc      583
Thr Thr Ser Val Leu Lys Asn Asn Leu Cys Pro Ser Gly Ser Asn Ile
               170      175      180

atc agc aac ctc ttc aag gag gac tgc cac cag aag atc gat gac ctc      631
Ile Ser Asn Leu Phe Lys Glu Asp Cys His Gln Lys Ile Asp Asp Leu
               185      190      195

ttc tcc ggg aag ctg tac ctc atc ggc att gct gcc atc gtg gtc gct      679
Phe Ser Gly Lys Leu Tyr Leu Ile Gly Ile Ala Ala Ile Val Val Ala
               200      205      210

gtg atc atg atc ttc gag atg atc ctg agc atg gtg ctg tgc tgt ggc      727
Val Ile Met Ile Phe Glu Met Ile Leu Ser Met Val Leu Cys Cys Gly
               215      220      225

atc cgg aac agc tcc gtg tac tga ggccccgcag ctctggccac agggacctct      781
Ile Arg Asn Ser Ser Val Tyr
               230      235

jcgatgcccc ctaagtgacc cggacacttc cgagggggcc atcaccgcct gtgtatataa      841

cgtttcgggt attactctgc tacacgtagc ctttttactt ttgggggtttt gtttttgttc      901

tgaactttcc tgttaccttt tcagggtga cgtcacatgt aggtggcgtg tatgagtgga      961

jacgggcctg ggtcttgggg actggagggc aggggtcctt ctgccctggg gtcccagggt      1021

jctctgcctg ctacgccagg cctctcctgg gagccactcg cccagagact cagcttgccc      1081

```

aaatttggggg gctgtgtcca cccagcccg cccgtcctgtg ggctgcacag ctcaccttgt 1141  
 tccctcctgc cccggttcga gagccgagtc tgtgggcact ctctgccttc atgcacctgt 1201  
 cctttctaac acgtcgctt caactgtaat cacaacatcc tgactccgtc atttaataaa 1261  
 gaaggaacat caggcatgct aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1321  
 aaaaaaaaaa a 1332

<210> 16  
 <211> 236  
 <212> PRT  
 <213> Homo sapiens

<400> 16

Met Gly Val Glu Gly Cys Thr Lys Cys Ile Lys Tyr Leu Leu Phe Val  
 1 5 10 15  
 Phe Asn Phe Val Phe Trp Leu Ala Gly Gly Val Ile Leu Gly Val Ala  
 20 25 30  
 Leu Trp Leu Arg His Asp Pro Gln Thr Thr Asn Leu Leu Tyr Leu Glu  
 35 40 45  
 Leu Gly Asp Lys Pro Ala Pro Asn Thr Phe Tyr Val Gly Ile Tyr Ile  
 50 55 60  
 Leu Ile Ala Val Gly Ala Val Met Met Phe Val Gly Phe Leu Gly Cys  
 65 70 75 80  
 Tyr Gly Ala Ile Gln Glu Ser Gln Cys Leu Leu Gly Thr Phe Phe Thr  
 85 90 95  
 Cys Leu Val Ile Leu Phe Ala Cys Glu Val Ala Ala Gly Ile Trp Gly  
 100 105 110  
 Phe Val Asn Lys Asp Gln Ile Ala Lys Asp Val Lys Gln Phe Tyr Asp  
 115 120 125  
 Gln Ala Leu Gln Gln Ala Val Val Asp Asp Asp Ala Asn Asn Ala Lys  
 130 135 140  
 Ala Val Val Lys Thr Phe His Glu Thr Leu Asp Cys Cys Gly Ser Ser  
 145 150 155 160  
 Thr Leu Thr Ala Leu Thr Thr Ser Val Leu Lys Asn Asn Leu Cys Pro  
 165 170 175  
 Ser Gly Ser Asn Ile Ile Ser Asn Leu Phe Lys Glu Asp Cys His Gln  
 180 185 190  
 Lys Ile Asp Asp Leu Phe Ser Gly Lys Leu Tyr Leu Ile Gly Ile Ala  
 195 200 205  
 Ala Ile Val Val Ala Val Ile Met Ile Phe Glu Met Ile Leu Ser Met  
 210 215 220  
 Val Leu Cys Cys Gly Ile Arg Asn Ser Ser Val Tyr  
 225 230 235

<210> 17  
 <211> 1246

<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (112)..(798)  
<223>

<400> 17  
gaccagccta cagccgcctg catctgtatc cagcgccagg tcccgccagt cccagctgcg 60  
cgcgcccccc agtcccgcac ccgttcggcc caggctaagt tagccctcac c atg ccg 117  
Met Pro  
1  
gtc aaa gga ggc acc aag tgc atc aaa tac ctg ctg ttc gga ttt aac 165  
Val Lys Gly Gly Thr Lys Cys Ile Lys Tyr Leu Leu Phe Gly Phe Asn  
5 10 15  
ttc atc ttc tgg ctt gcc ggg att gct gtc ctt gcc att gga cta tgg 213  
Phe Ile Phe Trp Leu Ala Gly Ile Ala Val Leu Ala Ile Gly Leu Trp  
20 25 30  
ctc cga ttc gac tct cag acc aag agc atc ttc gag caa gaa act aat 261  
Leu Arg Phe Asp Ser Gln Thr Lys Ser Ile Phe Glu Gln Glu Thr Asn  
35 40 45 50  
aat aat aat tcc agc ttc tac aca gga gtc tat att ctg atc gga gcc 309  
Asn Asn Asn Ser Ser Phe Tyr Thr Gly Val Tyr Ile Leu Ile Gly Ala  
55 60 65  
ggc gcc ctc atg atg ctg gtg ggc ttc ctg ggc tgc tgc ggg gct gtg 357  
Gly Ala Leu Met Met Leu Val Gly Phe Leu Gly Cys Cys Gly Ala Val  
70 75 80  
cag gag tcc cag tgc atg ctg gga ctg ttc ttc ggc ttc ctc ttg gtg 405  
Gln Glu Ser Gln Cys Met Leu Gly Leu Phe Phe Gly Phe Leu Leu Val  
85 90 95  
ata ttc gcc att gaa ata gct gcg gcc atc tgg gga tat tcc cac aag 453  
Ile Phe Ala Ile Glu Ile Ala Ala Ala Ile Trp Gly Tyr Ser His Lys  
100 105 110  
gat gag gtg att aag gaa gtc cag gag ttt tac aag gac acc tac aac 501  
Asp Glu Val Ile Lys Glu Val Gln Glu Phe Tyr Lys Asp Thr Tyr Asn  
115 120 125 130  
aag ctg aaa acc aag gat gag ccc cag cgg gaa acg ctg aaa gcc atc 549  
Lys Leu Lys Thr Lys Asp Glu Pro Gln Arg Glu Thr Leu Lys Ala Ile  
135 140 145  
cac tat gcg ttg aac tgc tgt ggt ttg gct ggg ggc gtg gaa cag ttt 597  
His Tyr Ala Leu Asn Cys Cys Gly Leu Ala Gly Gly Val Glu Gln Phe  
150 155 160  
atc tca gac atc tgc ccc aag aag gac gta ctc gaa acc ttc acc gtg 645  
Ile Ser Asp Ile Cys Pro Lys Lys Asp Val Leu Glu Thr Phe Thr Val  
165 170 175  
aag tcc tgt cct gat gcc atc aaa gag gtc ttc gac aat aaa ttc cac 693  
Lys Ser Cys Pro Asp Ala Ile Lys Glu Val Phe Asp Asn Lys Phe His  
180 185 190  
atc atc ggc gca gtg ggc atc ggc att gcc gtg gtc atg ata ttt gcc 741  
Ile Ile Gly Ala Val Gly Ile Gly Ile Ala Val Val Met Ile Phe Gly  
195 200 205 210  
atg atc ttc agt atg atc ttg tgc tgt gct atc cgc agg aac cgc gag 789  
Met Ile Phe Ser Met Ile Leu Cys Cys Ala Ile Arg Arg Asn Arg Glu  
215 220 225  
atg gtc tag agtcagctta catccctgag caggaaagtt tacccatgaa 838  
Met Val  
gattggtggg attttttggt tgtttgtttt gttttgtttg ttgtttgttg tttgtttttt 898  
tgccactaat tttagtattc attctgcatt gctagataaa agctgaagtt actttatggt 958  
tgtcttttaa tgcttcattc aatattgaca tttgtagttg agcgggggggt ttggtttgct 1018

ttgggtttata ttttttcagt tgrttgtrtt tgcttgttat attaagcaga aatcctgcaa 1078  
 tgaaaggtag tatatttgct agactctaga caagatattg tacataaaag aatttttttg 1138  
 tcttttaaata gatacaaatg tctatcaact ttaatcaagt tgtaacttat attgaagaca 1198  
 atttgataca taataaaaaa ttatgacaat gtcaaaaaaa aaaaaaaa 1246

<210> 18  
 <211> 228  
 <212> PRT  
 <213> Homo sapiens

<400> 18

Met Pro Val Lys Gly Gly Thr Lys Cys Ile Lys Tyr Leu Leu Phe Gly  
 1 5 10 15  
 Phe Asn Phe Ile Phe Trp Leu Ala Gly Ile Ala Val Leu Ala Ile Gly  
 20 25 30  
 Leu Trp Leu Arg Phe Asp Ser Gln Thr Lys Ser Ile Phe Glu Gln Glu  
 35 40 45  
 Thr Asn Asn Asn Asn Ser Ser Phe Tyr Thr Gly Val Tyr Ile Leu Ile  
 50 55 60  
 Gly Ala Gly Ala Leu Met Met Leu Val Gly Phe Leu Gly Cys Cys Gly  
 65 70 75 80  
 Ala Val Gln Glu Ser Gln Cys Met Leu Gly Leu Phe Phe Gly Phe Leu  
 85 90 95  
 Leu val Ile Phe Ala Ile Glu Ile Ala Ala Ala Ile Trp Gly Tyr Ser  
 100 105 110  
 His Lys Asp Glu val Ile Lys Glu Val Gln Glu Phe Tyr Lys Asp Thr  
 115 120 125  
 Tyr Asn Lys Leu Lys Thr Lys Asp Glu Pro Gln Arg Glu Thr Leu Lys  
 130 135 140  
 Ala Ile His Tyr Ala Leu Asn Cys Cys Gly Leu Ala Gly Gly val Glu  
 145 150 155 160  
 Gln Phe Ile Ser Asp Ile Cys Pro Lys Lys Asp Val Leu Glu Thr Phe  
 165 170 175  
 Thr val Lys Ser Cys Pro Asp Ala Ile Lys Glu Val Phe Asp Asn Lys  
 180 185 190  
 Phe His Ile Ile Gly Ala val Gly Ile Gly Ile Ala val val Met Ile  
 195 200 205  
 Phe Gly Met Ile Phe Ser Met Ile Leu Cys Cys Ala Ile Arg Arg Asn  
 210 215 220  
 Arg Glu Met val  
 225

<210> 19  
 <211> 1846  
 <212> DNA  
 <213> Homo sapiens

<400>	19																					
aaaagtgcct	ttgtttggcct	gggctcagga	atccagagaa	actggtcagg	aggaggcccc	60																
agtgacaaaa	accctccct	ctgccccgc	ccctctgcc	gagccatata	actgctcaac	120																
ctgtccccga	gagagagtgc	cctggcagct	gtcggctgga	aggaactggt	ctgctcacac	180																
ttgttggtt	gcgcatcagg	actggcttta	tctcctgact	cacggtgcaa	aggtgcactc	240																
tgcgaacgtt	aagtccgtcc	ccagcgcttg	gaatcctacg	gccccacag	ccggatcccc	300																
tcagccttcc	aggtcctcaa	ctcccgtgga	cgctgaaca	atg Met	gcc Ala	354																
				tcc Ser	atg Met																	
				ggc Gly																		
cta	cag	gta	atg	ggc	atc	60																
Leu	Gln	Val	Met	Gly	Ile																	
				10																		
ctg	gca	gta	atg	ggc	atc	120																
Leu	Ala	Val	Met	Gly	Ile																	
				15																		
ctg	gca	gta	atg	ggc	atc	180																
Leu	Ala	Val	Met	Gly	Ile																	
				20																		
atg	ctg	tgc	tgc	gca	ctg	240																
Met	Leu	Cys	Cys	Ala	Leu																	
				25																		
agg	aac	att	gtc	acc	tcg	300																
Ser	Asn	Ile	Val	Thr	Ser																	
				40																		
agg	aac	att	gtc	acc	tcg	360																
Ser	Asn	Ile	Val	Thr	Ser																	
				45																		
tgc	gtg	gtg	cag	agc	acc	420																
Cys	Val	Val	Gln	Ser	Thr																	
				50																		
ctg	ctg	gca	ctg	ccg	cag	480																
Leu	Leu	Ala	Leu	Pro	Gln																	
				55																		
atc	agc	atc	atc	gtg	gct	540																
Ile	Ser	Ile	Ile	Val	Ala																	
				60																		
ggc	aag	tgt	acc	aac	tgc	600																
Gly	Lys	Cys	Thr	Asn	Cys																	
				65																		
atg	atc	gtg	gca	ggc	gtg	660																
Met	Ile	Val	Ala	Gly	Val																	
				70																		
gtg	ccg	gtg	tcc	tgg	acg	720																
Val	Pro	Val	Ser	Trp	Thr																	
				75																		
ctg	ctg	gca	ctg	ccg	cag	780																
Leu	Leu	Ala	Leu	Pro	Gln																	
				80																		
atc	agc	atc	atc	gtg	gct	840																
Ile	Ser	Ile	Ile	Val	Ala																	
				85																		
ggc	aag	tgt	acc	aac	tgc	900																
Gly	Lys	Cys	Thr	Asn	Cys																	
				90																		
atg	atc	gtg	gca	ggc	gtg	960																
Met	Ile	Val	Ala	Gly	Val																	
				95																		
gtg	ccg	gtg	tcc	tgg	acg	1020																
Val	Pro	Val	Ser	Trp	Thr																	
				100																		
ctg	ctg	gca	ctg	ccg	cag	1080																
Leu	Leu	Ala	Leu	Pro	Gln																	
				105																		
atc	agc	atc	atc	gtg	gct	1140																
Ile	Ser	Ile	Ile	Val	Ala																	
				110																		
ggc	aag	tgt	acc	aac	tgc	1200																
Gly	Lys	Cys	Thr	Asn	Cys																	
				115																		
atg	atc	gtg	gca	ggc	gtg	1260																
Met	Ile	Val	Ala	Gly	Val																	
				120																		
gtg	ccg	gtg	tcc	tgg	acg	1320																
Val	Pro	Val	Ser	Trp	Thr																	
				125																		
ctg	ctg	gca	ctg	ccg	cag	1380																
Leu	Leu	Ala	Leu	Pro	Gln																	
				130																		
atc	agc	atc	atc	gtg	gct	1440																
Ile	Ser	Ile	Ile	Val	Ala																	
				135																		
ggc	aag	tgt	acc	aac	tgc	1500																
Gly	Lys	Cys	Thr	Asn	Cys																	
				140																		
atg	atc	gtg	gca	ggc	gtg	1560																

tgaragggtg tgggtggtgga gtggggagct ggcttctgct ggccaggata gcttaaccct 1279  
 gactttggga tctgcctgca tcggcggttg cactgtccc catttacatt ttccccactc 1339  
 tgtctgcctg catctcctct gttccgggta ggccttgata tcacctctgg gactgtgcct 1399  
 tgctcaccga aaccgcgcc caggagtatg gctgaggcct tgcccacca cctgcctggg 1459  
 aagtgcagag tggatggacg ggtttagagg ggaggggcca aggtgctgta aacaggtttg 1519  
 ggcagtgggtg ggggaggggg ccagagaggc ggctcagggt gccagctct gtggcctcag 1579  
 gactctctgc ctacccgct tcagcccagg gcccctggag actgatcccc tctgagtcct 1639  
 ctgccccttc caaggacact aatgagcctg ggaggggtggc agggaggagg ggacagcttc 1699  
 acccttgga gtcctggggt ttttctctt ccttcttctt ggtttctgtt ttgtaattta 1759  
 agaagagcta ttcactctg taattattat tttttctac aataaatggg acctgtgcac 1819  
 aggaaaaaaa aaaaaaaaaa aaaaaaa 1846

<210> 20  
 <211> 209  
 <212> PRT  
 <213> Homo sapiens

<400> 20

Met Ala Ser Met Gly Leu Gln Val Met Gly Ile Ala Leu Ala Val Leu  
1 5 10 15

Gly Trp Leu Ala Val Met Leu Cys Cys Ala Leu Pro Met Trp Arg Val  
20 25 30

Thr Ala Phe Ile Gly Ser Asn Ile Val Thr Ser Gln Thr Ile Trp Glu  
35 40 45

Gly Leu Trp Met Asn Cys Val Val Gln Ser Thr Gly Gln Met Gln Cys  
50 55 60

Lys Val Tyr Asp Ser Leu Leu Ala Leu Pro Gln Asp Leu Gln Ala Ala  
65 70 75 80

Arg Ala Leu Val Ile Ile Ser Ile Ile Val Ala Ala Leu Gly Val Leu  
85 90 95

Leu Ser Val Val Gly Gly Lys Cys Thr Asn Cys Leu Glu Asp Glu Ser  
100 105 110

Ala Lys Ala Lys Thr Met Ile Val Ala Gly Val Val Phe Leu Leu Ala  
115 120 125

Gly Leu Met Val Ile Val Pro Val Ser Trp Thr Ala His Asn Ile Ile  
130 135 140

Gln Asp Phe Tyr Asn Pro Leu Val Ala Ser Gly Gln Lys Arg Glu Met  
145 150 155 160

Gly Ala Ser Leu Tyr Val Gly Trp Ala Ala Ser Gly Leu Leu Leu Leu  
165 170 175

Gly Gly Gly Leu Leu Cys Cys Asn Cys Pro Pro Arg Thr Asp Lys Pro  
180 185 190

Tyr Ser Ala Lys Tyr Ser Ala Ala Arg Ser Ala Ala Ala Ser Asn Tyr  
195 200 205

val

<210> 21  
 <211> 1225  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (237)..(962)  
 <223>

<400> 21  
 gcggctctct gatccagccc gggagaggac cgagctggag gagctgggtg tgggggtgcgt 60  
 tgggctggtg gggaggccta gtttgggtgc aagtaggtct gattgagctt gtgttggtct 120  
 gaagggacag ccctgggtct aggggagaga gtccctgagt gtgagaccg ctttccccgg 180  
 tcccagcccc tcccagttcc cccagggacg gccacttcct ggtccccgac gcaacc atg 239  
 Met  
 1  
 gct gaa gaa caa ccg cag gtc gaa ttg ttc gtg aag gct ggc agt gat 287  
 Ala Glu Glu Gln Pro Gln Val Glu Leu Phe Val Lys Ala Gly Ser Asp  
 5 10 15  
 ggg gcc aag att ggg aac tgc cca ttc tcc cag aga ctg ttc atg gta 335  
 Gly Ala Lys Ile Gly Asn Cys Pro Phe Ser Gln Arg Leu Phe Met Val  
 20 25 30  
 ctg tgg ctc aag gga gtc acc ttc aat gtt acc acc gtt gac acc aaa 383  
 Leu Trp Leu Lys Gly Val Thr 40 Phe Asn Val Thr 45 Val Asp Thr Lys  
 35 40 45  
 agg cgg acc gag aca gtg cag aag ctg tgc cca ggg ggg cag ctc cca 431  
 Arg Arg Thr Glu Thr Val Gln Lys Leu Cys Pro Gly Gly Gln Leu Pro  
 50 55 60 65  
 ttc ctg ctg tat ggc act gaa gtg cac aca gac acc aac aag att gag 479  
 Phe Leu Leu Tyr Gly Thr Glu Val His Thr Asp Thr Asn Lys Ile Glu  
 70 75 80  
 gaa ttt ctg gag gca gtg ctg tgc cct ccc agg tac ccc aag ctg gca 527  
 Glu Phe Leu Glu Ala Val Leu Cys Pro Pro Arg Tyr Pro Lys Leu Ala  
 85 90 95  
 gct ctg aac cct gag tcc aac aca gct ggg ctg gac ata ttt gcc aaa 575  
 Ala Leu Asn Pro Glu Ser Asn Thr 105 Ala Gly Leu Asp Ile Phe Ala Lys  
 100 105 110  
 ttt tct gcc tac atc aag aat tca aac cca gca ctc aat gac aat ctg 623  
 Phe Ser Ala Tyr Ile Lys Asn Ser Asn Pro Ala Leu Asn Asp Asn Leu  
 115 120 125  
 gag aag gga ctc ctg aaa gcc ctg aag gtt tta gac aat tac tta aca 671  
 Glu Lys Gly Leu Leu Lys Ala Leu Lys Val Leu Asp Asn Tyr Leu Thr  
 130 135 140 145  
 tcc ccc ctc cca gaa gaa gtg gat gaa acc agt gct gaa gat gaa ggt 719  
 Ser Pro Leu Pro Glu Glu Val Asp Glu Thr 155 Ser Ala Glu Asp Glu Gly  
 150 155 160  
 gtc tct cag agg aag ttt ttg gat ggc aac gag ctc acc ctg gct gac 767  
 Val Ser Gln Arg Lys Phe Leu Asp Gly Asn Glu Leu Thr Leu Ala Asp  
 165 170 175  
 tgc aac ctg ttg cca aag tta cac ata gta cag gtg gtg tgt aag aag 815  
 Cys Asn Leu Leu Pro Lys Leu His Ile Val Gln Val Val Cys Lys Lys  
 180 185 190  
 tac cgg gga ttc acc atc ccc gag gcc ttc cgg gga gtg cat cgg tac 863  
 Tyr Arg Gly Phe Thr Ile Pro 200 Glu Ala Phe Arg Gly Val His Arg Tyr  
 195 200 205  
 ttg agc aat gcc tac gcc cgg gaa gaa ttc gct tcc acc tgt cca gat 911  
 Leu Ser Asn Ala Tyr Ala Arg Glu Glu Phe Ala Ser Thr Cys Pro Asp

210 215 220 225  
 gat gag gag atc gag ctc gcc tat gag caa gtg gca aag gcc ctc aaa 959  
 Asp Glu Glu Ile Glu Leu Ala Tyr Glu Gln Val Ala Lys Ala Leu Lys  
 230 235 240  
 taa gcccctcctg ggactccctc aacccctcc atttctcca caaaggccct 1012  
 ggtggtttcc acattgctac ccaatggaca cactccaaaa tggccagtgg gcaggggaatc 1072  
 ctggagcact tgttccggga tgggtgtggtg gaagagggga tgaggggaaag aaatgggggg 1132  
 cctgggtcag atttttattg tgggggtgggg tgagtaggac aacatatttc agtaataaaa 1192  
 tacagaataa aaatcaagtg tttttaaaaa aaa 1225

<210> 22  
 <211> 241  
 <212> PRT  
 <213> Homo sapiens

<400> 22

Met Ala Glu Glu Gln Pro Gln Val Glu Leu Phe Val Lys Ala Gly Ser  
 1 5 10 15  
 Asp Gly Ala Lys Ile Gly Asn Cys Pro Phe Ser Gln Arg Leu Phe Met  
 20 25 30  
 Val Leu Trp Leu Lys Gly Val Thr Phe Asn Val Thr Thr Val Asp Thr  
 35 40 45  
 Lys Arg Arg Thr Glu Thr Val Gln Lys Leu Cys Pro Gly Gly Gln Leu  
 50 55 60  
 Pro Phe Leu Leu Tyr Gly Thr Glu Val His Thr Asp Thr Asn Lys Ile  
 65 70 75 80  
 Glu Glu Phe Leu Glu Ala Val Leu Cys Pro Pro Arg Tyr Pro Lys Leu  
 85 90 95  
 Ala Ala Leu Asn Pro Glu Ser Asn Thr Ala Gly Leu Asp Ile Phe Ala  
 100 105 110  
 Lys Phe Ser Ala Tyr Ile Lys Asn Ser Asn Pro Ala Leu Asn Asp Asn  
 115 120 125  
 Leu Glu Lys Gly Leu Leu Lys Ala Leu Lys Val Leu Asp Asn Tyr Leu  
 130 135 140  
 Thr Ser Pro Leu Pro Glu Glu Val Asp Glu Thr Ser Ala Glu Asp Glu  
 145 150 155 160  
 Gly Val Ser Gln Arg Lys Phe Leu Asp Gly Asn Glu Leu Thr Leu Ala  
 165 170 175  
 Asp Cys Asn Leu Leu Pro Lys Leu His Ile Val Gln Val Val Cys Lys  
 180 185 190  
 Lys Tyr Arg Gly Phe Thr Ile Pro Glu Ala Phe Arg Gly Val His Arg  
 195 200 205  
 Tyr Leu Ser Asn Ala Tyr Ala Arg Glu Glu Phe Ala Ser Thr Cys Pro  
 210 215 220



Asp Asp Glu Glu Ile Glu Leu Ala Tyr Glu Gln Val Ala Lys Ala Leu  
 225 230 235 240

Lys

<210> 23  
 <211> 3438  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (74)..(2560)  
 <223>

<400> 23  
 gcgcccgcgc ctcgggccgt cgggagcgga gcctcctcgg gaccaggact tcagggccac 60  
 aggtgctgcc aag atg ctc cag ggc acc tgc tcc gtg ctc ctg ctc tgg 109  
                   Met Leu Gln Gly Thr Cys Ser Val Leu Leu Leu Trp  
                   1                  5                  10  
 gga atc ctg ggg gcc atc cag gcc cag cag cag gag gtc atc tcg ccg 157  
 Gly Ile Leu Gly Ala Ile Gln Ala Gln Gln Gln Glu Val Ile Ser Pro 25  
 15                  20                  25  
 gac act acc gag aga aac aac aac tgc cca gag aag acc gac tgc ccc 205  
 Asp Thr Thr Glu Arg Asn Asn Asn Cys Pro Glu Lys Thr Asp Cys Pro 30 35 40  
 30  
 atc cac gtg tac ttc gtg ctg gac acc tgc gag agc gtc acc atg cag 253  
 Ile His Val Tyr Phe Val Leu Asp Thr Ser Glu Ser Val Thr Met Gln 45 50 55 60  
 45  
 tcc ccc acg gac atc ctg ctc ttc cac atg aag cag ttc gtg ccg cag 301  
 Ser Pro Thr Asp Ile Leu Leu Phe His Met Lys Gln Phe Val Pro Gln 65 70 75  
 65  
 ttc atc agc cag ctg cag aac gag ttc tac ctg gac cag gtg gcg ctg 349  
 Phe Ile Ser Gln Leu Gln Asn Glu Phe Tyr Leu Asp Gln Val Ala Leu 80 85 90  
 80  
 agc tgg cgc tac ggc ggc ctg cac ttc tct gac cag gtg gag gtg ttc 397  
 Ser Trp Arg Tyr Gly Gly Leu His Phe Ser Asp Gln Val Glu Val Phe 95 100 105  
 95  
 agc cca ccg ggc agc gac cgg gcc tcc ttc atc aag aac ctg cag gcc 445  
 Ser Pro Pro Gly Ser Asp Arg Ala Ser Phe Ile Lys Asn Leu Gln Gly 110 115 120  
 110  
 atc agc tcc ttc cgc cgc ggc acc ttc acc gac tgc gcg ctg gcc aac 493  
 Ile Ser Ser Phe Arg Arg Gly Thr Phe Thr Asp Cys Ala Leu Ala Asn 125 130 135 140  
 125  
 atg acg gag cag atc cgg cag gac cgc agc aag ggc acc gtc cac ttc 541  
 Met Thr Glu Gln Ile Arg Gln Asp Arg Ser Lys Gly Thr Val His Phe 145 150 155  
 145  
 gcc gtg gtc atc acc gac ggc cac gtc acc ggc agc ccc tgc ggg gcc 589  
 Ala Val Val Ile Thr Asp Gly His Val Thr Gly Ser Pro Cys Gly Gly 160 165 170  
 160  
 atc aag ctg cag gcc gag cgg gcc cgc gag gag ggc atc cgg ctc ttc 637  
 Ile Lys Leu Gln Ala Glu Arg Ala Arg Glu Glu Gly Ile Arg Leu Phe 175 180 185  
 175  
 gcc gtg gcc ccc aac cag aac ctg aag gag cag ggc ctg cgg gac atc 685  
 Ala Val Ala Pro Asn Gln Asn Leu Lys Glu Gln Gly Leu Arg Asp Ile 190 195 200  
 190  
 gcc agc acg ccg cac gag ctc tac cgc aac gac tac gcc acc atg ctg 733  
 Ala Ser Thr Pro His Glu Leu Tyr Arg Asn Asp Tyr Ala Thr Met Leu 205 210 215 220  
 205  
 ccc gac tcc acc gag atc aac cag gac acc atc aac cgc atc atc aag 781  
 Pro Asp Ser Thr Glu Ile Asn Gln Asp Thr Ile Asn Arg Ile Ile Lys 225 230 235  
 225

gtc	atg	aaa	cac	gaa	gcc	tac	gga	gag	tgc	tac	aag	gtg	agc	tgc	ctg	829
Val	Met	Lys	His	Glu	Ala	Tyr	Gly	Glu	Cys	Tyr	Lys	Val	Ser	Cys	Leu	
			240					245					250			
gaa	atc	cct	ggg	ccc	tct	ggg	ccc	aag	ggc	tac	cgt	gga	cag	aag	ggt	877
Glu	Ile	Pro	Gly	Pro	Ser	Gly	Pro	Lys	Gly	Tyr	Arg	Gly	Gln	Lys	Gly	
		255					260					265				
gcc	aag	ggc	aac	atg	ggt	gag	ccg	gga	gag	cct	ggc	cag	aag	gga	aga	925
Ala	Lys	Gly	Asn	Met	Gly	Glu	Pro	Gly	Glu	Pro	Gly	Gln	Lys	Gly	Arg	
	270					275					280					
cag	gga	gac	ccg	ggc	atc	gaa	ggc	ccc	att	gga	ttc	cca	gga	ccc	aag	973
Gln	Gly	Asp	Pro	Gly	Ile	Glu	Gly	Pro	Ile	Gly	Phe	Pro	Gly	Pro	Lys	
					290					295					300	
ggc	gtt	cct	ggc	ttc	aaa	gga	gag	aag	ggt	gaa	ttt	gga	gcc	gac	ggt	1021
Gly	Val	Pro	Gly	Phe	Lys	Gly	Glu	Lys	Gly	Glu	Phe	Gly	Ala	Asp	Gly	
				305					310					315		
cgc	aag	ggg	gcc	cct	ggc	ctg	gct	ggc	aag	aac	ggg	acc	gat	gga	cag	1069
Arg	Lys	Gly	Ala	Pro	Gly	Leu	Ala	Gly	Lys	Asn	Gly	Thr	Asp	Gly	Gln	
			320					325					330			
aag	ggc	aag	ctg	ggg	cgc	atc	gga	cct	cct	ggc	tgc	aag	gga	gac	cct	1117
Lys	Gly	Lys	Leu	Gly	Arg	Ile	Gly	Pro	Pro	Gly	Cys	Lys	Gly	Asp	Pro	
		335					340					345				
gga	aac	cgg	ggc	ccc	gac	ggt	tac	ccg	ggg	gaa	gca	ggg	agt	cca	ggg	1165
Gly	Asn	Arg	Gly	Pro	Asp	Gly	Tyr	Pro	Gly	Glu	Ala	Gly	Ser	Pro	Gly	
	350					355					360					
gag	cga	gga	gac	caa	ggc	ggc	aag	ggg	gac	cct	ggc	cgc	cca	gga	cgc	1213
Glu	Arg	Gly	Asp	Gln	Gly	Gly	Lys	Gly	Asp	Pro	Gly	Arg	Pro	Gly	Arg	
					370					375					380	
aga	ggg	ccc	ccg	gga	gaa	atc	ggg	gcc	aag	gga	agc	aag	ggg	tat	caa	1261
Arg	Gly	Pro	Pro	Gly	Glu	Ile	Gly	Ala	Lys	Gly	Ser	Lys	Gly	Tyr	Gln	
				385					390					395		
ggc	aac	aat	gga	gcc	cca	gga	agt	cct	ggt	gtg	aaa	gga	gcc	aag	ggc	1309
Gly	Asn	Asn	Gly	Ala	Pro	Gly	Ser	Pro	Gly	Val	Lys	Gly	Ala	Lys	Gly	
			400					405					410			
ggg	cct	ggg	ccc	cgc	gga	ccc	aaa	ggc	gag	ccg	ggg	cgc	agg	gga	gac	1357
Gly	Pro	Gly	Pro	Arg	Gly	Pro	Lys	Gly	Glu	Pro	Gly	Arg	Arg	Gly	Asp	
		415					420					425				
ccc	ggc	acc	aag	ggc	agc	cca	ggc	agc	gat	ggc	ccc	aag	ggg	gag	aag	1405
Pro	Gly	Thr	Lys	Gly	Ser	Pro	Gly	Ser	Asp	Gly	Pro	Lys	Gly	Glu	Lys	
	430					435					440					
ggg	gac	cct	ggc	cct	gag	ggc	ccc	cgc	ggc	ctg	gct	gga	gag	gtt	ggc	1453
Gly	Asp	Pro	Gly	Pro	Glu	Gly	Pro	Arg	Gly	Leu	Ala	Gly	Glu	Val	Gly	
					450					455					460	
aac	aaa	gga	gcc	aag	gga	gac	cga	ggc	ttg	cct	gga	ccc	aga	ggc	ccc	1501
Asn	Lys	Gly	Ala	Lys	Gly	Asp	Arg	Gly	Leu	Pro	Gly	Pro	Arg	Gly	Pro	
				465					470					475		
cag	gga	gct	ctt	ggg	gag	ccc	gga	aag	cag	gga	tct	cgg	gga	gac	ccc	1549
Gln	Gly	Ala	Leu	Gly	Glu	Pro	Gly	Lys	Gln	Gly	Ser	Arg	Gly	Asp	Pro	
			480					485					490			
ggt	gat	gca	gga	ccc	cgt	gga	gac	tca	gga	cag	cca	ggc	ccc	aag	gga	1597
Gly	Asp	Ala	Gly	Pro	Arg	Gly	Asp	Ser	Gly	Gln	Pro	Gly	Pro	Lys	Gly	
		495					500					505				
gac	ccc	ggc	agg	cct	gga	ttc	agc	tac	cca	gga	ccc	cga	gga	gca	ccc	1645
Asp	Pro	Gly	Arg	Pro	Gly	Phe	Ser	Tyr	Pro	Gly	Pro	Arg	Gly	Ala	Pro	
	510					515					520					
gga	gaa	aaa	ggc	gag	ccc	ggc	cca	cgc	ggc	ccc	gag	gga	ggc	cga	ggc	1693
Gly	Glu	Lys	Gly	Glu	Pro	Gly	Pro	Arg	Gly	Pro	Glu	Gly	Gly	Arg	Gly	
					530					535					540	
gac	ttt	ggc	ttg	aaa	gga	gaa	cct	ggg	agg	aaa	gga	gag	aaa	gga	gag	1741
Asp	Phe	Gly	Leu	Lys	Gly	Glu	Pro	Gly	Arg	Lys	Gly	Glu	Lys	Gly	Glu	
				545					550					555		

cct Pro	gcg Ala	gat Asp	cct Pro 560	ggt Gly	ccc Pro	cct Pro	ggt Gly	gag Glu 565	cca Pro	ggc Gly	cct Pro	cgg Arg	ggg Gly 570	cca Pro	aga Arg	1789
gga Gly	gtc Val	cca Pro 575	gga Gly	ccc Pro	gag Glu	ggt Gly	gag Glu 580	ccc Pro	ggc Gly	ccc Pro	cct Pro	gga Gly 585	gac Asp	ccc Pro	ggt Gly	1837
ctc Leu	acg Thr 590	gag Glu	tgt Cys	gac Asp	gtc Val	atg Met 595	acc Thr	tac Tyr	gtg Val	agg Arg	gag Glu 600	acc Thr	tgc Cys	ggg Gly	tgc Cys	1885
tgc Cys 605	gac Asp	tgt Cys	gag Glu	aag Lys	cgc Arg 610	tgt Cys	ggc Gly	gcc Ala	ctg Leu	gac Asp 615	gtg Val	gtc Val	ttc Phe	gtc Val	atc Ile 620	1933
gac Asp	agc Ser	tcc Ser	gag Glu	agc Ser 625	att Ile	ggg Gly	tac Tyr	acc Thr	aac Asn 630	ttc Phe	aca Thr	ctg Leu	gag Glu	aag Lys 635	aac Asn	1981
ttc Phe	gtc Val	atc Ile	aac Asn 640	gtg Val	gtc Val	aac Asn	agg Arg	ctg Leu 645	ggg Gly	gcc Ala	atc Ile	gct Ala	aag Lys 650	gac Asp	ccc Pro	2029
aag Lys	tcc Ser	gag Glu 655	aca Thr	ggg Gly	acg Thr	cgt Arg	gtg Val 660	ggc Gly	gtg Val	gtg Val	cag Gln	tac Tyr 665	agc Ser	cac His	gag Glu	2077
ggc Gly	acc Thr 670	ttt Phe	gag Glu	gcc Ala	atc Ile	cag Gln 675	ctg Leu	gac Asp	gac Asp	gaa Glu	cat His 680	atc Ile	gac Asp	tcc Ser	ctg Leu	2125
tcg Ser 685	agc Ser	ttc Phe	aag Lys	gag Glu	gct Ala 690	gtc Val	aag Lys	aac Asn	ctc Leu	gag Glu 695	tgg Trp	att Ile	gcg Ala	ggc Gly	ggc Gly 700	2173
acc Thr	tgg Trp	aca Thr	ccc Pro	tca Ser 705	gcc Ala	ctc Leu	aag Lys	ttt Phe	gcc Ala 710	tac Tyr	gac Asp	cgc Arg	ctc Leu	atc Ile 715	aag Lys	2221
gag Glu	agc Ser	cgg Arg	cgc Arg 720	cag Gln	aag Lys	aca Thr	cgt Arg	gtg Val 725	ttt Phe	gcg Ala	gtg Val	gtc Val	atc Ile 730	acg Thr	gac Asp	2269
ggg Gly	cgc Arg	cac His 735	gac Asp	cct Pro	cgg Arg	gac Asp	gat Asp 740	gac Asp	ctc Leu	aac Asn	ttg Leu	cgg Arg 745	gcg Ala	ctg Leu	tgc Cys	2317
gac Asp	cgc Arg 750	gac Asp	gtc Val	aca Thr	gtg Val	acg Thr 755	gcc Ala	atc Ile	ggc Gly	atc Ile	ggg Gly 760	gac Asp	atg Met	ttc Phe	cac His	2365
gag Glu 765	aag Lys	cac His	gag Glu	agt Ser	gaa Glu 770	aac Asn	ctc Leu	tac Tyr	tcc Ser	atc Ile 775	gcc Ala	tgc Cys	gac Asp	aag Lys	cca Pro 780	2413
cag Gln	cag Gln	gtg Val	cgc Arg	aac Asn 785	atg Met	acg Thr	ctg Leu	ttc Phe	tcc Ser 790	gac Asp	ctg Leu	gtc Val	gct Ala	gag Glu 795	aag Lys	2461
ttc Phe	atc Ile	gat Asp 800	atg Met	gag Glu	gac Asp	gtc Val	ctc Leu 805	tgc Cys	ccg Pro	gac Asp	cct Pro	cag Gln 810	atc Ile	gtg Val		2509
tgc Cys	cca Pro	gac Asp 815	ctt Leu	ccc Pro	tgc Cys	caa Gln	aca Thr 820	ggt Gly	ttg Leu	gac Asp	gga Gly	gct Ala 825	gtt Val	ttg Leu	tgc Cys	2557
tga	aaggttttct	cggggtccgt	ggtgtccccc	aaaggtgcca	ccgtgcgggt											2610
ctcctagctc	cctgccagct	tcctgtccct	gtgctcactg	ccccacgcc	tcctgccaa											2670
gccgagccac	acaccgctc	cacctgcatt	tcctctaccg	actcgccagc	ccaaatgccg											2730
ctcttcactc	tggcctcgct	gagcggctgc	ccgaggagga	getctaggcc	gacgcccacc											2790
gcaggcctta	cagtcgtctc	tggacgtccc	cttgcatg	caccgtggcc	tggcggcgag											2850
cccccggtca	ccttcctccg	cacggaagag	gggccggacg	ccaccttccc	caggaccatt											2910

```

cccctgattcc aacagttgct aaacgccacg gagctcacgc aggacccggc cgcctactcc 2970
cagctggtgg ccgtgctggt ctacaccgcc gagcgggcca agttcgccac cggggtagag 3030
cggcaggact ggatggagct gttcattgac acctttaagc tggcgcacag ggacatcgtg 3090
ggggaccccg agaccgcgct ggccctctgc taaagcccgg gcacccgccc agccgggctg 3150
ggccctccct gccacactag cttcccaggg ctgccccga caggctggct ctcagtggag 3210
gccgagagat ctggaatcgg ggtcagcggg gctacagtcc ttccaggggc tctggggcag 3270
ctccagcct cttcccatgc tgggtggccac cgtgtccctt gctgcggctg catcttcag 3330
tctctctcc gtcttcagt ggccgctctc ttataagaa ccctggtcac tgaatttaag 3390
gccacccca agtcagaat gacctgcaa gaccttaac tcactccc 3438

```

```

<210> 24
<211> 828
<212> PRT
<213> Homo sapiens

```

```

<400> 24

```

```

Met Leu Gln Gly Thr Cys Ser Val Leu Leu Leu Trp Gly Ile Leu Gly
1      5      10      15
Ala Ile Gln Ala Gln Gln Gln Glu Val Ile Ser Pro Asp Thr Thr Glu
20     25     30
Arg Asn Asn Asn Cys Pro Glu Lys Thr Asp Cys Pro Ile His Val Tyr
35     40     45
Phe Val Leu Asp Thr Ser Glu Ser Val Thr Met Gln Ser Pro Thr Asp
50     55     60
Ile Leu Leu Phe His Met Lys Gln Phe Val Pro Gln Phe Ile Ser Gln
65     70     75     80
Leu Gln Asn Glu Phe Tyr Leu Asp Gln Val Ala Leu Ser Trp Arg Tyr
85     90     95
Gly Gly Leu His Phe Ser Asp Gln Val Glu Val Phe Ser Pro Pro Gly
100    105    110
Ser Asp Arg Ala Ser Phe Ile Lys Asn Leu Gln Gly Ile Ser Ser Phe
115    120    125
Arg Arg Gly Thr Phe Thr Asp Cys Ala Leu Ala Asn Met Thr Glu Gln
130    135    140
Ile Arg Gln Asp Arg Ser Lys Gly Thr Val His Phe Ala Val Val Ile
145    150    155    160
Thr Asp Gly His Val Thr Gly Ser Pro Cys Gly Gly Ile Lys Leu Gln
165    170    175
Ala Glu Arg Ala Arg Glu Glu Gly Ile Arg Leu Phe Ala Val Ala Pro
180    185    190
Asn Gln Asn Leu Lys Glu Gln Gly Leu Arg Asp Ile Ala Ser Thr Pro
195    200    205
His Glu Leu Tyr Arg Asn Asp Tyr Ala Thr Met Leu Pro Asp Ser Thr
210    215    220

```

Glu Ile Asn Gln Asp Thr Ile Asn Arg Ile Ile Lys Val Met Lys His  
 225 230 235 240  
 Glu Ala Tyr Gly Glu Cys Tyr Lys Val Ser Cys Leu Glu Ile Pro Gly  
 245 250 255  
 Pro Ser Gly Pro Lys Gly Tyr Arg Gly Gln Lys Gly Ala Lys Gly Asn  
 260 265 270  
 Met Gly Glu Pro Gly Glu Pro Gly Gln Lys Gly Arg Gln Gly Asp Pro  
 275 280 285  
 Gly Ile Glu Gly Pro Ile Gly Phe Pro Gly Pro Lys Gly Val Pro Gly  
 290 295 300  
 Phe Lys Gly Glu Lys Gly Glu Phe Gly Ala Asp Gly Arg Lys Gly Ala  
 305 310 315 320  
 Pro Gly Leu Ala Gly Lys Asn Gly Thr Asp Gly Gln Lys Gly Lys Leu  
 325 330 335  
 Gly Arg Ile Gly Pro Pro Gly Cys Lys Gly Asp Pro Gly Asn Arg Gly  
 340 345 350  
 Pro Asp Gly Tyr Pro Gly Glu Ala Gly Ser Pro Gly Glu Arg Gly Asp  
 355 360 365  
 Gln Gly Gly Lys Gly Asp Pro Gly Arg Pro Gly Arg Arg Gly Pro Pro  
 370 375 380  
 Gly Glu Ile Gly Ala Lys Gly Ser Lys Gly Tyr Gln Gly Asn Asn Gly  
 385 390 395 400  
 Ala Pro Gly Ser Pro Gly Val Lys Gly Ala Lys Gly Gly Pro Gly Pro  
 405 410 415  
 Arg Gly Pro Lys Gly Glu Pro Gly Arg Arg Gly Asp Pro Gly Thr Lys  
 420 425 430  
 Gly Ser Pro Gly Ser Asp Gly Pro Lys Gly Glu Lys Gly Asp Pro Gly  
 435 440 445  
 Pro Glu Gly Pro Arg Gly Leu Ala Gly Glu Val Gly Asn Lys Gly Ala  
 450 455 460  
 Lys Gly Asp Arg Gly Leu Pro Gly Pro Arg Gly Pro Gln Gly Ala Leu  
 465 470 475 480  
 Gly Glu Pro Gly Lys Gln Gly Ser Arg Gly Asp Pro Gly Asp Ala Gly  
 485 490 495  
 Pro Arg Gly Asp Ser Gly Gln Pro Gly Pro Lys Gly Asp Pro Gly Arg  
 500 505 510  
 Pro Gly Phe Ser Tyr Pro Gly Pro Arg Gly Ala Pro Gly Glu Lys Gly  
 515 520 525  
 Glu Pro Gly Pro Arg Gly Pro Glu Gly Gly Arg Gly Asp Phe Gly Leu  
 530 535 540

Lys Gly Glu Pro Gly Arg Lys Gly Glu Lys Gly Glu Pro Ala Asp Pro  
 545 550 555 560  
 Gly Pro Pro Gly Glu Pro Gly Pro Arg Gly Pro Arg Gly Val Pro Gly  
 565 570 575  
 Pro Glu Gly Glu Pro Gly Pro Pro Gly Asp Pro Gly Leu Thr Glu Cys  
 580 585 590  
 Asp Val Met Thr Tyr Val Arg Glu Thr Cys Gly Cys Cys Asp Cys Glu  
 595 600 605  
 Lys Arg Cys Gly Ala Leu Asp Val Val Phe Val Ile Asp Ser Ser Glu  
 610 615 620  
 Ser Ile Gly Tyr Thr Asn Phe Thr Leu Glu Lys Asn Phe Val Ile Asn  
 625 630 635 640  
 Val Val Asn Arg Leu Gly Ala Ile Ala Lys Asp Pro Lys Ser Glu Thr  
 645 650 655  
 Gly Thr Arg Val Gly Val Val Gln Tyr Ser His Glu Gly Thr Phe Glu  
 660 665 670  
 Ala Ile Gln Leu Asp Asp Glu His Ile Asp Ser Leu Ser Ser Phe Lys  
 675 680 685  
 Glu Ala Val Lys Asn Leu Glu Trp Ile Ala Gly Gly Thr Trp Thr Pro  
 690 695 700  
 Ser Ala Leu Lys Phe Ala Tyr Asp Arg Leu Ile Lys Glu Ser Arg Arg  
 705 710 715 720  
 Gln Lys Thr Arg Val Phe Ala Val Val Ile Thr Asp Gly Arg His Asp  
 725 730 735  
 Pro Arg Asp Asp Asp Leu Asn Leu Arg Ala Leu Cys Asp Arg Asp Val  
 740 745 750  
 Thr Val Thr Ala Ile Gly Ile Gly Asp Met Phe His Glu Lys His Glu  
 755 760 765  
 Ser Glu Asn Leu Tyr Ser Ile Ala Cys Asp Lys Pro Gln Gln Val Arg  
 770 775 780  
 Asn Met Thr Leu Phe Ser Asp Leu Val Ala Glu Lys Phe Ile Asp Asp  
 785 790 795 800  
 Met Glu Asp Val Leu Cys Pro Asp Pro Gln Ile Val Cys Pro Asp Leu  
 805 810 815  
 Pro Cys Gln Thr Gly Leu Asp Gly Ala Val Leu Cys  
 820 825

<210> 25  
 <211> 3389  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (82)..(2202)

&lt;223&gt;

&lt;400&gt; 25

```

agtgccctccc tccagactcg ggaggggtcga gggggcgcgg gagagagcgc gggcgggccgc      60
cggggctggt cgctgcagg g  atg ggg gac gag cgg ccc cac tac tac ggg      111
                        Met Gly Asp Glu Arg Pro His Tyr Tyr Gly
                        1      5      10

aaa cac gga acg cca cag aag tat gat ccc act ttc aaa gga ccc att      159
Lys His Gly Thr Pro Gln Lys Tyr Asp Pro Thr Phe Lys Gly Pro Ile
                        15      20      25

tac aat agg ggc tgc acg gat atc ata tgc tgt gtg ttc ctg ctc ctg      207
Tyr Asn Arg Gly Cys Thr Asp Ile Ile Cys Cys Val Phe Leu Leu
                        30      35      40

gcc att gtg ggc tac gtg gct gta ggc atc ata gcc tgg act cat gga      255
Ala Ile Val Gly Tyr Val Ala Val Gly Ile Ile Ala Trp Thr His Gly
                        45      50      55

gac cct cga aag gtg atc tac ccc act gat agc cgg ggc gag ttc tgc      303
Asp Pro Arg Lys Val Ile Tyr Pro Thr Asp Ser Arg Gly Glu Phe Cys
                        60      65      70

ggg cag aag ggc aca aaa aac gag aac aaa ccc tat ctg ttt tat ttc      351
Gly Gln Lys Gly Thr Lys Asn Glu Asn Lys Pro Tyr Leu Phe Tyr Phe
                        75      80      85      90

aac att gtg aaa tgt gcc agc ccc ctg gtt ctg ctg gaa ttc caa tgt      399
Asn Ile Val Lys Cys Ala Ser Pro Leu Val Leu Leu Glu Phe Gln Cys
                        95      100      105

ccc act ccc cag atc tgc gtg gaa aaa tgc ccc gac cgc tac ctc acg      447
Pro Thr Pro Gln Ile Cys Val Glu Lys Cys Pro Asp Arg Tyr Leu Thr
                        110      115      120

tac ctg aat gct cgc agc tcc cgg gac ttt gag tac tat aag cag ttc      495
Tyr Leu Asn Ala Arg Ser Ser Arg Asp Phe Glu Tyr Tyr Lys Gln Phe
                        125      130      135

tgt gtt cct ggc ttc aag aac aat aaa gga gtg gct gag gtg ctt cga      543
Cys Val Pro Gly Phe Lys Asn Asn Lys Gly Val Ala Glu Val Leu Arg
                        140      145      150

gat ggt gac tgc cct gct gtc ctc atc ccc agc aaa ccc ttg gcc cgg      591
Asp Gly Asp Cys Pro Ala Val Leu Ile Pro Ser Lys Pro Leu Ala Arg
                        155      160      165      170

aga tgc ttc ccc gct atc cac gcc tac aag ggt gtc ctg atg gtg ggc      639
Arg Cys Phe Pro Ala Ile His Ala Tyr Lys Gly Val Leu Met Val Gly
                        175      180      185

aat gag acg acc tat gag gat ggg cat ggc tcc cgg aaa aac atc aca      687
Asn Glu Thr Thr Tyr Glu Asp Gly His Gly Ser Arg Lys Asn Ile Thr
                        190      195      200

gac ctg gtg gag ggc gcc aag aaa gcc aat gga gtc cta gag gcg cgg      735
Asp Leu Val Glu Gly Ala Lys Lys Ala Asn Gly Val Leu Glu Ala Arg
                        205      210      215

caa ctc gcc atg cgc ata ttt gaa gat tac acc gtc tct tgg tac tgg      783
Gln Leu Ala Met Arg Ile Phe Glu Asp Tyr Thr Val Ser Trp Tyr Trp
                        220      225      230

att atc ata ggc ctg gtc att gcc atg gcg atg agc ctc ctg ttc atc      831
Ile Ile Ile Gly Leu Val Ile Ala Met Ala Met Ser Leu Leu Phe Ile
                        235      240      245      250

atc ctg ctt cgc ttc ctg gct ggt att atg gtc tgg gtg atg atc atc      879
Ile Leu Leu Arg Phe Leu Ala Gly Ile Met Val Trp Val Met Ile Ile
                        255      260      265

atg gtg att ctg gtg ctg ggc tac gga ata ttt cac tgc tac atg gag      927
Met Val Ile Leu Val Leu Gly Tyr Glu Ile Phe His Cys Tyr Met Glu
                        270      275      280

tac tcc cga ctg cgt ggt gag gcc gcc tct gat gtc tct ttg gtg gac      975
Tyr Ser Arg Leu Arg Gly Glu Ala Gly Ser Asp Val Ser Leu Val Asp
                        285      290      295

```

ctc Leu	ggc Gly 300	ttt Phe	cag Gln	acg Thr	gat Asp	ttc Phe 305	cgg Arg	gtg Val	tac Tyr	ctg Leu	cac His 310	tta Leu	cgg Arg	cag Gln	acc Thr	1023
tgg Trp 315	ttg Leu	gcc Ala	ttt Phe	atg Met	atc Ile 320	att Ile	ctg Leu	agt Ser	atc Ile	ctt Leu 325	gaa Glu	gtc Val	att Ile	atc Ile	atc Ile 330	1071
ttg Leu	ctg Leu	ctc Leu	atc Ile	ttt Phe 335	ctc Leu	cgg Arg	aag Lys	aga Arg	att Ile 340	ctc Leu	atc Ile	gcg Ala	att Ile	gca Ala 345	ctc Leu	1119
atc Ile	aaa Lys	gaa Glu	gcc Ala 350	agc Ser	agg Arg	gct Ala	gtg Val	gga Gly 355	tac Tyr	gtc Val	atg Met	tgc Cys	tcc Ser 360	ttg Leu	ctc Leu	1167
tac Tyr	cca Pro	ctg Leu 365	gtc Val	acc Thr	ttc Phe	ttc Phe	ttg Leu 370	ctg Leu	tgc Cys	ctc Leu	tgc Cys	atc Ile 375	gcc Ala	tac Tyr	tgg Trp	1215
gcc Ala	agc Ser 380	act Thr	gct Ala	gtc Val	ttc Phe	ctg Leu 385	tcc Ser	act Thr	tcc Ser	aac Asn	gaa Glu 390	gcg Ala	gtc Val	tat Tyr	aag Lys	1263
atc Ile 395	ttt Phe	gat Asp	gac Asp	agc Ser	ccc Pro 400	tgc Cys	cca Pro	ttt Phe	act Thr	gcg Ala 405	aaa Lys	acc Thr	tgc Cys	aac Asn	cca Pro 410	1311
gag Glu	acc Thr	ttc Phe	ccc Pro	tcc Ser 415	tcc Ser	aat Asn	gag Glu	tcc Ser	cgc Arg 420	caa Gln	tgc Cys	ccc Pro	aat Asn	gcc Ala 425	cgt Arg	1359
tgc Cys	cag Gln	ttc Phe	gcc Ala 430	ttc Phe	tac Tyr	ggt Gly	ggt Gly	gag Glu 435	tgc Ser	ggc Gly	tac Tyr	cac His	cgg Arg 440	gcc Ala	ctg Leu	1407
ctg Leu	ggc Gly	ctg Leu 445	cag Gln	atc Ile	ttc Phe	aat Asn	gcc Ala 450	ttc Phe	atg Met	ttc Phe	ttc Phe	tgg Trp 455	ttg Leu	gcc Ala	aac Asn	1455
ttc Phe 460	gtg Val	ctg Leu	gcg Ala	ctg Leu	ggc Gly	cag Gln 465	gtc Val	acg Thr	ctg Leu	gcc Ala	ggg Gly 470	gcc Ala	ttt Phe	gcc Ala	tcc Ser	1503
tac Tyr 475	tac Tyr	tgg Trp	gcc Ala	ctg Leu	cgc Arg 480	aag Lys	ccg Pro	gac Asp	gac Asp	ctg Leu 485	ccg Pro	gcc Ala	ttc Phe	ccg Pro	ctc Leu 490	1551
ttc Phe	tct Ser	gcc Ala	ttt Phe	ggc Gly 495	cgg Arg	gcg Ala	ctc Leu	agg Arg	tac Tyr 500	cac His	aca Thr	ggc Gly	tcc Ser	ctg Leu 505	gcc Ala	1599
ttt Phe	ggc Gly	gcg Ala	ctc Leu 510	atc Ile	ctg Leu	gcc Ala	att Ile	gtg Val 515	cag Gln	atc Ile	atc Ile	cgt Arg	gtg Val 520	ata Ile	ctc Leu	1647
gag Glu	tac Tyr	ctg Leu 525	gat Asp	cag Gln	cgg Arg	ctg Leu	aaa Lys 530	gct Ala	gca Ala	gag Glu	aac Asn	aag Lys 535	ttt Phe	gcc Ala	aag Lys	1695
tgc Cys	ctc Leu 540	atg Met	acc Thr	tgt Cys	ctc Leu	aaa Lys 545	tgc Cys	tgc Cys	ttc Phe	tgg Trp	tgc Cys 550	ctg Leu	gag Glu	aag Lys	ttc Phe	1743
atc Ile 555	aaa Lys	ttc Phe	ctt Leu	aat Asn	agg Arg 560	aat Asn	gcc Ala	tac Tyr	atc Ile	atg Met 565	att Ile	gcc Ala	atc Ile	tac Tyr	ggc Gly 570	1791
acc Thr	aat Asn	ttc Phe	tgc Cys	acc Thr 575	tgc Ser	gcc Ala	agg Arg	aat Asn	gcc Ala 580	ttc Phe	ttc Phe	ctg Leu	ctc Leu	atg Met 585	aga Arg	1839
aac Asn	atc Ile	atc Ile	aga Arg 590	gtg Val	gct Ala	gtc Val	ctg Leu	gat Asp 595	aaa Lys	ggt Val	act Thr	gac Asp	ttc Phe 600	ctc Leu	ttc Phe	1887
ctg Leu	ttg Leu	ggc Gly 605	aaa Lys	ctt Leu	ctg Leu	atc Ile	gtt Val 610	ggt Gly	agt Ser	gtg Val	ggg Gly	atc Ile 615	ctg Leu	gct Ala	ttc Phe	1935



ttc ttc ttc acc cac cgt atc agg atc gtg cag gat aca gca cca ccc 1983  
 Phe Phe Phe Thr His Arg Ile Arg Ile Val Gln Asp Thr Ala Pro Pro  
 620 625 630  
 ctc aat tat tac tgg gtt cct ata ctg acg gtg atc gtt ggc tcc tac 2031  
 Leu Asn Tyr Tyr Trp Val Pro Ile Leu Thr Val Ile Val Gly Ser Tyr  
 635 640 645 650  
 ttg att gca cac ggt ttc ttc agc gtc tat ggc atg tgt gtg gac acg 2079  
 Leu Ile Ala His Gly Phe Phe Ser Val Tyr Gly Met Cys Val Asp Thr  
 655 660 665  
 ctg ttc ctc tgc ttc ttg gag gac ctg gag agg aat gac ggc tcg gcc 2127  
 Leu Phe Leu Cys Phe Leu Glu Asp Leu Glu Arg Asn Asp Gly Ser Ala  
 670 675 680  
 gag agg cct tac ttc atg tct tcc acc ctc aag aaa ccc ttg aac aag 2175  
 Glu Arg Pro Tyr Phe Met Ser Ser Thr Leu Lys Lys Pro Leu Asn Lys  
 685 690 695  
 acc aac aag aag gca gcg gag tcc tga agggcccggtg ctccccacct 2222  
 Thr Asn Lys Lys Ala Ala Glu Ser 700 705  
 ctcaaggagt ctcatgccgc aggggtgctca gtagctgggt ctgttcccc agccccttgg 2282  
 gctcacctga agtcctatca ctgccgtctt gcccctcccc atgagccaga tcccaccagt 2342  
 ttctggacgt ggagagtctg gggcatctcc ttcttatgcc aaggggcgct tggagttttc 2402  
 atggctgccc ctccagactg cgagaaacaa gtaaaaaccc attggggcct cttgatgtct 2462  
 gggatggcac gtggcccgac ctccacaagc tccctcatgc ttctgttccc ccgcttacac 2522  
 gacaacgggc cagaccacgg gaaggacggt gtttgtgtct gagggagctg ctggccacag 2582  
 tgaacaccca cgtttattcc tgctgtctcc ggccaggact gaacccttc tccacacctg 2642  
 aacagttggc tcaagggcca ccagaagcat ttctttatta ttattatttt ttaacctgga 2702  
 catgcattaa aggggtctatt agctttcttt ccgtctgtct caacagctga gatggggccg 2762  
 ccaaggagtg ctttcttttt gctccctcct agctgggagt gacgggtggg agtgtgtgtg 2822  
 cccaggtggg ggtgtctcct ggctgggaag gagggaaagg gagggagagt tttgcggggg 2882  
 ttggcagtgg agagcaggct ggagaggaga tggctaatag ctgtttaatg gaaacctgct 2942  
 gggctggagg gagttaggct gaatttcccg acttctcttg ccagttattg acacagctct 3002  
 ctttgtaaga gaggaagaa actaaaccca ccaagggat gatttcaggg ggagaggtgg 3062  
 agggcagatg tcctgggcaa accgggcccc tctgccaca cacctcactt gatccttttg 3122  
 ccaaacttgt caaactcagg ggaactggct tcccagttgc ccctttgcca tattccaagt 3182  
 cccctcaga cttcatgtct ctgctcatca gactgtccc aggatcctgg agagggagaa 3242  
 cccctggccc caggggaaag aggggggggt ctcccgtttc ctgtgcctgc accagccctg 3302  
 ccccatgtgc gtctgcacac ccctgcgtgt aactgcattc caaccactaa taaagtgcct 3362  
 attgtacagg taaaaaaaa aaaaaaa 3389

<210> 26  
 <211> 706  
 <212> PRT  
 <213> Homo sapiens

<400> 26

Met Gly Asp Glu Arg Pro His Tyr Tyr Gly Lys His Gly Thr Pro Gln  
 1 5 10 15

Lys Tyr Asp Pro Thr Phe Lys Gly Pro Ile Tyr Asn Arg Gly Cys Thr  
 20 25 30

Asp Ile Ile Cys Cys Val Phe Leu Leu Leu Ala Ile Val Gly Tyr Val  
 35 40 45  
 Ala Val Gly Ile Ile Ala Trp Thr His Gly Asp Pro Arg Lys Val Ile  
 50 55 60  
 Tyr Pro Thr Asp Ser Arg Gly Glu Phe Cys Gly Gln Lys Gly Thr Lys  
 65 70 75 80  
 Asn Glu Asn Lys Pro Tyr Leu Phe Tyr Phe Asn Ile Val Lys Cys Ala  
 85 90 95  
 Ser Pro Leu Val Leu Leu Glu Phe Gln Cys Pro Thr Pro Gln Ile Cys  
 100 105 110  
 Val Glu Lys Cys Pro Asp Arg Tyr Leu Thr Tyr Leu Asn Ala Arg Ser  
 115 120 125  
 Ser Arg Asp Phe Glu Tyr Tyr Lys Gln Phe Cys Val Pro Gly Phe Lys  
 130 135 140  
 Asn Asn Lys Gly Val Ala Glu Val Leu Arg Asp Gly Asp Cys Pro Ala  
 145 150 155 160  
 Val Leu Ile Pro Ser Lys Pro Leu Ala Arg Arg Cys Phe Pro Ala Ile  
 165 170 175  
 His Ala Tyr Lys Gly Val Leu Met Val Gly Asn Glu Thr Thr Tyr Glu  
 180 185 190  
 Asp Gly His Gly Ser Arg Lys Asn Ile Thr Asp Leu Val Glu Gly Ala  
 195 200 205  
 Lys Lys Ala Asn Gly Val Leu Glu Ala Arg Gln Leu Ala Met Arg Ile  
 210 215 220  
 Phe Glu Asp Tyr Thr Val Ser Trp Tyr Trp Ile Ile Ile Gly Leu Val  
 225 230 235 240  
 Ile Ala Met Ala Met Ser Leu Leu Phe Ile Ile Leu Leu Arg Phe Leu  
 245 250 255  
 Ala Gly Ile Met Val Trp Val Met Ile Ile Met Val Ile Leu Val Leu  
 260 265 270  
 Gly Tyr Gly Ile Phe His Cys Tyr Met Glu Tyr Ser Arg Leu Arg Gly  
 275 280 285  
 Glu Ala Gly Ser Asp Val Ser Leu Val Asp Leu Gly Phe Gln Thr Asp  
 290 295 300  
 Phe Arg Val Tyr Leu His Leu Arg Gln Thr Trp Leu Ala Phe Met Ile  
 305 310 315 320  
 Ile Leu Ser Ile Leu Glu Val Ile Ile Ile Leu Leu Leu Ile Phe Leu  
 325 330 335  
 Arg Lys Arg Ile Leu Ile Ala Ile Ala Leu Ile Lys Glu Ala Ser Arg  
 340 345 350

Ala Val Gly Tyr Val Met Cys Ser Leu Leu Tyr Pro Leu Val Thr Phe  
 355 360 365  
 Phe Leu Leu Cys Leu Cys Ile Ala Tyr Trp Ala Ser Thr Ala Val Phe  
 370 375 380  
 Leu Ser Thr Ser Asn Glu Ala Val Tyr Lys Ile Phe Asp Asp Ser Pro  
 385 390 395 400  
 Cys Pro Phe Thr Ala Lys Thr Cys Asn Pro Glu Thr Phe Pro Ser Ser  
 405 410 415  
 Asn Glu Ser Arg Gln Cys Pro Asn Ala Arg Cys Gln Phe Ala Phe Tyr  
 420 425 430  
 Gly Gly Glu Ser Gly Tyr His Arg Ala Leu Leu Gly Leu Gln Ile Phe  
 435 440 445  
 Asn Ala Phe Met Phe Phe Trp Leu Ala Asn Phe Val Leu Ala Leu Gly  
 450 455 460  
 Gln Val Thr Leu Ala Gly Ala Phe Ala Ser Tyr Tyr Trp Ala Leu Arg  
 465 470 475 480  
 Lys Pro Asp Asp Leu Pro Ala Phe Pro Leu Phe Ser Ala Phe Gly Arg  
 485 490 495  
 Ala Leu Arg Tyr His Thr Gly Ser Leu Ala Phe Gly Ala Leu Ile Leu  
 500 505 510  
 Ala Ile Val Gln Ile Ile Arg Val Ile Leu Glu Tyr Leu Asp Gln Arg  
 515 520 525  
 Leu Lys Ala Ala Glu Asn Lys Phe Ala Lys Cys Leu Met Thr Cys Leu  
 530 535 540  
 Lys Cys Cys Phe Trp Cys Leu Glu Lys Phe Ile Lys Phe Leu Asn Arg  
 545 550 555 560  
 Asn Ala Tyr Ile Met Ile Ala Ile Tyr Gly Thr Asn Phe Cys Thr Ser  
 565 570 575  
 Ala Arg Asn Ala Phe Phe Leu Leu Met Arg Asn Ile Ile Arg Val Ala  
 580 585 590  
 Val Leu Asp Lys Val Thr Asp Phe Leu Phe Leu Leu Gly Lys Leu Leu  
 595 600 605  
 Ile Val Gly Ser Val Gly Ile Leu Ala Phe Phe Phe Thr His Arg  
 610 615 620  
 Ile Arg Ile Val Gln Asp Thr Ala Pro Pro Leu Asn Tyr Tyr Trp Val  
 625 630 635 640  
 Pro Ile Leu Thr Val Ile Val Gly Ser Tyr Leu Ile Ala His Gly Phe  
 645 650 655  
 Phe Ser Val Tyr Gly Met Cys Val Asp Thr Leu Phe Leu Cys Phe Leu  
 660 665 670

Glu Asp Leu Glu Arg Asn Asp Gly Ser Ala Glu Arg Pro Tyr Phe Met  
675 680 685

Ser Ser Thr Leu Lys Lys Pro Leu Asn Lys Thr Asn Lys Lys Ala Ala  
690 695 700

Glu Ser  
705

<210> 27  
<211> 2409  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(2313)  
<223>

<400> 27  
atg cgg ggc gtg tgg ccg ccc ccg gtg tcc gcc ctg ctg tcg gcg ctg 48  
Met Arg Gly Val Trp Pro Pro Pro Val Ser Ala Leu Leu Ser Ala Leu  
1 5 10 15  
ggg atg tcg acg tac aag cgg gcc acg ctg gac gag gag gac ctg gtg 96  
Gly Met Ser Thr Tyr Lys Arg Ala Thr Leu Asp Glu Glu Asp Leu Val  
20 25 30  
gac tcg ctc tcc gag ggc gac gca tac ccc aac gcc ctg cag gtg aac 144  
Asp Ser Leu Ser Glu Gly Asp Ala Tyr Pro Asn Gly Leu Gln Val Asn  
35 40 45  
ttc cac agc ccc cgg agt ggc cag agg tgc tgg gct gca cgg acc cag 192  
Phe His Ser Pro Arg Ser Gly Gln Arg Cys Trp Ala Ala Arg Thr Gln  
50 55 60  
gtg gag aag cgg ctg gtg gtg ttg gtg gta ctt ctg gcg gca gga ctg 240  
Val Glu Lys Arg Leu Val Val Leu Val Val Leu Leu Ala Ala Gly Leu  
65 70 75 80  
gtg gcc tgc ttg gca gca ctg ggc atc cag tac cag aca aga tcc ccc 288  
Val Ala Cys Leu Ala Ala Leu Gly Ile Gln Tyr Gln Thr Arg Ser Pro  
85 90 95  
tct gtg tgc ctg agc gaa gct tgt gtc tca gtg acc agc tcc atc ttg 336  
Ser Val Cys Leu Ser Glu Ala Cys Val Ser Val Thr Ser Ser Ile Leu  
100 105 110  
agc tcc atg gac ccc aca gtg gac ccc tgc cat gac ttc ttc agc tac 384  
Ser Ser Met Asp Pro Thr Val Asp Pro Cys His Asp Phe Phe Ser Tyr  
115 120 125  
gcc tgt ggg ggc tgg atc aag gcc aac cca gtc cct gat ggc cac tca 432  
Ala Cys Gly Gly Trp Ile Lys Ala Asn Pro Val Pro Asp Gly His Ser  
130 135 140  
cgc tgg ggg acc ttc agc aac ctc tgg gaa cac aac caa gca atc atc 480  
Arg Trp Gly Thr Phe Ser Asn Leu Trp Glu His Asn Gln Ala Ile Ile  
145 150 155 160  
aag cac ctc ctc gaa aac tcc acg gcc agc gtg agc gag gca gag aga 528  
Lys His Leu Leu Glu Asn Ser Thr Ala Ser Val Ser Glu Ala Glu Arg  
165 170 175  
aag gcg caa gta tac tac cgt gcg tgc atg aac gag acc agg atc gag 576  
Lys Ala Gln Val Tyr Tyr Arg Ala Cys Met Asn Glu Thr Arg Ile Glu  
180 185 190  
gag ctc agg gcc aaa cct cta atg gag ttg att gag agg ctc ggg ggc 624  
Glu Leu Arg Ala Lys Pro Leu Met Glu Leu Ile Glu Arg Leu Gly Gly  
195 200 205  
tgg aac atc aca ggt ccc tgg gcc aag gac aac ttc cag gac acc ctg 672  
Trp Asn Ile Thr Gly Pro Trp Ala Lys Asp Asn Phe Gln Asp Thr Leu  
210 215 220  
cag gtg gtc acc gcc cac tac cgc acc tca ccc ttc ttc tct gtc tat 720

Gln 225	Val	Val	Thr	Ala	His 230	Tyr	Arg	Thr	Ser	Pro 235	Phe	Phe	Ser	Val	Tyr 240	
gtc Val	agt Ser	gcc Ala	gat Asp	tcc Ser 245	aag Lys	aac Asn	tcc Ser	aac Asn	agc Ser 250	aac Asn	gtg Val	atc Ile	cag Gln	gtg Val 255	gac Asp	768
cag Gln	tct Ser	ggc Gly	ctg Leu 260	ggc Gly	ttg Leu	ccc Pro	tcg Ser	aga Arg 265	gac Asp	tat Tyr	tac Tyr	ctg Leu	aac Asn 270	aaa Lys	act Thr	816
gaa Glu	aac Asn	gag Glu 275	aag Lys	gtg Val	ctg Leu	acc Thr	gga Gly 280	tat Tyr	ctg Leu	aac Asn	tac Tyr	atg Met 285	gtc Val	cag Gln	ctg Leu	864
ggg Gly	aag Lys 290	ctg Leu	ctg Leu	ggc Gly	ggc Gly	ggg Gly 295	gac Asp	gag Glu	gag Glu	gcc Ala	atc Ile 300	cgg Arg	ccc Pro	cag Gln	atg Met	912
cag Gln 305	cag Gln	atc Ile	ttg Leu	gac Asp	ttt Phe 310	dag Glu	acg Thr	gca Ala	ctg Leu	gcc Ala 315	aac Asn	atc Ile	acc Thr	atc Ile	cca Pro 320	960
cag Gln	gag Glu	aag Lys	cgc Arg	cgt Arg 325	gat Asp	gag Glu	gag Glu	ctc Leu	atc Ile 330	tac Tyr	cac His	aaa Lys	gtg Val	acg Thr 335	gca Ala	1008
gcc Ala	gag Glu	ctg Leu	cag Gln 340	acc Thr	ttg Leu	gca Ala	ccc Pro	gcc Ala 345	atc Ile	aac Asn	tgg Trp	ttg Leu	cct Pro 350	ttt Phe	ctc Leu	1056
aac Asn	acc Thr	atc Ile 355	ttc Phe	tac Tyr	ccc Pro	gtg Val	gag Glu 360	atc Ile	aat Asn	gaa Glu	tcc Ser	gag Glu 365	cct Pro	att Ile	gtg Val	1104
gtc Val	tat Tyr 370	gac Asp	aag Lys	gaa Glu	tac Tyr	ctt Leu 375	gag Glu	cag Gln	atc Ile	tcc Ser	act Thr 380	ctc Leu	atc Ile	aac Asn	acc Thr	1152
acc Thr 385	gac Asp	aga Arg	tgc Cys	ctg Leu	ctc Leu 390	aac Asn	aac Asn	tac Tyr	atg Met	atc Ile 395	tgg Trp	aac Asn	ctg Leu	gtg Val	cgg Arg 400	1200
aaa Lys	aca Thr	agc Ser	tcc Ser	ttc Phe 405	ctt Leu	gac Asp	cag Gln	cgc Arg	ttt Phe 410	cag Gln	gac Asp	gcc Ala	gat Asp	gag Glu 415	aag Lys	1248
ttc Phe	atg Met	gaa Glu	gtc Val 420	atg Met	tac Tyr	ggg Gly	acc Thr	aag Lys 425	aag Lys	acc Thr	tgt Cys	ctt Leu	cct Pro 430	cgc Arg	tgg Trp	1296
aag Lys	ttt Phe	tgc Cys 435	gtg Val	agt Ser	gac Asp	aca Thr	gaa Glu 440	aac Asn	aac Asn	ctg Leu	ggc Gly	ttt Phe 445	gcg Ala	ttg Leu	ggc Gly	1344
ccc Pro	atg Met 450	ttt Phe	gtc Val	aaa Lys	gca Ala	acc Thr 455	ttc Phe	gcc Ala	gag Glu	gac Asp	agc Ser 460	aag Lys	agc Ser	ata Ile	gcc Ala	1392
acc Thr 465	gag Glu	atc Ile	atc Ile	ctg Leu	gag Glu 470	att Ile	aag Lys	aag Lys	gca Ala	ttt Phe 475	gag Glu	gaa Glu	agc Ser	ctg Leu	agc Ser 480	1440
acc Thr	ctg Leu	aag Lys	tgg Trp	atg Met 485	gat Asp	gag Glu	gaa Glu	acc Thr	cga Arg 490	aaa Lys	tca Ser	gcc Ala	aag Lys	gaa Glu 495	aag Lys	1488
gcc Ala	gat Asp	gcc Ala	atc Ile 500	tac Tyr	aac Asn	atg Met	ata Ile	gga Gly 505	tac Tyr	ccc Pro	aac Asn	ttc Phe	atc Ile 510	atg Met	gat Asp	1536
ccc Pro	aag Lys	gag Glu 515	ctg Leu	gac Asp	aaa Lys	gtg Val	ttt Phe 520	aat Asn	gac Asp	tac Tyr	act Thr	gca Ala 525	gtt Val	cca Pro	gac Asp	1584
ctc Leu	tac Tyr 530	ttt Phe	gaa Glu	aat Asn	gcc Ala	atg Met 535	cgg Arg	ttt Phe	ttc Phe	aac Asn	ttc Phe 540	tca Ser	tgg Trp	agg Arg	gtc Val	1632
act	gcc	gat	cag	ctc	agg	aaa	gcc	ccc	aac	aga	gat	cag	tgg	agc	atg	1680

Thr 545 Ala Asp Gln Leu Arg 550 Lys Ala Pro Asn Arg 555 Asp Gln Trp Ser Met 560  
 acc ccg ccc atg gtg aac gcc tac tac tcc ccc acc aag aat gag att 1728  
 Thr Pro Pro Met Val 565 Asn Ala Tyr Tyr Ser 570 Pro Thr Lys Asn Glu 575 Ile  
 gtg ttt ccg gcc ggg atc ctg cag gca cca ttc tac aca cgc tcc tca 1776  
 Val Phe Pro Ala 580 Gly Ile Leu Gln Ala 585 Pro Phe Tyr Thr Arg 590 Ser Ser  
 ccc aag gcc tta aac ttt ggt ggc ata ggt gtc gtc gtg ggc cat gag 1824  
 Pro Lys Ala 595 Leu Asn Phe Gly Gly Ile Gly Val Val Val Glu His Glu  
 ctg act cat gct ttt gat gat caa gga cgg gag tat gac aag gac ggg 1872  
 Leu Thr 610 His Ala Phe Asp Asp 615 Gln Gly Arg Glu Tyr 620 Asp Lys Asp Gly  
 aac ctc cgg cca tgg tgg aag aac tca tcc gtg gag gcc ttc aag cgt 1920  
 Asn Leu Arg Pro Trp 630 Lys Asn Ser Ser Val 635 Glu Ala Phe Lys Arg 640  
 cag acc gag tgc atg gta gag cag tac agc aac tac agc gtg aac ggg 1968  
 Gln Thr Glu Cys Met 645 Val Glu Gln Tyr Ser 650 Asn Tyr Ser Val Asn Gly 655  
 gag ccg gtg aac ggg cgg cac acc ctg ggg gag aac atc gcc gac aac 2016  
 Glu Pro Val Asn 660 Gly Arg His Thr Leu 665 Gly Glu Asn Ile Ala 670 Asp Asn  
 ggg ggt ctc aag gcg gcc tat cgg gct tac cag aac tgg gtg aag aag 2064  
 Gly Gly Leu 675 Lys Ala Ala Tyr Arg 680 Ala Tyr Gln Asn Trp 685 Val Lys Lys  
 aac ggg gct gag cac tcg ctc ccc acc ctg ggc ctc acc aat aac cag 2112  
 Asn Gly 690 Ala Glu His Ser Leu 695 Pro Thr Leu Gly Leu Thr Asn Asn Gln  
 ctc ttc ttc ctg ggc ttt gca cag gtc tgg tgc tcc gtc cgc aca cct 2160  
 Leu Phe Phe Leu Gly 710 Phe Ala Gln Val Trp Cys 715 Ser Val Arg Thr Pro 720  
 gag agc tcc cac gaa ggc ctc atc acc gat ccc cac agc ccc tct cgc 2208  
 Glu Ser Ser His Glu 725 Gly Leu Ile Thr Asp 730 Pro His Ser Pro Ser Arg 735  
 ttc cgg gtc atc ggc tcc ctc tcc aat tcc aag gag ttc tca gaa cac 2256  
 Phe Arg Val Ile 740 Gly Ser Leu Ser Asn 745 Ser Lys Glu Phe Ser 750 Glu His  
 ttc cgc tgc cca cct ggc tca ccc atg aac ccg cct cac aag tgc gaa 2304  
 Phe Arg Cys Pro Pro Gly Ser Pro 760 Met Asn Pro Pro His 765 Lys Cys Glu  
 gtc tgg taa ggacgaagcg gagagagcca agacggagga ggggaagggg 2353  
 Val Trp 770  
 ctgaggacga gacccccatc cagcctccag ggcattgctc agcccgttg gccacc 2409

<210> 28  
 <211> 770  
 <212> PRT  
 <213> Homo sapiens

<400> 28

Met Arg Gly Val Trp Pro Pro Pro Val Ser Ala Leu Leu Ser Ala Leu  
 1 5 10 15  
 Gly Met Ser Thr Tyr Lys Arg Ala Thr Leu Asp Glu Glu Asp Leu Val  
 20 25 30  
 Asp Ser Leu Ser Glu Gly Asp Ala Tyr Pro Asn Gly Leu Gln Val Asn  
 35 40 45

Phe<sub>50</sub> His Ser Pro Arg Ser<sub>55</sub> Gly Gln Arg Cys Trp Ala<sub>60</sub> Ala Arg Thr Gln  
 Val<sub>65</sub> Glu Lys Arg Leu Val<sub>70</sub> Val Leu Val Val<sub>75</sub> Leu Ala Ala Gly Leu<sub>80</sub>  
 Val Ala Cys Leu<sub>85</sub> Ala Ala Leu Gly Ile<sub>90</sub> Gln Tyr Gln Thr Arg Ser<sub>95</sub> Pro  
 Ser Val Cys<sub>100</sub> Leu Ser Glu Ala Cys Val<sub>105</sub> Ser Val Thr Ser<sub>110</sub> Ser Ile Leu  
 Ser Ser Met<sub>115</sub> Asp Pro Thr Val<sub>120</sub> Asp Pro Cys His Asp<sub>125</sub> Phe Phe Ser Tyr  
 Ala Cys<sub>130</sub> Gly Gly Trp Ile<sub>135</sub> Lys Ala Asn Pro Val<sub>140</sub> Pro Asp Gly His Ser  
 Arg Trp Gly Thr Phe<sub>145</sub> Ser<sub>150</sub> Asn Leu Trp Glu His<sub>155</sub> Asn Gln Ala Ile<sub>160</sub> Ile  
 Lys His Leu Leu<sub>165</sub> Glu Asn Ser Thr Ala<sub>170</sub> Ser Val Ser Glu Ala<sub>175</sub> Glu Arg  
 Lys Ala Gln Val<sub>180</sub> Tyr Tyr Arg Ala<sub>185</sub> Cys Met Asn Glu Thr Arg<sub>190</sub> Ile Glu  
 Glu Leu Arg<sub>195</sub> Ala Lys Pro Leu<sub>200</sub> Met Glu Leu Ile Glu<sub>205</sub> Arg Leu Gly Gly  
 Trp Asn<sub>210</sub> Ile Thr Gly Pro<sub>215</sub> Trp Ala Lys Asp Asn<sub>220</sub> Phe Gln Asp Thr Leu  
 Gln<sub>225</sub> Val Val Thr Ala<sub>230</sub> His Tyr Arg Thr Ser<sub>235</sub> Pro Phe Phe Ser Val<sub>240</sub> Tyr  
 Val Ser Ala Asp<sub>245</sub> Ser Lys Asn Ser Asn<sub>250</sub> Ser Asn Val Ile Gln<sub>255</sub> Val Asp  
 Gln Ser Gly Leu<sub>260</sub> Gly Leu Pro Ser Arg<sub>265</sub> Asp Tyr Tyr Leu Asn<sub>270</sub> Lys Thr  
 Glu Asn<sub>275</sub> Glu Lys Val Leu Thr Gly<sub>280</sub> Tyr Leu Asn Tyr Met<sub>285</sub> Val Gln Leu  
 Gly Lys<sub>290</sub> Leu Leu Gly Gly<sub>295</sub> Gly Asp Glu Glu Ala<sub>300</sub> Ile Arg Pro Gln Met  
 Gln<sub>305</sub> Gln Ile Leu Asp Phe<sub>310</sub> Glu Thr Ala Leu Ala<sub>315</sub> Asn Ile Thr Ile<sub>320</sub> Pro  
 Gln Glu Lys Arg Arg<sub>325</sub> Asp Glu Glu Leu Ile<sub>330</sub> Tyr His Lys Val<sub>335</sub> Thr Ala  
 Ala Glu Leu Gln<sub>340</sub> Thr Leu Ala Pro Ala<sub>345</sub> Ile Asn Trp Leu<sub>350</sub> Pro Phe Leu  
 Asn Thr Ile<sub>355</sub> Phe Tyr Pro Val Glu<sub>360</sub> Ile Asn Glu Ser Glu<sub>365</sub> Pro Ile Val

Val Tyr Asp Lys Glu Tyr Leu Glu Gln Ile Ser Thr Leu Ile Asn Thr  
 370 375 380  
 Thr Asp Arg Cys Leu Leu Asn Asn Tyr Met Ile Trp Asn Leu Val Arg  
 385 390 395 400  
 Lys Thr Ser Ser Phe Leu Asp Gln Arg Phe Gln Asp Ala Asp Glu Lys  
 405 410 415  
 Phe Met Glu Val Met Tyr Gly Thr Lys Lys Thr Cys Leu Pro Arg Trp  
 420 425 430  
 Lys Phe Cys Val Ser Asp Thr Glu Asn Asn Leu Gly Phe Ala Leu Gly  
 435 440 445  
 Pro Met Phe Val Lys Ala Thr Phe Ala Glu Asp Ser Lys Ser Ile Ala  
 450 455 460  
 Thr Glu Ile Ile Leu Glu Ile Lys Lys Ala Phe Glu Glu Ser Leu Ser  
 465 470 475 480  
 Thr Leu Lys Trp Met Asp Glu Glu Thr Arg Lys Ser Ala Lys Glu Lys  
 485 490 495  
 Ala Asp Ala Ile Tyr Asn Met Ile Gly Tyr Pro Asn Phe Ile Met Asp  
 500 505 510  
 Pro Lys Glu Leu Asp Lys Val Phe Asn Asp Tyr Thr Ala Val Pro Asp  
 515 520 525  
 Leu Tyr Phe Glu Asn Ala Met Arg Phe Phe Asn Phe Ser Trp Arg Val  
 530 535 540  
 Thr Ala Asp Gln Leu Arg Lys Ala Pro Asn Arg Asp Gln Trp Ser Met  
 545 550 555 560  
 Thr Pro Pro Met Val Asn Ala Tyr Tyr Ser Pro Thr Lys Asn Glu Ile  
 565 570 575  
 Val Phe Pro Ala Gly Ile Leu Gln Ala Pro Phe Tyr Thr Arg Ser Ser  
 580 585 590  
 Pro Lys Ala Leu Asn Phe Gly Gly Ile Gly Val Val Val Gly His Glu  
 595 600 605  
 Leu Thr His Ala Phe Asp Asp Gln Gly Arg Glu Tyr Asp Lys Asp Gly  
 610 615 620  
 Asn Leu Arg Pro Trp Trp Lys Asn Ser Ser Val Glu Ala Phe Lys Arg  
 625 630 635 640  
 Gln Thr Glu Cys Met Val Glu Gln Tyr Ser Asn Tyr Ser Val Asn Gly  
 645 650 655  
 Glu Pro Val Asn Gly Arg His Thr Leu Gly Glu Asn Ile Ala Asp Asn  
 660 665 670  
 Gly Gly Leu Lys Ala Ala Tyr Arg Ala Tyr Gln Asn Trp Val Lys Lys  
 675 680 685



Asn Gly Ala Glu His Ser Leu Pro Thr Leu Gly Leu Thr Asn Asn Gln  
690 695 700

Leu Phe Phe Leu Gly Phe Ala Gln Val Trp Cys Ser Val Arg Thr Pro  
705 710 715 720

Glu Ser Ser His Glu Gly Leu Ile Thr Asp Pro His Ser Pro Ser Arg  
725 730 735

Phe Arg Val Ile Gly Ser Leu Ser Asn Ser Lys Glu Phe Ser Glu His  
740 745 750

Phe Arg Cys Pro Pro Gly Ser Pro Met Asn Pro Pro His Lys Cys Glu  
755 760 765

Val Trp  
770

<210> 29  
<211> 3346  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (790)..(1830)  
<223>

<400> 29  
gagtagacag cacagcggca gcggagggag tctatgcgag ctggacagca gtgggaggtt 60  
tgtgaggctc gcaactggccg cagaccctcg ggctcgatcg cccgggagcc aggactcggc 120  
gacgcgaggc tgccgggcta cccggccgag gcttcggggg cgcaactaa tgggactggc 180  
tcgctcggca gcatctcccc gctcttctaa gtacactgag cagggcccgc gctgaagtag 240  
aagctgtccg ggggcgcgta gcccgagtc ccagtgtggc cgggaggaac ggagcccgtg 300  
ccagggcggc ccagtcggga gcccggggac cgagcttggtg ctgtggggaa acccccactt 360  
cttccaaggg acagcgatcc cgggacggtc gaggcgctcg ggcggtcacc gagacctctg 420  
cgggaagacc ccgtcgggga gagggcgcg agccccgaag cgtctcggga agtcgagcgg 480  
aatcgggchg gatcaccchg gggcgagag ccccgctcg gcctcgtcg gcagcggaga 540  
gcccaggaga acgagccctc gggggccgaa gcccatgccc ggggtggggg cggtgcccc 600  
gtgagtcctc ctggccggcc gggcgagaa gagcgacacc gaagccggcg ggaggggagc 660  
acttcaaggc cggcggtcgg ggaggatggg cgctgagcg gctccgagcg cagcgcgga 720  
gaggaaggcg aggcgagctt tggtagggag gcgccaaggg atcccgaagt gcagctctgc 780  
cccgggaag atg gct cgg cct ggg cag cgt tgg ctc ggc aag tgg ctt gtg 831  
Met Ala Arg Pro Gly Gln Arg Trp Leu Gly Lys Trp Leu Val  
1 5 10  
gcg atg gtc gtg tgg gcg ctg tgc cgg ctc gcc aca ccg ctg gcc aag 879  
Ala Met Val Val Trp Ala Leu Cys Arg Leu Ala Thr Pro Leu Ala Lys  
15 20 25  
aac ctg gag ccc gta tcc tgg agc tcc ctc aac ccc aag ttc ctg agt 927  
Asn Leu Glu Pro Val Ser Trp Ser Ser Leu Asn Pro Lys Phe Leu Ser  
35 40 45  
ggg aag ggc ttg gtg atc tat ccg aaa att gga gac aag ctg gac atc 975  
Gly Lys Gly Leu Val Ile Tyr Pro Lys Ile Gly Asp Lys Leu Asp Ile  
50 55 60  
atc tgc ccc cga gca gaa gca ggg cgg ccc tat gag tac tac aag ctg 1023  
Ile Cys Pro Arg Ala Glu Ala Gly Arg Pro Tyr Glu Tyr Tyr Lys Leu  
65 70 75

tac Tyr	ctg Leu 80	gtg Val	cgg Arg	cct Pro	gag Glu	cag Gln 85	gca Ala	gct Ala	gcc Ala	tgt Cys	agc Ser 90	aca Thr	gtt Val	ctc Leu	gac Asp	1071
ccc Pro 95	aac Asn	gtg Val	ttg Leu	gtc Val	acc Thr 100	tgc Cys	aat Asn	agg Arg	cca Pro	gag Glu 105	cag Gln	gaa Glu	ata Ile	cgc Arg	ttt Phe 110	1119
acc Thr	atc Ile	aag Lys	ttc Phe	cag Gln 115	gag Glu	ttc Phe	agc Ser	ccc Pro	aac Asn 120	tac Tyr	atg Met	ggc Gly	ctg Leu	gag Glu 125	ttc Phe	1167
aag Lys	aag Lys	cac His	cat His 130	gat Asp	tac Tyr	tac Tyr	att Ile	acc Thr 135	tca Ser	aca Thr	tcc Ser	aat Asn	gga Gly 140	agc Ser	ctg Leu	1215
gag Glu	ggg Gly	ctg Leu 145	gaa Glu	aac Asn	cgg Arg	gag Glu	ggc Gly 150	ggt Gly	gtg Val	tgc Cys	cgc Arg	aca Thr 155	cgc Arg	acc Thr	atg Met	1263
aag Lys	atc Ile 160	atc Ile	atg Met	aag Lys	gtt Val	ggg Gly 165	caa Gln	gat Asp	ccc Pro	aat Asn	gct Ala 170	gtg Val	acg Thr	cct Pro	gag Glu	1311
cag Gln 175	ctg Leu	act Thr	acc Thr	agc Ser	agg Arg 180	ccc Pro	agc Ser	aag Lys	gag Glu	gca Ala 185	gac Asp	aac Asn	act Thr	gtc Val	aag Lys 190	1359
atg Met	gcc Ala	aca Thr	cag Gln	gcc Ala 195	cct Pro	ggt Gly	agt Ser	cgg Arg	ggc Gly 200	tcc Ser	ctg Leu	ggt Gly	gac Asp	tct Ser 205	gat Asp	1407
ggc Gly	aag Lys	cat His	gag Glu 210	act Thr	gtg Val	aac Asn	cag Gln	gaa Glu 215	gag Glu	aag Lys	agt Ser	ggc Gly	cca Pro 220	ggt Gly	gca Ala	1455
agt Ser	ggg Gly	ggc Gly 225	agc Ser	agc Ser	ggg Gly	gac Asp	cct Pro 230	gat Asp	ggc Gly	ttc Phe	ttc Phe	aac Asn 235	tcc Ser	aag Lys	gtg Val	1503
gca Ala 240	ttg Leu	ttc Phe	gcg Ala	gct Ala	gtc Val	ggt Gly 245	gcc Ala	ggt Gly	tgc Cys	gtc Val	atc Ile 250	ttc Phe	ctg Leu	ctc Leu	atc Ile	1551
atc Ile 255	atc Ile	ttc Phe	ctg Leu	acg Thr	gtc Val 260	cta Leu	cta Leu	ctg Leu	aag Lys	cta Leu 265	cgc Arg	aag Lys	cgg Arg	cac His	cgc Arg 270	1599
aag Lys	cac His	aca Thr	cag Gln	cag Gln 275	cgg Arg	gcg Ala	gct Ala	gcc Ala	ctc Leu 280	tgc Ser	ctc Leu	agt Ser	acc Thr	ctg Leu 285	gcc Ala	1647
agt Ser	ccc Pro	aag Lys	ggg Gly 290	ggc Gly	agt Ser	ggc Gly	aca Thr	gcg Ala 295	ggc Gly	acc Thr	gag Glu	ccc Pro	agc Ser 300	gac Asp	atc Ile	1695
atc Ile	att Ile	ccc Pro 305	tta Leu	cgg Arg	act Thr	aca Thr	gag Glu 310	aac Asn	aac Asn	tac Tyr	tgc Cys	ccc Pro 315	cac His	tat Tyr	gag Glu	1743
aag Lys	gtg Val 320	agt Ser	ggg Gly	gac Asp	tac Tyr	ggg Gly 325	cac His	cct Pro	gtc Val	tac Tyr	atc Ile 330	gtc Val	caa Gln	gag Glu	atg Met	1791
ccg Pro 335	ccc Pro	cag Gln	agc Ser	ccg Pro	gcg Ala 340	aac Asn	atc Ile	tac Tyr	tac Tyr	aag Lys 345	gtc Val	tga	gtgcccggca			1840
cgccctcagg	cccccgagg	acagtcggcc	tgaccggac	ctctcctttc	gccccacac											1900
cccctcccct	tgccagctgt	gcccaccttt	gtatttagtt	ttgtagtttc	ttggctttta											1960
taatccccct	ttttccctgc	cccctgggct	tcggaggggg	gtgcttggtc	ccctaaccct											2020
catgctcttg	tgccctcccc	ctctggccag	gcctctgggc	tccgtggggg	cgcccccttct											2080
tggaaggcag	ggctggacac	tgatggacag	caggcagggg	gacagtcctcc	tgcccttgcc											2140
cctccctcgc	cccccttgcc	accttcccag	gactgcttgt	ccgctatcat	cactgttttt											2200

aatgccttttg tgttcatttt ttagctgtca actcattttc atctgttttt tgaagaaaaa 2260  
 tggaaaaatg taaaaggcag cccctcccca ggctttgtga gcctggccca agccagtaca 2320  
 agagggcctg gggcacgatg tggtcagcca ggaagcatag gatgccattt cttttataga 2380  
 ttccttggtg tttctggtgg ggtaaggggc aggccagggc tgttcacgcc catgagggaa 2440  
 gaggaaagtg ccactgggca aggtgtccca ccctcccctc ctgaccctcc tacgaggctt 2500  
 atcctggcaa tggggtagtc actgccaccc ttccacacac acacacacac acacacacac 2560  
 aaaaaaaaaat cccttccttg tgggattctt gggcatctcc tgcctcccctc actctcacgg 2620  
 taattaatgt ctttaattggc tgttgcttgg ggaacaggag agctgtgtga ggcagatgac 2680  
 ctcatggggg gtggaggagg gtgaggtgcc cagggtggcta tttgccctgc agagctggga 2740  
 gtttcacccc cccccccac cctgttctct cttaccttt ggcatccttt ggcctggtgg 2800  
 ggaaacagag gcccagggtg gagacctaa ggggtataag accagggtggc ctgctccttt 2860  
 tctggggcct agcacagggt ggtaaccccc acccaaccca gtcctgtgtg ctgtcccagt 2920  
 cttgggctgg ggcctggaaa gaggaagagg ctgcctgggg ctgggccagc ccgctgtgca 2980  
 ctttgacccc agttccttgc cagcacggct gctaacagac tgccacttga gtgcgccttg 3040  
 caggcactcc cagagcagcc atggaaggag ctggccctca caccatccac ctccacactg 3100  
 cctcctggcc agctgccac cccagtgtca ggtgggagag ggagcagaac agccagcccc 3160  
 ttccagggtg cagtcggaag ggtttttgtt tttgtttctg ttgccatttg tgtaataact 3220  
 agtctttttg gaaaaaaaaa aatgtaaaga tgtttgtat aaactctgaa ttattttctt 3280  
 gttgcttttt tcttagaaaa aaatgagaac taaaaaaaaa aaattaacca catggaaaaa 3340  
 aaaaaa 3346

<210> 30  
 <211> 346  
 <212> PRT  
 <213> Homo sapiens

<400> 30

Met Ala Arg Pro Gly Gln Arg Trp Leu Gly Lys Trp Leu Val Ala Met  
 1 5 10 15  
 Val Val Trp Ala Leu Cys Arg Leu Ala Thr Pro Leu Ala Lys Asn Leu  
 20 25 30  
 Glu Pro Val Ser Trp Ser Ser Leu Asn Pro Lys Phe Leu Ser Gly Lys  
 35 40 45  
 Gly Leu Val Ile Tyr Pro Lys Ile Gly Asp Lys Leu Asp Ile Ile Cys  
 50 55 60  
 Pro Arg Ala Glu Ala Gly Arg Pro Tyr Glu Tyr Tyr Lys Leu Tyr Leu  
 65 70 75 80  
 Val Arg Pro Glu Gln Ala Ala Ala Cys Ser Thr Val Leu Asp Pro Asn  
 85 90 95  
 Val Leu Val Thr Cys Asn Arg Pro Glu Gln Glu Ile Arg Phe Thr Ile  
 100 105 110  
 Lys Phe Gln Glu Phe Ser Pro Asn Tyr Met Gly Leu Glu Phe Lys Lys  
 115 120 125

His His Asp Tyr Tyr Ile Thr Ser Thr Ser Asn Gly Ser Leu Glu Gly  
 130 135 140  
 Leu Glu Asn Arg Glu Gly Gly Val Cys Arg Thr Arg Thr Met Lys Ile  
 145 150 155 160  
 Ile Met Lys Val Gly Gln Asp Pro Asn Ala Val Thr Pro Glu Gln Leu  
 165 170 175  
 Thr Thr Ser Arg Pro Ser Lys Glu Ala Asp Asn Thr Val Lys Met Ala  
 180 185 190  
 Thr Gln Ala Pro Gly Ser Arg Gly Ser Leu Gly Asp Ser Asp Gly Lys  
 195 200 205  
 His Glu Thr Val Asn Gln Glu Glu Lys Ser Gly Pro Gly Ala Ser Gly  
 210 215 220  
 Gly Ser Ser Gly Asp Pro Asp Gly Phe Phe Asn Ser Lys Val Ala Leu  
 225 230 235 240  
 Phe Ala Ala Val Gly Ala Gly Cys Val Ile Phe Leu Leu Ile Ile Ile  
 245 250 255  
 Phe Leu Thr Val Leu Leu Leu Lys Leu Arg Lys Arg His Arg Lys His  
 260 265 270  
 Thr Gln Gln Arg Ala Ala Ala Leu Ser Leu Ser Thr Leu Ala Ser Pro  
 275 280 285  
 Lys Gly Gly Ser Gly Thr Ala Gly Thr Glu Pro Ser Asp Ile Ile Ile  
 290 295 300  
 Pro Leu Arg Thr Thr Glu Asn Asn Tyr Cys Pro His Tyr Glu Lys Val  
 305 310 315 320  
 Ser Gly Asp Tyr Gly His Pro Val Tyr Ile Val Gln Glu Met Pro Pro  
 325 330 335  
 Gln Ser Pro Ala Asn Ile Tyr Tyr Lys Val  
 340 345

<210> 31  
 <211> 2488  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (127)..(1266)  
 <223>

<400> 31  
 cggcccaacg aggcgctggt ggtttcaggg ggctgttggtg gttccgacta taaacagtac 60  
 gtgtttggcg gctgggcctg ggcctggtgg tgtatctccg acactcagag gatttccta 120  
 gagatt atg acg ttg cag ccc cgc tgc gag gac gta gag acg gcc gag 168  
 Met Thr Leu Gln Pro Arg Cys Glu Asp Val Glu Thr Ala Glu  
 1 5 10  
 ggg gta gct tta act gtg acg ggt gtc gcc cag gtg aag atc atg acg 216  
 Gly Val Ala Leu Thr Val Thr Gly Val Ala Gln Val Lys Ile Met Thr  
 15 20 25 30  
 gag aag gaa ctc ctg gcc gtg gct tgt gag cag ttt ctg ggt aag aat 264

Glu	Lys	Glu	Leu	Leu <sub>35</sub>	Ala	Val	Ala	Cys	Glu <sub>40</sub>	Gln	Phe	Leu	Gly	Lys <sub>45</sub>	Asn	
gtg	cag	gac	atc	aaa	aac	gtc	gtc	ctg	cag	acc	ctg	gag	gga	cat	ctg	312
Val	Gln	Asp	Ile <sub>50</sub>	Lys	Asn	Val	Val	Leu <sub>55</sub>	Gln	Thr	Leu	Glu	Gly <sub>60</sub>	His	Leu	
cgc	tcc	atc	ctc	ggg	acc	ctg	aca	gtg	gag	cag	att	tat	cag	gac	cgg	360
Arg	Ser	Ile <sub>65</sub>	Leu	Gly	Thr	Leu	Thr <sub>70</sub>	Val	Glu	Gln	Ile	Tyr <sub>75</sub>	Gln	Asp	Arg	
gac	cag	ttt	gcc	aag	ctg	gtg	cgg	gag	gtg	gca	gcc	cct	gat	gtt	ggc	408
Asp	Gln	Phe	Ala	Lys	Leu	Val <sub>85</sub>	Arg	Glu	Val	Ala	Ala <sub>90</sub>	Pro	Asp	Val	Gly	
cgc	atg	ggc	att	gag	atc	ctc	agc	ttc	acc	atc	aag	gac	gtg	tat	gac	456
Arg	Met	Gly	Ile	Glu	Ile <sub>100</sub>	Leu	Ser	Phe	Thr	Ile <sub>105</sub>	Lys	Asp	Val	Tyr	Asp <sub>110</sub>	
aaa	gtg	gac	tat	ctg	agc	tcc	ctg	ggc	aag	acg	cag	act	gcc	gtg	gtg	504
Lys	Val	Asp	Tyr	Leu <sub>115</sub>	Ser	Ser	Leu	Gly	Lys <sub>120</sub>	Thr	Gln	Thr	Ala	Val <sub>125</sub>	Val	
cag	aga	gat	gct	gac	att	ggc	gtg	gcc	gag	gct	gaa	cgg	gac	gca	ggc	552
Gln	Arg	Asp	Ala <sub>130</sub>	Asp	Ile	Gly	Val	Ala <sub>135</sub>	Glu	Ala	Glu	Arg	Asp <sub>140</sub>	Ala	Gly	
atc	cgg	gaa	gct	gag	tgc	aag	aag	gag	atg	ctg	gat	gtg	aag	ttc	atg	600
Ile	Arg	Glu <sub>145</sub>	Ala	Glu	Cys	Lys	Lys <sub>150</sub>	Glu	Met	Leu	Asp	Val <sub>155</sub>	Lys	Phe	Met	
gca	gac	acc	aag	att	gct	gac	tct	aag	cga	gcc	ttc	gag	ctg	caa	aag	648
Ala	Asp <sub>160</sub>	Thr	Lys	Ile	Ala	Asp <sub>165</sub>	Ser	Lys	Arg	Ala	Phe <sub>170</sub>	Glu	Leu	Gln	Lys	
tca	gcc	ttc	agt	gag	gag	gtt	aac	atc	aag	aca	gct	gag	gcc	cag	ttg	696
Ser	Ala	Phe	Ser	Glu	Glu <sub>180</sub>	Val	Asn	Ile	Lys	Thr <sub>185</sub>	Ala	Glu	Ala	Gln	Leu <sub>190</sub>	
gcc	tat	gag	ctg	cag	ggg	gcc	cgt	gaa	cag	cag	aag	atc	cgg	cag	gaa	744
Ala	Tyr	Glu	Leu	Gln <sub>195</sub>	Gly	Ala	Arg	Glu	Gln <sub>200</sub>	Gln	Lys	Ile	Arg	Gln <sub>205</sub>	Glu	
gag	att	gag	att	gag	gtt	gtg	cag	cgc	aag	aaa	cag	att	gcc	gtg	gag	792
Glu	Ile	Glu	Ile <sub>210</sub>	Glu	Val	Val	Gln	Arg <sub>215</sub>	Lys	Lys	Gln	Ile	Ala <sub>220</sub>	Val	Glu	
gca	cag	gag	atc	ctg	cgt	acg	gac	aag	gag	ctc	atc	gct	aca	gtg	cgc	840
Ala	Gln	Glu <sub>225</sub>	Ile	Leu	Arg	Thr	Asp <sub>230</sub>	Lys	Glu	Leu	Ile	Ala <sub>235</sub>	Thr	Val	Arg	
cgg	cct	gcc	gag	gcc	gag	gcc	cac	cgc	atc	cag	cag	att	gcc	gag	ggt	888
Arg	Pro <sub>240</sub>	Ala	Glu	Ala	Glu	Ala <sub>245</sub>	His	Arg	Ile	Gln	Gln <sub>250</sub>	Ile	Ala	Glu	Gly	
gaa	aag	gtg	aag	cag	gtc	ctc	ttg	gca	cag	gca	gag	gct	gag	aag	atc	936
Glu	Lys	Val	Lys	Gln	Val <sub>260</sub>	Leu	Leu	Ala	Gln	Ala <sub>265</sub>	Glu	Ala	Glu	Lys	Ile <sub>270</sub>	
cgc	aaa	atc	ggg	gag	gcg	gaa	gcg	gca	gtc	atc	gag	gcg	atg	ggc	aag	984
Arg	Lys	Ile	Gly	Glu <sub>275</sub>	Ala	Glu	Ala	Ala	Val <sub>280</sub>	Ile	Glu	Ala	Met	Gly <sub>285</sub>	Lys	
gca	gag	gct	gag	cgg	atg	aag	ctc	aag	gca	gaa	gcc	tac	cag	aaa	tac	1032
Ala	Glu	Ala <sub>290</sub>	Glu	Arg	Met	Lys	Leu	Lys <sub>295</sub>	Ala	Glu	Ala	Tyr	Gln <sub>300</sub>	Lys	Tyr	
ggg	gat	gca	gcc	aag	atg	gcc	ttg	gtg	cta	gag	gcc	ctg	ccc	cag	att	1080
Gly	Asp	Ala <sub>305</sub>	Ala	Lys	Met	Ala	Leu <sub>310</sub>	Val	Leu	Glu	Ala	Leu <sub>315</sub>	Pro	Gln	Ile	
gct	gcc	aaa	atc	gct	gcc	cca	ctt	acc	aag	gtc	gat	gag	att	gtg	gtc	1128
Ala	Ala <sub>320</sub>	Lys	Ile	Ala	Ala	Pro <sub>325</sub>	Leu	Thr	Lys	Val	Asp <sub>330</sub>	Glu	Ile	Val	Val	
ctc	agt	gga	gac	aac	agt	aag	gtc	aca	tca	gaa	gtg	aac	cga	ctg	ctg	1176
Leu	Ser	Gly	Asp	Asn	Ser <sub>340</sub>	Lys	Val	Thr	Ser	Glu <sub>345</sub>	Val	Asn	Arg	Leu	Leu <sub>350</sub>	
gcc	gag	ctg	cct	gcc	tct	gtg	cat	gcc	ctc	aca	ggc	gtg	gac	ctg	tct	1224

Ala Glu Leu Pro Ala Ser Val His Ala Leu Thr Gly Val Asp Leu Ser  
 355 360 365  
 aag ata ccc ctg atc aag aag gcc act ggt gtg cag gtg tga 1266  
 Lys Ile Pro Leu Ile Lys Lys Ala Thr Gly Val Gln Val  
 370 375  
 ggctcctaca ggcccactct cttcagcagc caccggcccc tccctccagc acccgtttta 1326  
 atccacaga acaacgggaa cgttactgac tctggtgcct tatctcgaag ggaccagaag 1386  
 tgctgcgtgt tcaggccatc tctggctgtc ttcctgtctc tctgtctgt ccacctctc 1446  
 ctcttctct cctttacccc actttcactg ccactttcat caggtttgtg tctcatctcc 1506  
 ctgctgtct tttcctttgt ctgtcttttt ttttcccca tgcacatcat gtagattaag 1566  
 ctgaagatgt ttattacaat cactctctgt ggggggtggc cctgctgctc ctgagaatcc 1626  
 tgggtgccttg aagttctctg tgcctctgtc catcctccct atggccctgg ccagagctca 1686  
 gcatgggcag gggttctggg taggacggtc actgtcctct ctcttgact ggtcttccca 1746  
 gccctaaacc ctgccccagg aagcccacag cctcacctgc tgctgcccct ctaggctctg 1806  
 gcagccatga cctgcagggc ccagagacac tgccttccc ctcatccacc caaggcccca 1866  
 gccagcgtc ataccctgtc ttttctccct gaccccaagg gcacagaggc aaggcctcct 1926  
 gtctacagca gcttctcag tttcctactg ccttaggagg cccctgcttg tgctcagggg 1986  
 aggcctctc atgggcatgt tctgctggg gcggtgcggt ttgggtccaa ctctgctaag 2046  
 ttttctgaga tgagggtcta gccctgttg ggacagaaaa gtgtgtagac cttcttctg 2106  
 ctagggtctg actgtcctgg gtgttgggcc cttctggtgg acaaggctgt gccaacctg 2166  
 tacagaatcg agtgctgtg cctggccaga cccagagcc cttgtgccat ctttcttct 2226  
 ggccagagt atggggttcc agccatggg aagcaacca atcctctgtc tccttgctcc 2286  
 aatggaggca gaagagccca ggaccaagc gtcttggcag ggggtgctgtg aatgtccagt 2346  
 ggtcccagct cccaccctg gccctgcccc agcctgtgta gctcttctg catgtggatg 2406  
 ctgcatgtct ggtctggggc ttggatgttg cactgcccc ctgcctgtcc cttctggtaa 2466  
 aataaagaac tcttaatgcc cg 2488

<210> 32  
 <211> 379  
 <212> PRT  
 <213> Homo sapiens

<400> 32

Met Thr Leu Gln Pro Arg Cys Glu Asp Val Glu Thr Ala Glu Gly Val  
 1 5 10 15

Ala Leu Thr Val Thr Gly Val Ala Gln Val Lys Ile Met Thr Glu Lys  
 20 25 30

Glu Leu Leu Ala Val Ala Cys Glu Gln Phe Leu Gly Lys Asn Val Gln  
 35 40 45

Asp Ile Lys Asn Val Val Leu Gln Thr Leu Glu Gly His Leu Arg Ser  
 50 55 60

Ile Leu Gly Thr Leu Thr Val Glu Gln Ile Tyr Gln Asp Arg Asp Gln  
 65 70 75 80

Phe Ala Lys Leu Val Arg Glu Val Ala Ala Pro Asp Val Gly Arg Met  
 85 90 95

Gly Ile Glu Ile Leu Ser Phe Thr Ile Lys Asp Val Tyr Asp Lys Val  
 100 105 110  
 Asp Tyr Leu Ser Ser Leu Gly Lys Thr Gln Thr Ala Val Val Gln Arg  
 115 120 125  
 Asp Ala Asp Ile Gly Val Ala Glu Ala Glu Arg Asp Ala Gly Ile Arg  
 130 135 140  
 Glu Ala Glu Cys Lys Lys Glu Met Leu Asp Val Lys Phe Met Ala Asp  
 145 150 155 160  
 Thr Lys Ile Ala Asp Ser Lys Arg Ala Phe Glu Leu Gln Lys Ser Ala  
 165 170 175  
 Phe Ser Glu Glu Val Asn Ile Lys Thr Ala Glu Ala Gln Leu Ala Tyr  
 180 185 190  
 Glu Leu Gln Gly Ala Arg Glu Gln Gln Lys Ile Arg Gln Glu Glu Ile  
 195 200 205  
 Glu Ile Glu Val Val Gln Arg Lys Lys Gln Ile Ala Val Glu Ala Gln  
 210 215 220  
 Glu Ile Leu Arg Thr Asp Lys Glu Leu Ile Ala Thr Val Arg Arg Pro  
 225 230 235 240  
 Ala Glu Ala Glu Ala His Arg Ile Gln Gln Ile Ala Glu Gly Glu Lys  
 245 250 255  
 Val Lys Gln Val Leu Leu Ala Gln Ala Glu Ala Glu Lys Ile Arg Lys  
 260 265 270  
 Ile Gly Glu Ala Glu Ala Ala Val Ile Glu Ala Met Gly Lys Ala Glu  
 275 280 285  
 Ala Glu Arg Met Lys Leu Lys Ala Glu Ala Tyr Gln Lys Tyr Gly Asp  
 290 295 300  
 Ala Ala Lys Met Ala Leu Val Leu Glu Ala Leu Pro Gln Ile Ala Ala  
 305 310 315 320  
 Lys Ile Ala Ala Pro Leu Thr Lys Val Asp Glu Ile Val Val Leu Ser  
 325 330 335  
 Gly Asp Asn Ser Lys Val Thr Ser Glu Val Asn Arg Leu Leu Ala Glu  
 340 345 350  
 Leu Pro Ala Ser Val His Ala Leu Thr Gly Val Asp Leu Ser Lys Ile  
 355 360 365  
 Pro Leu Ile Lys Lys Ala Thr Gly Val Gln Val  
 370 375

<210> 33  
 <211> 1771  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (7)..(1650)

&lt;223&gt;

&lt;400&gt;

gtcaga	atg	gcc	acc	atg	gta	cca	tcc	gtg	ttg	tgg	ccc	agg	gcc	tgc	48
Met	Ala	Thr	Met	Val	Pro	Ser	Val	Leu	Trp	Pro	Arg	Ala	Cys		
1				5				10							
tgg	act	ctg	ctg	gtc	tgc	tgt	ctg	ctg	acc	cca	ggg	gtc	cag	ggg	96
Trp	Thr	Leu	Leu	Val	Cys	Leu	Leu	Thr	Pro	Gly	Val	Gln	Gly	Gln	
15				20					25					30	
gag	ttc	ctt	ttg	cgg	gtg	gag	ccc	cag	aac	cct	gtg	ctc	tct	gct	144
Glu	Phe	Leu	Leu	Arg	Val	Glu	Pro	Gln	Asn	Pro	Val	Leu	Ser	Ala	
				35					40					45	
ggg	tcc	ctg	ttt	gtg	aac	tgc	agt	act	gat	tgt	ccc	agc	tct	gag	192
Gly	Ser	Leu	Phe	Val	Asn	Cys	Ser	Thr	Asp	Cys	Pro	Ser	Ser	Glu	
			50					55					60	Lys	
atc	gcc	ttg	gag	acg	tcc	cta	tca	aag	gag	ctg	gtg	gcc	agt	ggc	240
Ile	Ala	Leu	Glu	Thr	Ser	Leu	Ser	Lys	Glu	Leu	Val	Ala	Ser	Gly	
		65					70					75		Met	
ggc	tgg	gca	gcc	ttc	aat	ctc	agc	aac	gtg	act	ggc	aac	agt	cgg	288
Gly	Trp	Ala	Ala	Phe	Asn	Leu	Ser	Asn	Val	Thr	Gly	Asn	Ser	Arg	
	80					85					90			Ile	
ctc	tgc	tca	gtg	tac	tgc	aat	ggc	tcc	cag	ata	aca	ggc	tcc	tct	336
Leu	Cys	Ser	Val	Tyr	Cys	Asn	Gly	Ser	Gln	Ile	Thr	Gly	Ser	Ser	
					100					105				Asn	
atc	acc	gtg	tac	agg	ctc	ccg	gag	cgt	gtg	gag	ctg	gca	ccc	ctg	384
Ile	Thr	Val	Tyr	Arg	Leu	Pro	Glu	Arg	Val	Glu	Leu	Ala	Pro	Leu	
				115					120					125	
cct	tgg	cag	ccg	gtg	ggc	cag	aac	ttc	acc	ctg	cgc	tgc	caa	gtg	432
Pro	Trp	Gln	Pro	Val	Gly	Gln	Asn	Phe	Thr	Leu	Arg	Cys	Gln	Val	
			130					135					140	Glu	
gat	ggg	tcg	ccc	cgg	acc	agc	ctc	acg	gtg	gtg	ctg	ctt	cgc	tgg	480
Asp	Gly	Ser	Pro	Arg	Thr	Ser	Leu	Thr	Val	Val	Leu	Leu	Arg	Trp	
		145					150					155		Glu	
gag	gag	ctg	agc	cgg	cag	ccc	gca	gtg	gag	gag	cca	gcg	gag	gtc	528
Glu	Glu	Leu	Ser	Arg	Gln	Pro	Ala	Val	Glu	Glu	Pro	Ala	Glu	Val	
	160					165					170			Thr	
gcc	act	gtg	ctg	gcc	agc	aga	gac	gac	cac	gga	ggc	cct	ttc	tca	576
Ala	Thr	Val	Leu	Ala	Ser	Arg	Asp	Asp	His	Gly	Ala	Pro	Phe	Ser	
				180						185				Cys	
cgc	aca	gaa	ctg	gac	atg	cag	ccc	cag	ggg	ctg	gga	ctg	ttc	gtg	624
Arg	Thr	Glu	Leu	Asp	Met	Gln	Pro	Gln	Gly	Leu	Gly	Leu	Phe	Val	
				195					200					205	
acc	tca	gcc	ccc	cgc	cag	ctc	cga	acc	ttt	gtc	ctg	ccc	gtg	acc	672
Thr	Ser	Ala	Pro	Arg	Gln	Leu	Arg	Thr	Phe	Val	Leu	Pro	Val	Thr	
			210					215					220	Pro	
ccg	cgc	ctc	gtg	gcc	ccc	cgg	ttc	ttg	gag	gtg	gaa	acg	tcg	tgg	720
Pro	Arg	Leu	Val	Ala	Pro	Arg	Phe	Leu	Glu	Val	Glu	Thr	Ser	Trp	
		225				230						235		Pro	
gtg	gac	tgc	acc	cta	gac	ggg	ctt	ttt	cca	gcc	tca	gag	gcc	cag	768
Val	Asp	Cys	Thr	Leu	Asp	Gly	Leu	Phe	Pro	Ala	Ser	Glu	Ala	Gln	
	240					245					250			Val	
tac	ctg	gcg	ctg	ggg	gac	cag	atg	ctg	aat	gcg	aca	gtc	atg	aac	816
Tyr	Leu	Ala	Leu	Gly	Asp	Gln	Met	Leu	Asn	Ala	Thr	Val	Met	Asn	
	255				260					265				His	
ggg	gac	acg	cta	acg	gcc	aca	gcc	aca	gcc	acg	gcg	cgc	gcg	gat	864
Gly	Asp	Thr	Leu	Thr	Ala	Thr	Ala	Thr	Ala	Thr	Ala	Arg	Ala	Asp	
				275					280					Gln	
gag	ggg	gcc	cgg	gag	atc	gtc	tgc	aac	gtg	acc	cta	ggg	ggc	gag	912
Glu	Gly	Ala	Arg	Glu	Ile	Val	Cys	Asn	Val	Thr	Leu	Gly	Gly	Glu	
			290					295					300	Arg	
cgg	gag	gcc	cgg	gag	aac	ttg	acg	gtc	ttt	agc	ttc	cta	gga	ccc	960
														att	



Arg Glu Ala Arg Glu Asn Leu Thr Val Phe Ser Phe Leu Gly Pro Ile  
 305 310 315  
 gtg aac ctc agc gag ccc acc gcc cat gag ggg tcc aca gtg acc gtg 1008  
 Val Asn Leu Ser Glu Pro Thr Ala His Glu Gly Ser Thr Val Thr Val  
 320 325  
 agt tgc atg gct ggg gct cga gtc cag gtc acg ctg gac gga gtt ccg 1056  
 Ser Cys Met Ala Gly Ala Arg Val Gln Val Thr Leu Asp Gly Val Pro  
 335 340 345 350  
 gcc gcg gcc ccg ggg cag cca gct caa ctt cag cta aat gct acc gag 1104  
 Ala Ala Ala Pro Gly Gln Pro Ala Gln Leu Gln Leu Asn Ala Thr Glu  
 355 360 365  
 agt gac gac gga cgc agc ttc ttc tgc agt gcc act ctc gag gtg gac 1152  
 Ser Asp Asp Gly Arg Ser Phe Phe Cys Ser Ala Thr Leu Glu Val Asp  
 370 375 380  
 ggc gag ttc ttg cac agg aac agt agc gtc cag ctg cga gtc ctg tat 1200  
 Gly Glu Phe Leu His Arg Asn Ser Ser Val Gln Leu Arg Val Leu Tyr  
 385 390 395  
 ggt ccc aaa att gac cga gcc aca tgc ccc cag cac ttg aaa tgg aaa 1248  
 Gly Pro Lys Ile Asp Arg Ala Thr Cys Pro Gln His Leu Lys Trp Lys  
 400 405 410  
 gat aaa acg aga cac gtc ctg cag tgc caa gcc agg ggc aac ccg tac 1296  
 Asp Lys Thr Arg His Val Leu Gln Cys Gln Ala Arg Gly Asn Pro Tyr  
 415 420 425 430  
 ccc gag ctg cgg tgt ttg aag gaa ggc tcc agc cgg gag gtg ccg gtg 1344  
 Pro Glu Leu Arg Cys Leu Lys Glu Gly Ser Ser Arg Glu Val Pro Val  
 435 440 445  
 ggg atc ccg ttc ttc gtc aac gta aca cat aat ggt act tat cag tgc 1392  
 Gly Ile Pro Phe Phe Val Asn Val Thr His Asn Gly Thr Tyr Gln Cys  
 450 455 460  
 caa gcg tcc agc tca cga ggc aaa tac acc ctg gtc gtg gtg atg gac 1440  
 Gln Ala Ser Ser Ser Arg Gly Lys Tyr Thr Leu Val Val Met Asp  
 465 470 475  
 att gag gct ggg agc tcc cac ttt gtc ccc gtc ttc gtg gcg gtg tta 1488  
 Ile Glu Ala Gly Ser Ser His Phe Val Pro Val Phe Val Ala Val Leu  
 480 485 490  
 ctg acc ctg ggc gtg gtg act atc gta ctg gcc tta atg tac gtc ttc 1536  
 Leu Thr Leu Gly Val Val Thr Ile Val Leu Ala Leu Met Tyr Val Phe  
 495 500 505 510  
 agg gag cac caa cgg agc ggc agt tac cat gtt agg gag gag agc acc 1584  
 Arg Glu His Gln Ser Gly Ser Tyr His Val Arg Glu Glu Ser Thr  
 515 520 525  
 tat ctg ccc ctc acg tct atg cag ccg aca gaa gca atg ggg gaa gaa 1632  
 Tyr Leu Pro Leu Thr Ser Met Gln Pro Thr Glu Ala Met Gly Glu Glu  
 530 535 540  
 ccg tcc aga gct gag tga cgctgggac cgggatcaaa gttggcgggg 1680  
 Pro Ser Arg Ala Glu  
 545  
 gcttggtgt gccctcagat tccgcaccaa taaagccttc aaactcccta aaaaaaaaaa 1740  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 1771

<210> 34  
 <211> 547  
 <212> PRT  
 <213> Homo sapiens

<400> 34

Met Ala Thr Met Val Pro Ser Val Leu Trp Pro Arg Ala Cys Trp Thr  
1 5 10 15

Leu Leu Val Cys Cys Leu Leu Thr Pro Gly Val Gln Gly Gln Glu Phe

20 25 30  
 Leu Leu Arg Val Glu Pro Gln Asn Pro Val Leu Ser Ala Gly Gly Ser  
 35 40 45  
 Leu Phe Val Asn Cys Ser Thr Asp Cys Pro Ser Ser Glu Lys Ile Ala  
 50 55 60  
 Leu Glu Thr Ser Leu Ser Lys Glu Leu Val Ala Ser Gly Met Gly Trp  
 65 70 75 80  
 Ala Ala Phe Asn Leu Ser Asn Val Thr Gly Asn Ser Arg Ile Leu Cys  
 85 90 95  
 Ser Val Tyr Cys Asn Gly Ser Gln Ile Thr Gly Ser Ser Asn Ile Thr  
 100 105 110  
 Val Tyr Arg Leu Pro Glu Arg Val Glu Leu Ala Pro Leu Pro Pro Trp  
 115 120 125  
 Gln Pro Val Gly Gln Asn Phe Thr Leu Arg Cys Gln Val Glu Asp Gly  
 130 135 140  
 Ser Pro Arg Thr Ser Leu Thr Val Val Leu Leu Arg Trp Glu Glu Glu  
 145 150 155 160  
 Leu Ser Arg Gln Pro Ala Val Glu Glu Pro Ala Glu Val Thr Ala Thr  
 165 170 175  
 Val Leu Ala Ser Arg Asp Asp His Gly Ala Pro Phe Ser Cys Arg Thr  
 180 185 190  
 Glu Leu Asp Met Gln Pro Gln Gly Leu Gly Leu Phe Val Asn Thr Ser  
 195 200 205  
 Ala Pro Arg Gln Leu Arg Thr Phe Val Leu Pro Val Thr Pro Pro Arg  
 210 215 220  
 Leu Val Ala Pro Arg Phe Leu Glu Val Glu Thr Ser Trp Pro Val Asp  
 225 230 235 240  
 Cys Thr Leu Asp Gly Leu Phe Pro Ala Ser Glu Ala Gln Val Tyr Leu  
 245 250 255  
 Ala Leu Gly Asp Gln Met Leu Asn Ala Thr Val Met Asn His Gly Asp  
 260 265 270  
 Thr Leu Thr Ala Thr Ala Thr Ala Thr Ala Arg Ala Asp Gln Glu Gly  
 275 280 285  
 Ala Arg Glu Ile Val Cys Asn Val Thr Leu Gly Gly Glu Arg Arg Glu  
 290 295 300  
 Ala Arg Glu Asn Leu Thr Val Phe Ser Phe Leu Gly Pro Ile Val Asn  
 305 310 315 320  
 Leu Ser Glu Pro Thr Ala His Glu Gly Ser Thr Val Thr Val Ser Cys  
 325 330 335  
 Met Ala Gly Ala Arg Val Gln Val Thr Leu Asp Gly Val Pro Ala Ala

340 345 350  
 Ala Pro Gly Gln Pro Ala Gln Leu Gln Leu Asn Ala Thr Glu Ser Asp  
 355 360 365  
 Asp Gly Arg Ser Phe Phe Cys Ser Ala Thr Leu Glu Val Asp Gly Glu  
 370 375 380  
 Phe Leu His Arg Asn Ser Ser Val Gln Leu Arg Val Leu Tyr Gly Pro  
 385 390 395 400  
 Lys Ile Asp Arg Ala Thr Cys Pro Gln His Leu Lys Trp Lys Asp Lys  
 405 410 415  
 Thr Arg His Val Leu Gln Cys Gln Ala Arg Gly Asn Pro Tyr Pro Glu  
 420 425 430  
 Leu Arg Cys Leu Lys Glu Gly Ser Ser Arg Glu Val Pro Val Gly Ile  
 435 440 445  
 Pro Phe Phe Val Asn Val Thr His Asn Gly Thr Tyr Gln Cys Gln Ala  
 450 455 460  
 Ser Ser Ser Arg Gly Lys Tyr Thr Leu Val Val Val Met Asp Ile Glu  
 465 470 475 480  
 Ala Gly Ser Ser His Phe Val Pro Val Phe Val Ala Val Leu Leu Thr  
 485 490 495  
 Leu Gly Val Val Thr Ile Val Leu Ala Leu Met Tyr Val Phe Arg Glu  
 500 505 510  
 His Gln Arg Ser Gly Ser Tyr His Val Arg Glu Glu Ser Thr Tyr Leu  
 515 520 525  
 Pro Leu Thr Ser Met Gln Pro Thr Glu Ala Met Gly Glu Glu Pro Ser  
 530 535 540  
 Arg Ala Glu  
 545

<210> 35  
 <211> 1314  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (128)..(1159)  
 <223>

<400> 35  
 cggctgtgtt gcgcagtctt catgggttcc cgacgaggag gtctctgtgg ctgcggcggc 60  
 ggctgctaac tgcgccacct gctgcagcct gtccccgccg ctctgaagcg gccgcgtcga 120  
 agccgaa atg ccg cca ccc cgg acc ggc cga ggc ctt ctc tgg ctg ggt 169  
 Met Pro Pro Pro Arg Thr Gly Arg Gly Leu Trp Leu Gly 10  
 ctg gtt ctg agc tcc gtc tgc gtc gcc ctc gga tcc gaa acg cag gcc 217  
 Leu Val Leu Ser Ser Val Cys Val Ala Leu Gly Ser Glu Thr Gln Ala 15 20 25 30  
 aac tcg acc aca gat gct ctg aac gtt ctt ctc atc atc gtg gat gac 265  
 Asn Ser Thr Thr Asp Ala Leu Asn Val Leu Leu Ile Ile Val Asp Asp

Page 71

ttctacttcc tctggttttt acaacaggaa atgaaatggt atctaaaata aacaagctgt 1299  
 ggtatgatga taatt 1314

<210> 36  
 <211> 343  
 <212> PRT  
 <213> Homo sapiens

<400> 36

Met Pro Pro Pro Arg Thr Gly Arg Gly Leu Leu Trp Leu Gly Leu Val  
 1 5 10 15  
 Leu Ser Ser Val Cys Val Ala Leu Gly Ser Glu Thr Gln Ala Asn Ser  
 20 25 30  
 Thr Thr Asp Ala Leu Asn Val Leu Leu Ile Ile Val Asp Asp Leu Arg  
 35 40 45  
 Pro Ser Leu Gly Cys Tyr Gly Asp Lys Leu Val Arg Ser Pro Asn Ile  
 50 55 60  
 Asp Gln Leu Ala Ser His Ser Leu Leu Phe Gln Asn Ala Phe Ala Gln  
 65 70 75 80  
 Gln Ala Val Cys Ala Pro Ser Arg Val Ser Phe Leu Thr Gly Arg Arg  
 85 90 95  
 Pro Asp Thr Thr Arg Leu Tyr Asp Phe Asn Ser Tyr Trp Arg Val His  
 100 105 110  
 Ala Gly Asn Phe Ser Thr Ile Pro Gln Tyr Phe Lys Glu Asn Gly Tyr  
 115 120 125  
 Val Thr Met Ser Val Gly Lys Val Phe His Pro Gly Ile Ser Ser Asn  
 130 135 140  
 His Thr Asp Asp Ser Pro Tyr Ser Trp Ser Phe Pro Pro Tyr His Pro  
 145 150 155 160  
 Ser Ser Glu Lys Tyr Glu Asn Thr Lys Thr Cys Arg Gly Pro Asp Gly  
 165 170 175  
 Glu Leu His Ala Asn Leu Leu Cys Pro Val Asp Val Leu Asp Val Pro  
 180 185 190  
 Glu Gly Thr Leu Pro Asp Lys Gln Ser Thr Glu Gln Ala Ile Gln Leu  
 195 200 205  
 Leu Glu Lys Met Lys Thr Ser Ala Ser Pro Phe Phe Leu Ala Val Gly  
 210 215 220  
 Tyr His Lys Pro His Ile Pro Phe Arg Tyr Pro Lys Glu Phe Gln Lys  
 225 230 235 240  
 Leu Tyr Pro Leu Glu Asn Ile Thr Leu Ala Pro Asp Pro Glu Val Pro  
 245 250 255  
 Asp Gly Leu Pro Pro Val Ala Tyr Asn Pro Trp Met Asp Ile Arg Gln  
 260 265 270

Arg Glu Asp Val Gln Ala Leu Asn Ile Ser Val Pro Tyr Gly Pro Ile  
 275 280 285

Pro Val Asp Phe Gln Arg Lys Ile Arg Gln Ser Tyr Phe Ala Ser Val  
 290 295 300

Ser Tyr Leu Asp Thr Gln Val Gly Arg Leu Leu Ser Ala Leu Asp Asp  
 305 310 315 320

Leu Gln Leu Ala Asn Ser Thr Ile Ile Ala Phe Thr Ser Asp His Gly  
 325 330 335

Phe Leu Met Arg Thr Asn Thr  
 340

<210> 37  
 <211> 5077  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (405)..(4121)  
 <223>

<400> 37  
 ctcatgcata tgcaggtgcg cgggtgacga atgggagcagc gagctgtcag tctcgttccg 60  
 aacttggttg ctgcggtgcc gggagcgcg ggcgcagag ccgaggccg gaccgctgc 120  
 cttcaccgcc gccgccgtcg ccgccgggtg ggagccgggc cgggcagccg gagcgcgcc 180  
 gccagcgagc cggagctgcc gccgcccctg cacgcccgcc gccagggccc gcgcgccgcg 240  
 gcgctgcgct cgaccccgcc cgcgcccgcc ccgcccgcc ctctgccgct gccgctgcct 300  
 ctgcgggagc tcggagggcg ggcgggagc gggagggccg gcgggcggct gggagccggg 360  
 gcggggcgcc ggcgggcggg ccgggcgggc gggtcgcggg ggca atg cgg gcg cag 416  
 Met Arg Ala Gln  
 1

ggc cgg ggg cgc ctt ccc cgg cgg ctg ctg ctg ctg ctg ggc ctc tgg 464  
 Gly Arg Gly Arg Leu Pro Arg Arg Leu Leu Leu Leu Leu Ala Leu Trp  
 5 10 15 20

gtg cag gcg gcg cgg ccc atg ggc tat ttc gag ctg cag ctg agc gcg 512  
 Val Gln Ala Ala Arg Pro Met Gly Tyr Phe Glu Leu Gln Leu Ser Ala  
 25 30 35

ctg cgg aac gtg aac ggg gag ctg ctg agc ggc gcc tgc tgt gag ggc 560  
 Leu Arg Asn Val Asn Gly Glu Leu Leu Ser Gly Ala Cys Cys Asp Gly  
 40 45 50

gac ggc cgg aca acg cgc gcg ggg ggc tgc ggc cac gac gag tgc gac 608  
 Asp Gly Arg Thr Thr Arg Ala Gly Gly Cys Gly His Asp Glu Cys Asp  
 55 60 65

acg tac gtg cgc gtg tgc ctt aag gag tac cag gcc aag gtg acg ccc 656  
 Thr Tyr Val Arg Val Cys Leu Lys Glu Tyr Gln Ala Lys Val Thr Pro  
 70 75 80

acg ggg ccc tgc agc tac ggc cac ggc gcc acg ccc gtg ctg ggc ggc 704  
 Thr Gly Pro Cys Ser Tyr Gly His Gly Ala Thr Pro Val Leu Gly Gly  
 85 90 95 100

aac tcc ttc tac ctg ccg ccg gcg ggc gct gcg ggg gac cga gcg cgg 752  
 Asn Ser Phe Tyr Leu Pro Pro Ala Gly Ala Ala Gly Asp Arg Ala Arg  
 105 110 115

gcg cgg gcc cgg gcc ggc ggc gac cag gac ccg ggc ctc gtc gtc atc 800  
 Ala Arg Ala Arg Ala Gly Gly Asp Gln Asp Pro Gly Leu Val Val Ile  
 120 125 130

ccc ttc cag ttc gcc tgg ccg cgc tcc ttt acc ctc atc gtg gag gcc 848

Pro	Phe	Gln 135	Phe	Ala	Trp	Pro	Arg 140	Ser	Phe	Thr	Leu	Ile 145	Val	Glu	Ala	
tgg Trp	gac Asp 150	tgg Trp	gac Asp	aac Asn	gat Asp	acc Thr 155	acc Thr	ccg Pro	aat Asn	gag Glu	gag Glu 160	ctg Leu	ctg Leu	atc Ile	gag Glu	896
cga Arg 165	gtg Val	tcg Ser	cat His	gcc Ala	ggc Gly 170	atg Met	atc Ile	aac Asn	ccg Pro	gag Glu 175	gac Asp	cgc Arg	tgg Trp	aag Lys	agc Ser 180	944
ctg Leu	cac His	ttc Phe	agc Ser	ggc Gly 185	cac His	gtg Val	gcg Ala	cac His	ctg Leu 190	gag Glu	ctg Leu	cag Gln	atc Ile	cgc Arg 195	gtg Val	992
cgc Arg	tgc Cys	gac Asp	gag Glu 200	aac Asn	tac Tyr	tac Tyr	agc Ser	gcc Ala 205	act Thr	tgc Cys	aac Asn	aag Lys	ttc Phe 210	tgc Cys	cgg Arg	1040
ccc Pro	cgc Arg	aac Asn 215	gac Asp	ttt Phe	ttc Phe	ggc Gly	cac His 220	tac Tyr	acc Thr	tgc Cys	gac Asp	cag Gln 225	tac Tyr	ggc Gly	aac Asn	1088
aag Lys	gcc Ala 230	tgc Cys	atg Met	gac Asp	ggc Gly	tgg Trp 235	atg Met	ggc Gly	aag Lys	gag Glu	tgc Cys 240	aag Lys	gaa Glu	gct Ala	gtg Val	1136
tgt Cys 245	aaa Lys	caa Gln	ggg Gly	tgt Cys	aat Asn 250	ttg Leu	ctc Leu	cac His	ggg Gly	gga Gly 255	tgc Cys	acc Thr	gtg Val	cct Pro	ggg Gly 260	1184
gag Glu	tgc Cys	agg Arg	tgc Cys	agc Ser 265	tac Tyr	ggc Gly	tgg Trp	caa Gln	ggg Gly 270	agg Arg	ttc Phe	tgc Cys	gat Asp	gag Glu 275	tgt Cys	1232
gtc Val	ccc Pro	tac Tyr	ccc Pro 280	ggc Gly	tgc Cys	gtg Val	cat His	ggc Gly 285	agt Ser	tgt Cys	gtg Val	gag Glu	ccc Pro 290	tgg Trp	cag Gln	1280
tgc Cys	aac Asn	tgt Cys 295	gag Glu	acc Thr	aac Asn	tgg Trp	ggc Gly 300	ggc Gly	ctg Leu	ctc Leu	tgt Cys	gac Asp 305	aaa Lys	gac Asp	ctg Leu	1328
aac Asn	tac Tyr 310	tgt Cys	ggc Gly	agc Ser	cac His	cac His 315	ccc Pro	tgc Cys	acc Thr	aac Asn	gga Gly 320	ggc Gly	acg Thr	tgc Cys	atc Ile	1376
aac Asn 325	gcc Ala	gag Glu	cct Pro	gac Asp	cag Gln 330	tac Tyr	cgc Arg	tgc Cys	acc Thr	tgc Cys 335	cct Pro	gac Asp	ggc Gly	tac Tyr	tcg Ser 340	1424
ggc Gly	agg Arg	aac Asn	tgt Cys	gag Glu 345	aag Lys	gct Ala	gag Glu	cac His	gcc Ala 350	tgc Cys	acc Thr	tcc Ser	aac Asn	ccg Pro 355	tgt Cys	1472
gcc Ala	aac Asn	ggg Gly	ggc Gly 360	tct Ser	tgc Cys	cat His	gag Glu	gtg Val 365	ccg Pro	tcc Ser	ggc Gly	ttc Phe	gaa Glu 370	tgc Cys	cac His	1520
tgc Cys	cca Pro	tcg Ser 375	ggc Gly	tgg Trp	agc Ser	ggg Gly	ccc Pro 380	acc Thr	tgt Cys	gcc Ala	ctt Leu	gac Asp 385	atc Ile	gat Asp	gag Glu	1568
tgt Cys	gct Ala 390	tcg Ser	aac Asn	ccg Pro	tgt Cys	ggc Ala 395	gcc Ala	ggt Gly	ggc Gly	acc Thr	tgt Cys 400	gtg Val	gac Asp	cag Gln	gtg Val	1616
gac Asp 405	ggc Gly	ttt Phe	gag Glu	tgc Cys	atc Ile 410	tgc Cys	ccc Pro	gag Glu	cag Gln	tgg Trp 415	gtg Val	ggg Gly	gcc Ala	acc Thr	tgc Cys 420	1664
cag Gln	ctg Leu	gac Asp	gcc Ala	aac Asn 425	gag Glu	tgt Cys	gaa Glu	ggg Gly	aag Lys 430	cca Pro	tgc Cys	ctt Leu	aac Asn	gct Ala 435	ttt Phe	1712
tct Ser	tgc Cys	aaa Lys	aac Asn 440	ctg Leu	att Ile	ggc Gly	ggc Gly	tat Tyr 445	tac Tyr	tgt Cys	gat Asp	tgc Cys	atc Ile 450	ccg Pro	ggc Gly	1760
tgg	aag	ggc	atc	aac	tgc	cat	atc	aac	gtc	aac	gac	tgt	cgc	ggg	cag	1808

Trp	Lys	Gly 455	Ile	Asn	Cys	His	Ile 460	Asn	Val	Asn	Asp	Cys 465	Arg	Gly	Gln	
tgt Cys	cag Gln 470	cat His	ggg Gly	ggc Gly	acc Thr	tgc Cys 475	aag Lys	gac Asp	ctg Leu	gtg Val	aac Asn 480	ggg Gly	tac Tyr	cag Gln	tgt Cys	1856
gtg Val 485	tgc Cys	cca Pro	cgg Arg	ggc Gly	ttc Phe 490	gga Gly	ggc Gly	cgg Arg	cat His	tgc Cys 495	gag Glu	ctg Leu	gaa Glu	cga Arg	gac Asp 500	1904
gag Glu	tgt Cys	gcc Ala	agc Ser	agc Ser 505	ccc Pro	tgc Cys	cac His	agc Ser	ggc Gly 510	ggc Gly	ctc Leu	tgc Cys	gag Glu	gac Asp 515	ctg Leu	1952
gcc Ala	gac Asp	ggc Gly	ttc Phe 520	cac His	tgc Cys	cac His	tgc Cys	ccc Pro 525	cag Gln	ggc Gly	ttc Phe	tcc Ser	ggg Gly 530	cct Pro	ctc Leu	2000
tgt Cys	gag Glu	gtg Val 535	gat Asp	gtc Val	gac Asp	ctt Leu	tgt Cys 540	gag Glu	cca Pro	agc Ser	ccc Pro 545	tgc Cys	cgg Arg	aac Asn	ggc Gly	2048
gct Ala	cgc Arg 550	tgc Cys	tat Tyr	aac Asn	ctg Leu	gag Glu 555	ggc Gly	gac Asp	tat Tyr	tac Tyr	tgc Cys 560	gcc Ala	tgc Cys	cct Pro	gat Asp	2096
gac Asp 565	ttt Phe	ggc Gly	ggc Gly	aag Lys	aac Asn 570	tgc Cys	tcc Ser	gtg Val	ccc Pro	cgc Arg 575	gag Glu	ccg Pro	tgc Cys	cct Pro	ggc Gly 580	2144
ggg Gly	gcc Ala	tgc Cys	aga Arg	gtg Val 585	atc Ile	gat Asp	ggc Gly	tgc Cys	ggg Gly 590	tca Ser	gac Asp	gcg Ala	ggg Gly	cct Pro 595	ggg Gly	2192
atg Met	cct Pro	ggc Gly	aca Thr 600	gca Ala	gcc Ala	tcc Ser	ggc Gly	gtg Val 605	tgt Cys	ggc Gly	ccc Pro	cat His	gga Gly 610	cgc Arg	tgc Cys	2240
gtc Val	agc Ser	cag Gln 615	cca Pro	ggg Gly	ggc Gly	aac Asn	ttt Phe 620	tcc Ser	tgc Cys	atc Ile	tgt Cys	gac Asp 625	agt Ser	ggc Gly	ttt Phe	2288
act Thr	ggc Gly 630	acc Thr	tac Tyr	tgc Cys	cat His	gag Glu 635	aac Asn	att Ile	gac Asp	gac Asp	tgc Cys 640	ctg Leu	ggc Gly	cag Gln	ccc Pro	2336
tgc Cys 645	cgc Arg	aat Asn	ggg Gly	ggc Gly	aca Thr 650	tgc Cys	atc Ile	gat Asp	gag Glu	gtg Val 655	gac Asp	gcc Ala	ttc Phe	cgc Arg	tgc Cys 660	2384
ttc Phe	tgc Cys	ccc Pro	agc Ser	ggc Gly 665	tgg Trp	gag Glu	ggc Gly	gag Glu	ctc Leu 670	tgc Cys	gac Asp	acc Thr	aat Asn	ccc Pro 675	aac Asn	2432
gac Asp	tgc Cys	ctt Leu	ccc Pro 680	gat Asp	ccc Pro	tgc Cys	cac His	agc Ser 685	cgc Arg	ggc Gly	cgc Arg	tgc Cys	tac Tyr 690	gac Asp	ctg Leu	2480
gtc Val	aat Asn	gac Asp 695	ttc Phe	tac Tyr	tgt Cys	gcg Ala	tgc Cys 700	gac Asp	gac Asp	ggc Gly	tgg Trp	aag Lys 705	ggc Gly	aag Lys	acc Thr	2528
tgc Cys	cac His 710	tca Ser	cgc Arg	gag Glu	ttc Phe 715	cag Gln 715	tgc Cys	gat Asp	gcc Ala	tac Tyr	acc Thr 720	tgc Cys	agc Ser	aac Asn	ggc Gly	2576
ggc Gly 725	acc Thr	tgc Cys	tac Tyr	gac Asp	agc Ser 730	ggc Gly	gac Asp	acc Thr	ttc Phe	cgc Arg 735	tgc Cys	gcc Ala	tgc Cys	ccc Pro	ccc Pro 740	2624
ggc Gly	tgg Trp	aag Lys	ggc Gly	agc Ser 745	acc Thr	tgc Cys	gcc Ala	gtc Val	gcc Ala 750	aag Lys	aac Asn	agc Ser	agc Ser	tgc Cys 755	ctg Leu	2672
ccc Pro	aac Asn	ccc Pro	tgt Cys 760	gtg Val	aat Asn	ggc Gly	ggc Gly	acc Thr 765	tgc Cys	gtg Val	ggc Gly	agc Ser	ggg Gly 770	ggc Ala	tcc Ser	2720
ttc	tcc	tgc	atc	tgc	cgg	gac	ggc	tgg	gag	ggc	cgt	act	tgc	act	cac	2768



Phe	Ser	Cys 775	Ile	Cys	Arg	Asp	Gly 780	Trp	Glu	Gly	Arg	Thr 785	Cys	Thr	His	
aat Asn	acc Thr 790	aac Asn	gac Asp	tgc Cys	aac Asn	cct Pro 795	ctg Leu	cct Pro	tgc Cys	tac Tyr	aat Asn 800	ggg Gly	ggc Gly	atc Ile	tgt Cys	2816
gtt Val 805	gac Asp	ggc Gly	gtc Val	aac Asn	tgg Trp 810	ttc Phe	cgc Arg	tgc Cys	gag Glu	tgt Cys 815	gca Ala	cct Pro	ggc Gly	ttc Phe	gcg Ala 820	2864
ggg Gly	cct Pro	gac Asp	tgc Cys	cgc Arg 825	atc Ile	aac Asn	atc Ile	gac Asp	gag Glu 830	tgc Cys	cag Gln	tcc Ser	tcg Ser	ccc Pro 835	tgt Cys	2912
gcc Ala	tac Tyr	ggg Gly	gcc Ala 840	acg Thr	tgt Cys	gtg Val	gat Asp	gag Glu 845	atc Ile	aac Asn	ggg Gly	tat Tyr	cgc Arg 850	tgt Cys	agc Ser	2960
tgc Cys	cca Pro	ccc Pro 855	ggc Gly	cga Arg	gcc Ala	ggc Gly	ccc Pro 860	cgg Arg	tgc Cys	cag Gln	gaa Glu	gtg Val 865	atc Ile	ggg Gly	ttc Phe	3008
ggg Gly	aga Arg 870	tcc Ser	tgc Cys	tgg Trp	tcc Ser	cgg Arg 875	ggc Gly	act Thr	ccg Pro	ttc Phe	cca Pro 880	cac His	gga Gly	agc Ser	tcc Ser	3056
tgg Trp 885	gtg Val	gaa Glu	gac Asp	tgc Cys	aac Asn 890	agc Ser	tgc Cys	cgc Arg	tgc Cys	ctg Leu 895	gat Asp	ggc Gly	cgc Arg	cgt Arg	gac Asp 900	3104
tgc Cys	agc Ser	aag Lys	gtg Val 905	tgg Trp	tgc Cys	gga Gly	tgg Trp	aag Lys	cct Pro 910	tgt Cys	ctg Leu	ctg Leu	gcc Ala 915	ggc Gly	cag Gln	3152
ccc Pro	gag Glu	gcc Ala	ctg Leu 920	agc Ser	gcc Ala	cag Gln	tgc Cys	cca Pro 925	ctg Leu	ggg Gly	caa Gln	agg Arg	tgc Cys 930	ctg Leu	gag Glu	3200
aag Lys	gcc Ala	cca Pro 935	ggc Gly	cag Gln	tgt Cys	ctg Leu	cga Arg 940	cca Pro	ccc Pro	tgt Cys	gag Glu	gcc Ala 945	tgg Trp	ggg Gly	gag Glu	3248
tgc Cys	ggc Gly 950	gca Ala	gaa Glu	gag Glu	cca Pro	ccg Pro 955	agc Ser	acc Thr	ccc Pro	tgc Cys	ctg Leu 960	cca Pro	cgc Arg	tcc Ser	ggc Gly	3296
cac His 965	ctg Leu	gac Asp	aat Asn	aac Asn	tgt Cys 970	gcc Ala	cgc Arg	ctc Leu	acc Thr	ttg Leu 975	cat His	ttc Phe	aac Asn	cgt Arg	gac Asp 980	3344
cac His	gtg Val	ccc Pro	cag Gln	ggc Gly 985	acc Thr	acg Thr	gtg Val	ggc Gly	gcc Ala 990	att Ile	tgc Cys	tcc Ser	ggg Gly	atc Ile 995	cgc Arg	3392
tcc Ser	ctg Leu	cca Pro	gcc Ala 1000	aca Thr	agg Arg	gct Ala	gtg Val	gca Ala 1005	cgg Arg	gac Asp	cgc Arg	ctg Leu	ctg Leu 1010	gtg Val		3437
ttg Leu	ctt Leu	tgc Cys	gac Asp 1015	cgg Arg	gcg Ala	tcc Ser	tcg Ser	ggg Gly 1020	gcc Ala	agt Ser	gcc Ala	gtg Val	gag Glu 1025	gtg Val		3482
gcc Ala	gtg Val	tcc Ser	ttc Phe 1030	agc Ser	cct Pro	gcc Ala	agg Arg	gac Asp 1035	ctg Leu	cct Pro	gac Asp	agc Ser	agc Ser 1040	ctg Leu		3527
atc Ile	cag Gln	ggc Gly	gcg Ala 1045	gcc Ala	cac His	gcc Ala	atc Ile	gtg Val 1050	gcc Ala	gcc Ala	atc Ile	acc Thr	cag Gln 1055	cgg Arg		3572
ggg Gly	aac Asn	agc Ser	tca Ser 1060	ctg Leu	ctc Leu	ctg Leu	gct Ala	gtc Val 1065	acc Thr	gag Glu	gtc Val	aag Lys	gtg Val 1070	gag Glu		3617
acg Thr	gtt Val	gtt Val	acg Thr 1075	ggc Gly	ggc Gly	tct Ser	tcc Ser	aca Thr 1080	ggg Gly	ctg Leu	ctg Leu	gtg Val	cct Pro 1085	gtg Val		3662
ctg	tgt	ggg	gcc	ttc	agc	gtg	ctg	tgg	ctg	gcg	tgc	gtg	gtc	ctg		3707

Leu	Cys	Gly	Ala	Phe	Ser	Val	Leu	Trp	Leu	Ala	Cys	Val	Val	Leu	
			1090					1095					1100		
tgc	gtg	tgg	tgg	aca	cgc	aag	cgc	agg	aaa	gag	cgg	gag	agg	agc	3752
Cys	Val	Trp	Trp	Thr	Arg	Lys	Arg	Arg	Lys	Glu	Arg	Glu	Arg	Ser	
			1105					1110					1115		
cgg	ctg	ccg	cgg	gag	gag	agc	gcc	aac	aac	cag	tgg	gcc	ccg	ctc	3797
Arg	Leu	Pro	Arg	Glu	Glu	Ser	Ala	Asn	Asn	Gln	Trp	Ala	Pro	Leu	
			1120					1125					1130		
aac	ccc	atc	cgc	aac	ccc	atc	gag	cgg	ccg	ggg	ggc	cac	aag	gac	3842
Asn	Pro	Ile	Arg	Asn	Pro	Ile	Glu	Arg	Pro	Gly	Gly	His	Lys	Asp	
			1135					1140					1145		
gtg	ctc	tac	cag	tgc	aag	aac	ttc	acg	ccg	ccg	ccg	cgc	agg	gcg	3887
Val	Leu	Tyr	Gln	Cys	Lys	Asn	Phe	Thr	Pro	Pro	Pro	Arg	Arg	Ala	
			1150					1155					1160		
gac	gag	gcg	ctg	ccc	ggg	ccg	gcc	ggc	cac	gcg	gcc	gtc	agg	gag	3932
Asp	Glu	Ala	Leu	Pro	Gly	Pro	Ala	Gly	His	Ala	Ala	Val	Arg	Glu	
			1165					1170					1175		
gat	gag	gag	gac	gag	gat	ctg	ggc	cgc	ggt	gag	gag	gac	tcc	ctg	3977
Asp	Glu	Glu	Asp	Glu	Asp	Leu	Gly	Arg	Gly	Glu	Glu	Asp	Ser	Leu	
			1180					1185					1190		
gag	gcg	gag	aag	ttc	ctc	tca	cac	aaa	ttc	acc	aaa	gat	cct	ggc	4022
Glu	Ala	Glu	Lys	Phe	Leu	Ser	His	Lys	Phe	Thr	Lys	Asp	Pro	Gly	
			1195					1200					1205		
cgc	tcg	ccg	ggg	agg	ccg	gcc	cac	tgg	gcc	tca	ggc	ccc	aaa	gtg	4067
Arg	Ser	Pro	Gly	Arg	Pro	Ala	His	Trp	Ala	Ser	Gly	Pro	Lys	Val	
			1210					1215					1220		
gac	aac	cgc	gcg	gtc	agg	agc	atc	aat	gag	gcc	cgc	tac	gcc	ggc	4112
Asp	Asn	Arg	Ala	Val	Arg	Ser	Ile	Asn	Glu	Ala	Arg	Tyr	Ala	Gly	
			1225					1230					1235		
aag	gag	tag	ggg	cgg	ctgc	cag	ctgg	ggc	ggg	accc	cagg	gcc	ctc	ggtg	4161
Lys	Glu														
ggagccatgc	cgtctgccgg	acccggaggc	cgaggccatg	tgcatagttt	ctttattttg										4221
tgtaaaaaaa	ccacaaaaaa	caaaaaccaa	atgtttat	tctacgtttc	tttaacctg										4281
tataaattat	tcagtaactg	tcaggctgaa	aacaatggag	tattctcgga	tagttgctat										4341
ttttgtaaag	tttccgtgcg	tggcactcgc	tgtatgaaag	gagagagcaa	aggggtgctg										4401
cgtcgtcacc	aaatcgtagc	gtttgttacc	agagggttg	caactgtttac	agaatcttcc										4461
ttttattcct	caactcgggtt	tctctgtggc	tccaggccaa	agtgccggtg	agacccatgg										4521
ctgtgttgg	gtggcccatg	gctgttggtg	ggacccgtg	ctgatggtgt	ggcctgtggc										4581
tgtcgggtgg	actcgtggct	gtcaatggga	cctgtggctg	tcgggtgggac	ctacgggtggt										4641
cggtgggacc	ctggttattg	atgtggccct	ggctgccggc	acggcccgtg	gctgttgacg										4701
cacctgtggt	tgttagtggg	gcctgaggtc	atcggcgtgg	cccaaggccg	gcaggtcaac										4761
ctcgcgcttg	ctggccagtc	caccctgcct	gccgtctgtg	cttctctctg	cccagaacgc										4821
ccgctccagc	gatctctcca	ctgtgctttc	agaagtggcc	ttcctgctgc	gcagttctcc										4881
catcctggga	cggcggcagt	attgaagctc	gtgacaagtg	ccttcacaca	gacccctcgc										4941
aactgtccac	gcgtgccgtg	gcaccaggcg	ctgcccacct	gccggccccg	gccgcccctc										5001
ctcgtgaaag	tgcatttttg	taaatgtgta	catattaaag	gaagcactct	gtatatttga										5061
ttgaataatg	ccacca														5077

<210> 38  
 <211> 1238  
 <212> PRT  
 <213> Homo sapiens

&lt;400&gt; 38

Met Arg Ala Gln Gly Arg Gly Arg Leu Pro Arg Arg Leu Leu Leu Leu  
 1 5 10 15  
 Leu Ala Leu Trp Val Gln Ala Ala Arg Pro Met Gly Tyr Phe Glu Leu  
 20 25 30  
 Gln Leu Ser Ala Leu Arg Asn Val Asn Gly Glu Leu Leu Ser Gly Ala  
 35 40 45  
 Cys Cys Asp Gly Asp Gly Arg Thr Thr Arg Ala Gly Gly Cys Gly His  
 50 55 60  
 Asp Glu Cys Asp Thr Tyr Val Arg Val Cys Leu Lys Glu Tyr Gln Ala  
 65 70 75 80  
 Lys Val Thr Pro Thr Gly Pro Cys Ser Tyr Gly His Gly Ala Thr Pro  
 85 90 95  
 Val Leu Gly Gly Asn Ser Phe Tyr Leu Pro Pro Ala Gly Ala Ala Gly  
 100 105 110  
 Asp Arg Ala Arg Ala Arg Ala Gly Gly Asp Gln Asp Pro Gly  
 115 120 125  
 Leu Val Val Ile Pro Phe Gln Phe Ala Trp Pro Arg Ser Phe Thr Leu  
 130 135 140  
 Ile Val Glu Ala Trp Asp Trp Asp Asn Asp Thr Thr Pro Asn Glu Glu  
 145 150 155 160  
 Leu Leu Ile Glu Arg Val Ser His Ala Gly Met Ile Asn Pro Glu Asp  
 165 170 175  
 Arg Trp Lys Ser Leu His Phe Ser Gly His Val Ala His Leu Glu Leu  
 180 185 190  
 Gln Ile Arg Val Arg Cys Asp Glu Asn Tyr Tyr Ser Ala Thr Cys Asn  
 195 200 205  
 Lys Phe Cys Arg Pro Arg Asn Asp Phe Phe Gly His Tyr Thr Cys Asp  
 210 215 220  
 Gln Tyr Gly Asn Lys Ala Cys Met Asp Gly Trp Met Gly Lys Glu Cys  
 225 230 235 240  
 Lys Glu Ala Val Cys Lys Gln Gly Cys Asn Leu Leu His Gly Gly Cys  
 245 250 255  
 Thr Val Pro Gly Glu Cys Arg Cys Ser Tyr Gly Trp Gln Gly Arg Phe  
 260 265 270  
 Cys Asp Glu Cys Val Pro Tyr Pro Gly Cys Val His Gly Ser Cys Val  
 275 280 285  
 Glu Pro Trp Gln Cys Asn Cys Glu Thr Asn Trp Gly Gly Leu Leu Cys  
 290 295 300  
 Asp Lys Asp Leu Asn Tyr Cys Gly Ser His His Pro Cys Thr Asn Gly  
 305 310 315 320

Gly Thr Cys Ile Asn<sub>325</sub> Ala Glu Pro Asp Gln<sub>330</sub> Tyr Arg Cys Thr Cys<sub>335</sub> Pro  
 Asp Gly Tyr Ser<sub>340</sub> Gly Arg Asn Cys Glu<sub>345</sub> Lys Ala Glu His Ala<sub>350</sub> Cys Thr  
 Ser Asn Pro<sub>355</sub> Cys Ala Asn Gly Gly<sub>360</sub> Ser Cys His Glu Val<sub>365</sub> Pro Ser Gly  
 Phe Glu<sub>370</sub> Cys His Cys Pro Ser<sub>375</sub> Gly Trp Ser Gly Pro<sub>380</sub> Thr Cys Ala Leu  
 Asp<sub>385</sub> Ile Asp Glu Cys Ala<sub>390</sub> Ser Asn Pro Cys Ala<sub>395</sub> Ala Gly Gly Thr Cys<sub>400</sub>  
 Val Asp Gln Val Asp<sub>405</sub> Gly Phe Glu Cys Ile<sub>410</sub> Cys Pro Glu Gln Trp<sub>415</sub> Val  
 Gly Ala Thr Cys<sub>420</sub> Gln Leu Asp Ala Asn<sub>425</sub> Glu Cys Glu Gly Lys<sub>430</sub> Pro Cys  
 Leu Asn Ala<sub>435</sub> Phe Ser Cys Lys Asn<sub>440</sub> Leu Ile Gly Gly Tyr<sub>445</sub> Tyr Cys Asp  
 Cys Ile<sub>450</sub> Pro Gly Trp Lys Gly<sub>455</sub> Ile Asn Cys His Ile<sub>460</sub> Asn Val Asn Asp  
 Cys<sub>465</sub> Arg Gly Gln Cys Gln<sub>470</sub> His Gly Gly Thr Cys<sub>475</sub> Lys Asp Leu Val Asn<sub>480</sub>  
 Gly Tyr Gln Cys Val<sub>485</sub> Cys Pro Arg Gly Phe<sub>490</sub> Gly Gly Arg His Cys<sub>495</sub> Glu  
 Leu Glu Arg Asp<sub>500</sub> Glu Cys Ala Ser Ser<sub>505</sub> Pro Cys His Ser Gly<sub>510</sub> Gly Leu  
 Cys Glu Asp<sub>515</sub> Leu Ala Asp Gly Phe<sub>520</sub> His Cys His Cys Pro<sub>525</sub> Gln Gly Phe  
 Ser Gly<sub>530</sub> Pro Leu Cys Glu Val<sub>535</sub> Asp Val Asp Leu Cys<sub>540</sub> Glu Pro Ser Pro  
 Cys<sub>545</sub> Arg Asn Gly Ala Arg<sub>550</sub> Cys Tyr Asn Leu Glu<sub>555</sub> Gly Asp Tyr Tyr Cys<sub>560</sub>  
 Ala Cys Pro Asp Asp<sub>565</sub> Phe Gly Gly Lys Asn<sub>570</sub> Cys Ser Val Pro Arg<sub>575</sub> Glu  
 Pro Cys Pro Gly<sub>580</sub> Gly Ala Cys Arg Val<sub>585</sub> Ile Asp Gly Cys Gly<sub>590</sub> Ser Asp  
 Ala Gly Pro<sub>595</sub> Gly Met Pro Gly Thr<sub>600</sub> Ala Ala Ser Gly Val<sub>605</sub> Cys Gly Pro  
 His Gly<sub>610</sub> Arg Cys Val Ser Gln<sub>615</sub> Pro Gly Gly Asn Phe<sub>620</sub> Ser Cys Ile Cys  
 Asp<sub>625</sub> Ser Gly Phe Thr Gly<sub>630</sub> Thr Tyr Cys His Glu<sub>635</sub> Asn Ile Asp Asp Cys<sub>640</sub>

Leu Gly Gln Pro Cys Arg Asn Gly Gly Thr Cys Ile Asp Glu Val Asp  
 645 650 655  
 Ala Phe Arg Cys Phe Cys Pro Ser Gly Trp Glu Gly Glu Leu Cys Asp  
 660 665 670  
 Thr Asn Pro Asn Asp Cys Leu Pro Asp Pro Cys His Ser Arg Gly Arg  
 675 680 685  
 Cys Tyr Asp Leu Val Asn Asp Phe Tyr Cys Ala Cys Asp Asp Gly Trp  
 690 695 700  
 Lys Gly Lys Thr Cys His Ser Arg Glu Phe Gln Cys Asp Ala Tyr Thr  
 705 710 715 720  
 Cys Ser Asn Gly Gly Thr Cys Tyr Asp Ser Gly Asp Thr Phe Arg Cys  
 725 730 735  
 Ala Cys Pro Pro Gly Trp Lys Gly Ser Thr Cys Ala Val Ala Lys Asn  
 740 745 750  
 Ser Ser Cys Leu Pro Asn Pro Cys Val Asn Gly Gly Thr Cys Val Gly  
 755 760 765  
 Ser Gly Ala Ser Phe Ser Cys Ile Cys Arg Asp Gly Trp Glu Gly Arg  
 770 775 780  
 Thr Cys Thr His Asn Thr Asn Asp Cys Asn Pro Leu Pro Cys Tyr Asn  
 785 790 795 800  
 Gly Gly Ile Cys Val Asp Gly Val Asn Trp Phe Arg Cys Glu Cys Ala  
 805 810 815  
 Pro Gly Phe Ala Gly Pro Asp Cys Arg Ile Asn Ile Asp Glu Cys Gln  
 820 825 830  
 Ser Ser Pro Cys Ala Tyr Gly Ala Thr Cys Val Asp Glu Ile Asn Gly  
 835 840 845  
 Tyr Arg Cys Ser Cys Pro Pro Gly Arg Ala Gly Pro Arg Cys Gln Glu  
 850 855 860  
 Val Ile Gly Phe Gly Arg Ser Cys Trp Ser Arg Gly Thr Pro Phe Pro  
 865 870 875 880  
 His Gly Ser Ser Trp Val Glu Asp Cys Asn Ser Cys Arg Cys Leu Asp  
 885 890 895  
 Gly Arg Arg Asp Cys Ser Lys Val Trp Cys Gly Trp Lys Pro Cys Leu  
 900 905 910  
 Leu Ala Gly Gln Pro Glu Ala Leu Ser Ala Gln Cys Pro Leu Gly Gln  
 915 920 925  
 Arg Cys Leu Glu Lys Ala Pro Gly Gln Cys Leu Arg Pro Pro Cys Glu  
 930 935 940  
 Ala Trp Gly Glu Cys Gly Ala Glu Glu Pro Pro Ser Thr Pro Cys Leu  
 945 950 955 960

Pro Arg Ser Gly His<sub>965</sub> Leu Asp Asn Asn Cys<sub>970</sub> Ala Arg Leu Thr Leu His<sub>975</sub>  
 Phe Asn Arg Asp His<sub>980</sub> Val Pro Gln Gly<sub>985</sub> Thr Thr Val Gly Ala Ile Cys<sub>990</sub>  
 Ser Gly Ile Arg Ser Leu Pro Ala<sub>1000</sub> Thr Arg Ala Val Ala Arg Asp Arg<sub>1005</sub>  
 Leu Leu Val Leu Leu Cys Asp<sub>1015</sub> Arg Ala Ser Ser Gly Ala Ser Ala<sub>1020</sub>  
 Val Glu Val Ala Val Ser Phe<sub>1030</sub> Ser Pro Ala Arg Asp Leu Pro Asp<sub>1035</sub>  
 Ser Ser Leu Ile Gln Gly Ala<sub>1045</sub> Ala His Ala Ile Val Ala Ala Ile<sub>1050</sub>  
 Thr Gln Arg Gly Asn Ser Ser<sub>1060</sub> Leu Leu Leu Ala Val Thr Glu Val<sub>1065</sub>  
 Lys Val Glu Thr Val Val Thr<sub>1075</sub> Gly Gly Ser Ser Thr Gly Leu Leu<sub>1080</sub>  
 Val Pro Val Leu Cys Gly Ala<sub>1090</sub> Phe Ser Val Leu Trp Leu Ala Cys<sub>1095</sub>  
 Val Val Leu Cys Val Trp Trp<sub>1105</sub> Thr Arg Lys Arg Arg Lys Glu Arg<sub>1110</sub>  
 Glu Arg Ser Arg Leu Pro Arg<sub>1120</sub> Glu Glu Ser Ala Asn Asn Gln Trp<sub>1125</sub>  
 Ala Pro Leu Asn Pro Ile Arg<sub>1135</sub> Asn Pro Ile Glu Arg Pro Gly Gly<sub>1140</sub>  
 His Lys Asp Val Leu Tyr Gln<sub>1150</sub> Cys Lys Asn Phe Thr Pro Pro Pro<sub>1155</sub>  
 Arg Arg Ala Asp Glu Ala Leu<sub>1165</sub> Pro Gly Pro Ala Gly His Ala Ala<sub>1170</sub>  
 Val Arg Glu Asp Glu Glu Asp<sub>1180</sub> Glu Asp Leu Gly Arg Gly Glu Glu<sub>1185</sub>  
 Asp Ser Leu Glu Ala Glu Lys<sub>1195</sub> Phe Leu Ser His Lys Phe Thr Lys<sub>1200</sub>  
 Asp Pro Gly Arg Ser Pro Gly<sub>1210</sub> Arg Pro Ala His Trp Ala Ser Gly<sub>1215</sub>  
 Pro Lys Val Asp Asn Arg Ala<sub>1225</sub> Val Arg Ser Ile Asn Glu Ala Arg<sub>1230</sub>  
 Tyr Ala Gly Lys Glu<sub>1235</sub>

<210> 39  
 <211> 634  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (3)..(371)  
 <223>

<400> 39

```

cc agg gcc gca ctc cgg aga ctc gcg gtt gct acg cgc acc atg gct      47
   Arg Ala Ala Leu Arg Arg Leu Ala Val Ala Thr Arg Thr Met Ala
   1          5          10          15

gga gcg ccc acg gtc tcg ctt cct gaa ctc cgt tca ctc cta gcc tcc      95
Gly Ala Pro Thr Val Ser Leu Pro Glu Leu Arg Ser Leu Leu Ala Ser
          20          25          30

gga cgg gcc cgg ctc ttc gac gtg cgc tct cgc gag gag gcg gca gct      143
Gly Arg Ala Arg Leu Phe Asp Val Arg Ser Arg Glu Glu Ala Ala Ala
          35          40          45

ggg acc atc cca ggg gcg ctc aac atc ccg gtg tcc gag ttg gag agt      191
Gly Thr Ile Pro Gly Ala Leu Asn Ile Pro Val Ser Glu Leu Glu Ser
          50          55          60

gct ctg cag atg gag cca gct gcc ttc cag gct tta tat tct gct gag      239
Ala Leu Gln Met Glu Pro Ala Ala Phe Gln Ala Leu Tyr Ser Ala Glu
          65          70          75

aag cca aag ctg gaa gat gag cat ctc gtt ttc ttc tgt cag atg ggc      287
Lys Pro Lys Leu Glu Asp Glu His Leu Val Phe Phe Cys Gln Met Gly
          80          85          90          95

aag cgg gcc ctc cag gcc acg cag ctg gcc cgg agt ctt gga tac act      335
Lys Arg Gly Leu Gln Ala Thr Gln Leu Ala Arg Ser Leu Gly Tyr Thr
          100          105          110

ggg tac ggg gag gtg tgg ctg cta gct ggg agg tga tggggactgc      381
Gly Tyr Gly Glu Val Trp Leu Leu Ala Gly Arg
          115          120

ctgtcattcc tgtcagtctc tcacgcttct ttgtctccac agggctcgca actacgtgg      441
agcctataga gaatggttgg agaaagagag ttaggcagga ggcagcttac tgattgccac      501
ccccggccc cttaatggcc accttaacta aggggtgtgaa cgggctgact tgggtgaattg      561
ggcaactcct tatagtgttg tgcacacaaa agcatcaaatt aaagaacatt taatcaaaaa      621
aaaaaaaaa aaa                                                    634

```

<210> 40  
 <211> 122  
 <212> PRT  
 <213> Homo sapiens

<400> 40

```

Arg Ala Ala Leu Arg Arg Leu Ala Val Ala Thr Arg Thr Met Ala Gly
1          5          10          15

Ala Pro Thr Val Ser Leu Pro Glu Leu Arg Ser Leu Leu Ala Ser Gly
          20          25          30

Arg Ala Arg Leu Phe Asp Val Arg Ser Arg Glu Glu Ala Ala Ala Gly
          35          40          45

Thr Ile Pro Gly Ala Leu Asn Ile Pro Val Ser Glu Leu Glu Ser Ala
          50          55          60

Leu Gln Met Glu Pro Ala Ala Phe Gln Ala Leu Tyr Ser Ala Glu Lys
          65          70          75          80

Pro Lys Leu Glu Asp Glu His Leu Val Phe Phe Cys Gln Met Gly Lys
          85          90          95

```

Arg Gly Leu <sup>100</sup>Gln Ala Thr Gln Leu <sup>105</sup>Ala Arg Ser Leu Gly Tyr Thr Gly <sup>110</sup>

Tyr Gly <sup>115</sup>Glu Val Trp Leu Leu <sup>120</sup>Ala Gly Arg

<210> 41  
<211> 2254  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (180)..(1937)  
<223>

<400> 41  
aatcgaaagt agactctttt ctgaagcatt tcctgggatac agcctgacca cgctccatac 60  
tgaggagaggc ttctgggtca aaggaccagt ctgcagaggg atcctgtggc tggaagcgag 120  
gaggctccac acggccgttg cagctaccgc agccaggatc tgggcatcca ggcacggcc 179  
atg acc cct ccg agg ctc ttc tgg gtg tgg ctg ctg gtt gca gga acc 227  
Met Thr Pro Pro Arg Leu Phe Trp Val Trp Leu Leu Val Ala Gly Thr 15  
caa ggc gtg aac gat ggt gac atg cgg ctg gcc gat ggg ggc gcc acc 275  
Gln Gly Val Asn Asp Gly Asp Met Arg Leu Ala Asp Gly Gly Ala Thr 20 25 30  
aac cag ggc cgc gtg gag atc ttc tac aga ggc cag tgg ggc act gtg 323  
Asn Gln Gly Arg Val Glu Ile Phe Tyr Arg Gly Gln Trp Gly Thr Val 35 40 45  
tgt gac aac ctg tgg gac ctg act gat gcc agc gtc gtc tgc cgg gcc 371  
Cys Asp Asn Leu Trp Asp Leu Thr Asp Ala Ser Val Val Cys Arg Ala 50 55 60  
ctg ggc ttc gag aac gcc acc cag gct ctg ggc aga gct gcc ttc ggg 419  
Leu Gly Phe Glu Asn Ala Thr Gln Ala Leu Gly Arg Ala Ala Phe Gly 65 70 75 80  
caa gga tca ggc ccc atc atg ctg gac gag gtc cag tgc acg gga acc 467  
Gln Gly Ser Gly Ile Met Leu Asp Glu Val Gln Cys Thr Gly Thr 85 90 95  
gag gcc tca ctg gcc gac tgc aag tcc ctg ggc tgg ctg aag agc aac 515  
Glu Ala Ser Leu Ala Asp Cys Lys Ser Leu Gly Trp Leu Lys Ser Asn 100 105 110  
tgc agg cac gag aga gac gct ggt gtg gtc tgc acc aat gaa acc agg 563  
Cys Arg His Glu Arg Asp Ala Gly Val Val Cys Thr Asn Glu Thr Arg 115 120 125  
agc acc cac acc ctg gac ctc tcc agg gag ctc tgc gag gcc ctt ggc 611  
Ser Thr His Thr Leu Asp Leu Ser Arg Glu Leu Ser Glu Ala Leu Gly 130 135 140  
cag atc ttt gac agc cag cgg ggc tgc gac ctg tcc atc agc gtg aat 659  
Gln Ile Phe Asp Ser Gln Arg Gly Cys Asp Leu Ser Ile Ser Val Asn 145 150 155 160  
gtg cag ggc gag gac gcc ctg ggc ttc tgt ggc cac acg gtc atc ctg 707  
Val Gln Gly Glu Asp Ala Leu Gly Phe Cys Gly His Thr Val Ile Leu 165 170 175  
act gcc aac ctg gag gcc cag gcc ctg tgg aag gag ccg ggc agc aat 755  
Thr Ala Asn Leu Glu Ala Gln Ala Leu Trp Lys Glu Pro Gly Ser Asn 180 185 190  
gtc acc atg agt gtg gat gct gag tgt gtg ccc atg gtc agg gac ctt 803  
Val Thr Met Ser Val Asp Ala Glu Cys Val Pro Met Val Arg Asp Leu 195 200 205  
ctc agg tac ttc tac tcc cga agg att gac atc acc ctg tgc tca gtc 851  
Leu Arg Tyr Phe Tyr Ser Arg Arg Ile Asp Ile Thr Leu Ser Ser Val 210 215 220



aag Lys 225	tgc Cys	ttc Phe	cac His	aag Lys	ctg Leu 230	gcc Ala	tct Ser	gcc Ala	tat Tyr	ggg Gly 235	gcc Ala	agg Arg	cag Gln	ctg Leu	cag Gln 240	899
ggc Gly	tac Tyr	tgc Cys	gca Ala	agc Ser 245	ctc Leu	ttt Phe	gcc Ala	atc Ile	ctc Leu 250	ctc Leu	ccc Pro	cag Gln	gac Asp	ccc Pro 255	tcg Ser	947
ttc Phe	cag Gln	atg Met	ccc Pro 260	ctg Leu	gac Asp	ctg Leu	tat Tyr	gcc Ala 265	tat Tyr	gca Ala	gtg Val	gcc Ala	aca Thr 270	ggg Gly	gac Asp	995
gcc Ala	ctg Leu	ctg Leu 275	gag Glu	aag Lys	ctc Leu	tgc Cys	cta Leu 280	cag Gln	ttc Phe	ctg Leu	gcc Ala	tgg Trp 285	aac Asn	ttc Phe	gag Glu	1043
gcc Ala	ttg Leu 290	acg Thr	cag Gln	gcc Ala	gag Glu	gcc Ala 295	tgg Trp	ccc Pro	agt Ser	gtc Val	ccc Pro 300	aca Thr	gac Asp	ctg Leu	ctc Leu	1091
caa Gln 305	ctg Leu	ctg Leu	ctg Leu	ccc Pro	agg Arg 310	agc Ser	gac Asp	ctg Leu	gcg Ala	gtg Val 315	ccc Pro	agc Ser	gag Glu	ctg Leu	gcc Ala 320	1139
cta Leu	ctg Leu	aag Lys	gcc Ala	gtg Val 325	gac Asp	acc Thr	tgg Trp	agc Ser	tgg Trp 330	ggg Gly	gag Glu	cgt Arg	gcc Ala	tcc Ser 335	cat His	1187
gag Glu	gag Glu	gtg Val	gag Glu 340	ggc Gly	ttg Leu	gtg Val	gag Glu	aag Lys 345	atc Ile	cgc Arg	ttc Phe	ccc Pro	atg Met 350	atg Met	ctc Leu	1235
cct Pro	gag Glu	gag Glu 355	ctc Leu	ttt Phe	gag Glu	ctg Leu	cag Gln 360	ttc Phe	aac Asn	ctg Leu	tcc Ser	ctg Leu 365	tac Tyr	tgg Trp	agc Ser	1283
cac His 370	gag Glu	gcc Ala	ctg Leu	ttc Phe	cag Gln	aag Lys 375	aag Lys	act Thr	ctg Leu	cag Gln	gcc Ala 380	ctg Leu	gaa Glu	ttc Phe	cac His	1331
act Thr 385	gtg Val	ccc Pro	ttc Phe	cag Gln	ttg Leu 390	ctg Leu	gcc Ala	cgg Arg	tac Tyr	aaa Lys 395	ggc Gly	ctg Leu	aac Asn	ctc Leu	acc Thr 400	1379
gag Glu	gat Asp	acc Thr	tac Tyr	aag Lys 405	ccc Pro	cgg Arg	att Ile	tac Tyr	acc Thr 410	tcg Ser	ccc Pro	acc Thr	tgg Trp	agt Ser 415	gcc Ala	1427
ttt Phe	gtg Val	aca Thr	gac Asp 420	agt Ser	tcc Ser	tgg Trp	agt Ser	gca Ala 425	cgg Arg	aag Lys	tca Ser	caa Gln	ctg Leu 430	gtc Val	tat Tyr	1475
cag Gln	tcc Ser	aga Arg 435	cgg Arg	ggg Gly	cct Pro	ttg Leu	gtc Val 440	aaa Lys	tat Tyr	tct Ser	tct Ser	gat Asp 445	tac Tyr	ttc Phe	caa Gln	1523
gcc Ala	ccc Pro 450	tct Ser	gac Asp	tac Tyr	aga Arg	tac Tyr 455	tac Tyr	ccc Pro	tac Tyr	cag Gln	tcc Ser 460	ttc Phe	cag Gln	act Thr	cca Pro	1571
caa Gln 465	cac His	ccc Pro	agc Ser	ttc Phe	ctc Leu 470	ttc Phe	cag Gln	gac Asp	aag Lys	agg Arg 475	gtg Val	tcc Ser	tgg Trp	tcc Ser	ctg Leu 480	1619
gtc Val	tac Tyr	ctc Leu	ccc Pro	acc Thr 485	atc Ile	cag Gln	agc Ser	tgc Cys	tgg Trp 490	aac Asn	tac Tyr	ggc Gly	ttc Phe	tcc Ser 495	tgc Cys	1667
tcc Ser	tcg Ser	gac Asp	gag Glu 500	ctc Leu	cct Pro	gtc Val	ctg Leu	ggc Gly 505	ctc Leu	acc Thr	aag Lys	tct Ser	ggc Gly 510	ggc Gly	tca Ser	1715
gat Asp	cgc Arg	acc Thr 515	att Ile	gcc Ala	tac Tyr	gaa Glu	aac Asn 520	aaa Lys	gcc Ala	ctg Leu	atg Met	ctc Leu 525	tgc Cys	gaa Glu	ggg Gly	1763
ctc Leu	ttc Phe	gtg Val	gca Ala	gac Asp	gtc Val	acc Thr 535	gat Asp	ttc Phe	gag Glu	ggc Gly	tgg Trp 540	aag Lys	gct Ala	gcg Ala	att Ile	1811

ccc agt gcc ctg gac acc aac agc tcg aag agc acc tcc tcc ttc ccc 1859  
 Pro Ser Ala Leu Asp Thr Asn Ser Ser Lys Ser Thr Ser Ser Phe Pro  
 545 550 555 560  
 tgc ccg gca ggg cac ttc aac ggc ttc cgc acg gtc atc cgc ccc ttc 1907  
 Cys Pro Ala Gly His Phe Asn Gly Phe Arg Thr Val Ile Arg Pro Phe  
 565 570 575  
 tac ctg acc aac tcc tca ggt gtg gac tag acgcgtggcc aagggtggtg 1957  
 Tyr Leu Thr Asn Ser Ser Gly Val Asp  
 580 585  
 agaaccggag aaccccagga cgccctcact gcaggctccc ctctcggct tccttcctct 2017  
 ctgcaatgac cttcaacaac cggccaccag atgtcgccct actcacctga ggctcagctt 2077  
 caagaaatta ctggaaggct tccactaggg tccaccagga gttctccac cacctcacca 2137  
 gtttccaggt ggtaagcacc aggaggccct cgaggttgct ctggatcccc ccacagcccc 2197  
 tggtcagtct gcccttgta ctggtctgag gtcattaaaa ttacattgag gttccta 2254

<210> 42  
 <211> 585  
 <212> PRT  
 <213> Homo sapiens

<400> 42

Met Thr Pro Pro Arg Leu Phe Trp Val Trp Leu Leu Val Ala Gly Thr  
 1 5 10 15  
 Gln Gly Val Asn Asp Gly Asp Met Arg Leu Ala Asp Gly Gly Ala Thr  
 20 25 30  
 Asn Gln Gly Arg Val Glu Ile Phe Tyr Arg Gly Gln Trp Gly Thr Val  
 35 40 45  
 Cys Asp Asn Leu Trp Asp Leu Thr Asp Ala Ser Val Val Cys Arg Ala  
 50 55 60  
 Leu Gly Phe Glu Asn Ala Thr Gln Ala Leu Gly Arg Ala Ala Phe Gly  
 65 70 75 80  
 Gln Gly Ser Gly Pro Ile Met Leu Asp Glu Val Gln Cys Thr Gly Thr  
 85 90 95  
 Glu Ala Ser Leu Ala Asp Cys Lys Ser Leu Gly Trp Leu Lys Ser Asn  
 100 105 110  
 Cys Arg His Glu Arg Asp Ala Gly Val Val Cys Thr Asn Glu Thr Arg  
 115 120 125  
 Ser Thr His Thr Leu Asp Leu Ser Arg Glu Leu Ser Glu Ala Leu Gly  
 130 135 140  
 Gln Ile Phe Asp Ser Gln Arg Gly Cys Asp Leu Ser Ile Ser Val Asn  
 145 150 155 160  
 Val Gln Gly Glu Asp Ala Leu Gly Phe Cys Gly His Thr Val Ile Leu  
 165 170 175  
 Thr Ala Asn Leu Glu Ala Gln Ala Leu Trp Lys Glu Pro Gly Ser Asn  
 180 185 190  
 Val Thr Met Ser Val Asp Ala Glu Cys Val Pro Met Val Arg Asp Leu  
 195 200 205

Leu Arg Tyr Phe Tyr Ser Arg Arg Ile Asp Ile Thr Leu Ser Ser Val  
 210 215 220  
 Lys Cys Phe His Lys Leu Ala Ser Ala Tyr Gly Ala Arg Gln Leu Gln  
 225 230 235 240  
 Gly Tyr Cys Ala Ser Leu Phe Ala Ile Leu Leu Pro Gln Asp Pro Ser  
 245 250 255  
 Phe Gln Met Pro Leu Asp Leu Tyr Ala Tyr Ala Val Ala Thr Gly Asp  
 260 265 270  
 Ala Leu Leu Glu Lys Leu Cys Leu Gln Phe Leu Ala Trp Asn Phe Glu  
 275 280 285  
 Ala Leu Thr Gln Ala Glu Ala Trp Pro Ser Val Pro Thr Asp Leu Leu  
 290 295 300  
 Gln Leu Leu Leu Pro Arg Ser Asp Leu Ala Val Pro Ser Glu Leu Ala  
 305 310 315 320  
 Leu Leu Lys Ala Val Asp Thr Trp Ser Trp Gly Glu Arg Ala Ser His  
 325 330 335  
 Glu Glu Val Glu Gly Leu Val Glu Lys Ile Arg Phe Pro Met Met Leu  
 340 345 350  
 Pro Glu Glu Leu Phe Glu Leu Gln Phe Asn Leu Ser Leu Tyr Trp Ser  
 355 360 365  
 His Glu Ala Leu Phe Gln Lys Lys Thr Leu Gln Ala Leu Glu Phe His  
 370 375 380  
 Thr Val Pro Phe Gln Leu Leu Ala Arg Tyr Lys Gly Leu Asn Leu Thr  
 385 390 395 400  
 Glu Asp Thr Tyr Lys Pro Arg Ile Tyr Thr Ser Pro Thr Trp Ser Ala  
 405 410 415  
 Phe Val Thr Asp Ser Ser Trp Ser Ala Arg Lys Ser Gln Leu Val Tyr  
 420 425 430  
 Gln Ser Arg Arg Gly Pro Leu Val Lys Tyr Ser Ser Asp Tyr Phe Gln  
 435 440 445  
 Ala Pro Ser Asp Tyr Arg Tyr Tyr Pro Tyr Gln Ser Phe Gln Thr Pro  
 450 455 460  
 Gln His Pro Ser Phe Leu Phe Gln Asp Lys Arg Val Ser Trp Ser Leu  
 465 470 475 480  
 Val Tyr Leu Pro Thr Ile Gln Ser Cys Trp Asn Tyr Gly Phe Ser Cys  
 485 490 495  
 Ser Ser Asp Glu Leu Pro Val Leu Gly Leu Thr Lys Ser Gly Gly Ser  
 500 505 510  
 Asp Arg Thr Ile Ala Tyr Glu Asn Lys Ala Leu Met Leu Cys Glu Gly  
 515 520 525

Leu Phe Val Ala Asp Val Thr Asp Phe Glu Gly Trp Lys Ala Ala Ile  
530 535 540

Pro Ser Ala Leu Asp Thr Asn Ser Ser Lys Ser Thr Ser Ser Phe Pro  
545 550 555 560

Cys Pro Ala Gly His Phe Asn Gly Phe Arg Thr Val Ile Arg Pro Phe  
565 570 575

Tyr Leu Thr Asn Ser Ser Gly Val Asp  
580 585

<210> 43  
<211> 1185  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (283)..(1131)  
<223>

<400> 43  
gggtcttctt ggtatttctc ggcctgcgag aagtgtgtgc tggcccaggt gtgcaaggcc 60  
tggcggcgcg tgctgtacca gcccaagttc tgggcaggcc tcacgccggt gctgcatgcc 120  
aaggagctct acaacgtgct gcctggtggc gagaaggagt tcgtgaacct gcagggtttt 180  
gccgccagag gcttcgaggg cttctgcctg gttggcgtct ccgacctgga catctgtgag 240  
ttcattgaca actatgcgct ctccaagaag ggtgtcaaag cc atg agc ctc aag 294  
Met Ser Leu Lys  
1  
cgc tcc acc atc acg gac gca ggc ctc gag gtt atg ctt gaa cag atg 342  
Arg Ser Thr Ile Thr Asp Ala Gly Leu Glu Val Met Leu Glu Gln Met 20  
5  
cag ggc gtg gtg cgt ctg gag ctg tgc ggc tgc aac gac ttc acc gag 390  
Gln Gly Val Val Arg Leu Glu Leu Ser Gly Cys Asn Asp Phe Thr Glu 35  
25  
gcc ggg ctg tgg tcc agc ctg agc gcg cgc atc acc tcg ctg agc gtg 438  
Ala Gly Leu Trp Ser Ser Leu Ser Ala Arg Ile Thr Ser Leu Ser Val 50  
40  
agt gac tgc atc aac gtg gcc gac gag gcc atc gcg gcc atc tcg cag 486  
Ser Asp Cys Ile Asn Val Ala Asp Asp Ala Ile Ala 65  
55  
ctg ctg ccc aac ctg gcg gag ctg agc ctg cag gcc tac cac gtg acg 534  
Leu Leu Pro Asn Leu Ala Glu Leu Ser Leu Gln Ala Tyr His Val Thr 80  
70  
gac acg gcg ctg gcc tac ttc acg gcg cgc cag ggc cac agc acg cac 582  
Asp Thr Ala Leu Ala Tyr Phe Thr Ala Arg Gln Gly His Ser Thr His 90  
85  
acg ctg cgc ctg ctc tcc tgc tgg gag atc acc aac cac ggc gtg gtc 630  
Thr Leu Arg Leu Leu Ser Cys Trp Glu Ile Thr Asn His Gly Val Val 110  
105  
aac gtg gtg cac agc ctg ccc aac ctc acc gcg ctc agc ctc tcg ggc 678  
Asn Val Val His Ser Leu Pro Asn Leu Thr Ala Leu Ser Leu Ser Gly 120  
125  
tgc tcc aag gtc acc gac gac ggc gtg gag ctc gtg gcc gag aac ctg 726  
Cys Ser Lys Val Thr Asp Asp Gly Val Glu Leu Val Ala Glu Asn Leu 135  
140  
cgc aag ctg cgc agc ctt gac ctc tgc tgg tgc cca cgc atc acc gac 774  
Arg Lys Leu Arg Ser Leu Asp Leu Ser Trp Cys Pro Arg Ile Thr Asp 150  
155  
atg gcg ctg gag tac gtg gcc tgc gac ctg cac cgc cta gag gag ctc 822

Met Ala Leu Glu Tyr Val Ala Cys Asp Leu His Arg Leu Glu Glu Leu  
 165 170 175 180  
 gtg ctc gac agg tgt gta cgc atc acg gac act ggc ctc agc tat ctg 870  
 Val Leu Asp Arg Cys Val Arg Ile Thr Asp Thr Gly Leu Ser Tyr Leu  
 185 190 195  
 tcc acc atg tcg tcc ctc cgc agc ctc tac ctg cga tgg tgc tgc cag 918  
 Ser Thr Met Ser Ser Leu Arg Ser Leu Tyr Leu Arg Trp Cys Cys Gln  
 200 205 210  
 gtg caa gac ttc ggg ctg aag cac ctc ctg gcc ctg ggg agt ttg cgc 966  
 Val Gln Asp Phe Gly Leu Lys His Leu Leu Ala Leu Gly Ser Leu Arg  
 215 220 225  
 ctc ctg tct ctg gca ggc tgc ccg ctg ctc acc acc acc ggg ctg tcg 1014  
 Leu Leu Ser Leu Ala Gly Cys Pro Leu Leu Thr Thr Thr Gly Leu Ser  
 230 235 240  
 ggc ctg gtg cag ctg cag gag ctg gag gag ctg gag ctg acc aac tgc 1062  
 Gly Leu Val Gln Leu Gln Glu Leu Glu Glu Leu Glu Leu Thr Asn Cys  
 245 250 255 260  
 ccc ggg gcc acc ccc gag ctc ttc aag tat ttc tcg cag cac ctg ccc 1110  
 Pro Gly Ala Thr Pro Glu Leu Phe Lys Tyr Phe Ser Gln His Leu Pro  
 265 270 275  
 cgc tgc ctc gtc att gag tag cgcgaggccc ccgccccggt cgcgggaacc 1161  
 Arg Cys Leu Val Ile Glu  
 280  
 cgcccatgac ctgggcgggg gcgc 1185

<210> 44  
 <211> 282  
 <212> PRT  
 <213> Homo sapiens

<400> 44

Met Ser Leu Lys Arg Ser Thr Ile Thr Asp Ala Gly Leu Glu Val Met  
 1 5 10 15  
 Leu Glu Gln Met Gln Gly Val Val Arg Leu Glu Leu Ser Gly Cys Asn  
 20 25 30  
 Asp Phe Thr Glu Ala Gly Leu Trp Ser Ser Leu Ser Ala Arg Ile Thr  
 35 40 45  
 Ser Leu Ser Val Ser Asp Cys Ile Asn Val Ala Asp Asp Ala Ile Ala  
 50 55 60  
 Ala Ile Ser Gln Leu Leu Pro Asn Leu Ala Glu Leu Ser Leu Gln Ala  
 65 70 75 80  
 Tyr His Val Thr Asp Thr Ala Leu Ala Tyr Phe Thr Ala Arg Gln Gly  
 85 90 95  
 His Ser Thr His Thr Leu Arg Leu Leu Ser Cys Trp Glu Ile Thr Asn  
 100 105 110  
 His Gly Val Val Asn Val Val His Ser Leu Pro Asn Leu Thr Ala Leu  
 115 120 125  
 Ser Leu Ser Gly Cys Ser Lys Val Thr Asp Asp Gly Val Glu Leu Val  
 130 135 140  
 Ala Glu Asn Leu Arg Lys Leu Arg Ser Leu Asp Leu Ser Trp Cys Pro  
 145 150 155 160

Arg Ile Thr Asp Met Ala Leu Glu Tyr Val Ala Cys Asp Leu His Arg  
 165 170 175  
 Leu Glu Glu Leu Val Leu Asp Arg Cys Val Arg Ile Thr Asp Thr Gly  
 180 185 190  
 Leu Ser Tyr Leu Ser Thr Met Ser Ser Leu Arg Ser Leu Tyr Leu Arg  
 195 200 205  
 Trp Cys Cys Gln Val Gln Asp Phe Gly Leu Lys His Leu Leu Ala Leu  
 210 215 220  
 Gly Ser Leu Arg Leu Leu Ser Leu Ala Gly Cys Pro Leu Leu Thr Thr  
 225 230 235 240  
 Thr Gly Leu Ser Gly Leu Val Gln Leu Gln Glu Leu Glu Glu Leu Glu  
 245 250 255  
 Leu Thr Asn Cys Pro Gly Ala Thr Pro Glu Leu Phe Lys Tyr Phe Ser  
 260 265 270  
 Gln His Leu Pro Arg Cys Leu Val Ile Glu  
 275 280

<210> 45  
 <211> 1780  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (190)..(987)  
 <223>

<400> 45  
 aggaagtggc gcggaccttc atttggggtt tcggttcccc cccttcccct tccccggggt 60  
 ctgggggtga cattgcaccg cgcccctcgt ggggtcgcgt tgccacccca cgcggaactcc 120  
 ccagctggcg cgcccctccc atttgccctgt cctggtcagg cccccacccc cttcccacc 180  
 tgaccagcc atg ggg gct gcg gtg ttt ttc ggc tgc act ttc gtc gcg ttc 231  
 Met Gly Ala Ala Val Phe Phe Gly Cys Thr Phe Val Ala Phe  
 1 5 10  
 ggc ccg gcc ttc gcg ctt ttc ttg atc act gtg gct ggg gac ccg ctt 279  
 Gly Pro Ala Phe Ala Leu Phe Leu Ile Thr Val Ala Gly Asp Pro Leu  
 15 20 25 30  
 cgc gtt atc atc ctg gtc gca ggg gca ttt ttc tgg ctg gtc tcc ctg 327  
 Arg Val Ile Ile Leu Val Ala Gly Ala Phe Phe Trp Leu Val Ser Leu  
 35 40 45  
 ctc ctg gcc tct gtg gtc tgg ttc atc ttg gtc cat gtg acc gac cgg 375  
 Leu Leu Ala Ser Val Val Trp Phe Ile Leu Val His Val Thr Asp Arg  
 50 55 60  
 tca gat gcc cgg ctc cag tac ggc ctc ctg att ttt ggt gct gct gtc 423  
 Ser Asp Ala Arg Leu Gln Tyr Gly Leu Leu Ile Phe Gly Ala Ala Val  
 65 70 75  
 tct gtc ctt cta cag gag gtg ttc cgc ttt gcc tac tac aag ctg ctt 471  
 Ser Val Leu Leu Gln Glu Val Phe Arg Phe Ala Tyr Tyr Lys Leu Leu  
 80 85 90  
 aag aag gca gat gag ggg tta gca tcg ctg agt gag gac gga aga tca 519  
 Lys Lys Ala Asp Glu Gly Leu Ala Ser Leu Ser Glu Asp Gly Arg Ser  
 95 100 105 110  
 ccc atc tcc atc cgc cag atg gcc tat gtt tct ggt ctc tcc ttc ggt 567  
 Pro Ile Ser Ile Arg Gln Met Ala Tyr Val Ser Gly Leu Ser Phe Gly  
 115 120 125

atc atc agt ggt gtc ttc tct gtt atc aat att ttg gct gat gca ctt 615  
 Ile Ile Ser Gly Val Phe Ser Val Ile Asn Ile Leu Ala Asp Ala Leu 130 135 140  
 ggg cca ggt gtg gtt ggg atc cat gga gac tca ccc tat tac ttc ctg 663  
 Gly Pro Gly Val Val Gly Ile His 150 Gly Asp Ser Pro Tyr 155 Tyr Phe Leu  
 act tca gcc ttt ctg aca gca gcc att atc ctg ctc cat acc ttt tgg 711  
 Thr Ser Ala Phe Leu Thr Ala Ala Ile Ile Leu Leu His Thr Phe Trp 160 165 170  
 gga gtt gtg ttc ttt gat gcc tgt gag agg aga cgg tac tgg gct ttg 759  
 Gly Val Val Phe Phe Asp Ala Cys Glu Arg Arg Arg Tyr Trp Ala Leu 175 180 185 190  
 ggc ctg gtg gtt ggg agt cac cta ctg aca tcg gga ctg aca ttc ctg 807  
 Gly Leu Val Val Gly Ser His Leu Leu Thr Ser Gly Leu Thr Phe Leu 195 200 205  
 aac ccc tgg tat gag gcc agc ctg ctg ccc atc tat gca gtc act gtt 855  
 Asn Pro Trp Tyr 210 Glu Ala Ser Leu Leu Pro Ile Tyr Ala Val Thr Val 220  
 tcc atg ggg ctc tgg gcc ttc atc aca gct gga ggg tcc ctc cga agt 903  
 Ser Met Gly Leu Trp Ala Phe Ile Thr Ala Gly Gly Ser Leu Arg Ser 225 230 235  
 att cag cgc agc ctc ttg tgc cga cgg cag gag gac agt cgg gtg atg 951  
 Ile Gln Arg Ser Leu Leu Cys Arg Arg Gln Glu Asp Ser Arg Val Met 240 245 250  
 gtg tat tct gcc ctg cgc atc cca ccc gag gac tga gggaacctag 997  
 Val Tyr Ser Ala Leu Arg Ile Pro Pro Glu Asp 255 260 265  
 gggggacccc tgggcctggg gtgccctcct gatgtcctcg ccctgtatatt ctccatctcc 1057  
 agttctggac agtgcagggt gccaaagaaaa gggacctagt ttagccattg ccctggagat 1117  
 gaaattaatg gaggctcaag gatagatgag ctctgagttt ctccagtactc cctcaagact 1177  
 ggacatcttg gtctttttct caggcctgag ggggaacct ttttggtgtg ataaataccc 1237  
 taaactgcct ttttttcttt tttaggtgg ggggagggag gaggtatatt ggaactcttc 1297  
 taacctcctt gggctatatt ttctctcctc gagttgctcc tcatggctgg gctcatttcg 1357  
 gtccctttct cttgggtccc agaccttggg ggaaaggaag gaagtgcattg tttgggaact 1417  
 ggcattactg gaactaatgg ttttaacctc cttaaccacc agcatccctc ctctcccaa 1477  
 ggtgaagtgg aggtgctgt ggtgagctgg ccactccaga gctgcagtgc cactggagga 1537  
 gtcagactac catgacatcg tagggaagga ggggagattt ttttgtagtt ttaattggg 1597  
 gtgtgggagg ggcggggagg ttttctataa actgtatcat tttctgctga ggggtggagt 1657  
 tcccatcctt ttaatcaagg tgatttgat tttgactaat aaaaaagaat ttgtaaaaaa 1717  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1777  
 aaa 1780  
 <210> 46  
 <211> 265  
 <212> PRT  
 <213> Homo sapiens  
 <400> 46  
 Met Gly Ala Ala Val Phe Phe Gly Cys Thr Phe Val Ala Phe Gly Pro  
 1 5 10 15  
 Ala Phe Ala Leu Phe Leu Ile Thr Val Ala Gly Asp Pro Leu Arg Val  
 20 25 30

Ile Ile Leu Val Ala Gly Ala Phe Phe Trp Leu Val Ser Leu Leu Leu  
 35 40 45  
 Ala Ser Val Val Trp Phe Ile Leu Val His Val Thr Asp Arg Ser Asp  
 50 55 60  
 Ala Arg Leu Gln Tyr Gly Leu Leu Ile Phe Gly Ala Ala Val Ser Val  
 65 70 75 80  
 Leu Leu Gln Glu Val Phe Arg Phe Ala Tyr Tyr Lys Leu Leu Lys Lys  
 85 90 95  
 Ala Asp Glu Gly Leu Ala Ser Leu Ser Glu Asp Gly Arg Ser Pro Ile  
 100 105 110  
 Ser Ile Arg Gln Met Ala Tyr Val Ser Gly Leu Ser Phe Gly Ile Ile  
 115 120 125  
 Ser Gly Val Phe Ser Val Ile Asn Ile Leu Ala Asp Ala Leu Gly Pro  
 130 135 140  
 Gly Val Val Gly Ile His Gly Asp Ser Pro Tyr Tyr Phe Leu Thr Ser  
 145 150 155 160  
 Ala Phe Leu Thr Ala Ala Ile Ile Leu Leu His Thr Phe Trp Gly Val  
 165 170 175  
 Val Phe Phe Asp Ala Cys Glu Arg Arg Arg Tyr Trp Ala Leu Gly Leu  
 180 185 190  
 Val Val Gly Ser His Leu Leu Thr Ser Gly Leu Thr Phe Leu Asn Pro  
 195 200 205  
 Trp Tyr Glu Ala Ser Leu Leu Pro Ile Tyr Ala Val Thr Val Ser Met  
 210 215 220  
 Gly Leu Trp Ala Phe Ile Thr Ala Gly Gly Ser Leu Arg Ser Ile Gln  
 225 230 235 240  
 Arg Ser Leu Leu Cys Arg Arg Gln Glu Asp Ser Arg Val Met Val Tyr  
 245 250 255  
 Ser Ala Leu Arg Ile Pro Pro Glu Asp  
 260 265

<210> 47  
 <211> 3549  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (175)..(1602)  
 <223>

<400> 47  
 cccctcttcc tcctcctcaa gggaaagctg cccacttcta gctgccctgc catccccctt 60  
 aaagggcgac ttgctcagcg ccaaaccgcg gctccagccc tctccagcct ccggctcagc 120  
 cggctcatca gtcggtccgc gccttgagc tcctccagag ggacgcgccc cgag atg 177  
 gag agc aaa gcc ctg ctc gtg ctg act ctg gcc gtg tgg ctc cag agt 225  
 Met  
 1



Glu	Ser	Lys	Ala	Leu	Leu	Val	Leu	Thr	Leu	Ala	Val	Trp	Leu	Gln	Ser	
			5					10					15			
ctg	acc	gcc	tcc	cgc	gga	ggg	gtg	gcc	gcc	gcc	gac	caa	aga	aga	gat	273
Leu	Thr	Ala	Ser	Arg	Gly	Gly	Val	Ala	Ala	Ala	Asp	Gln	Arg	Arg	Asp	
		20					25					30				
ttt	atc	gac	atc	gaa	agt	aaa	ttt	gcc	cta	agg	acc	cct	gaa	gac	aca	321
Phe	Ile	Asp	Ile	Glu	Ser	Lys	Phe	Ala	Leu	Arg	Thr	Pro	Glu	Asp	Thr	
	35					40					45					
gct	gag	gac	act	tgc	cac	ctc	att	ccc	gga	gta	gca	gag	tcc	gtg	gct	369
Ala	Glu	Asp	Thr	Cys	His	Leu	Ile	Pro	Gly	Val	Ala	Glu	Ser	Val	Ala	
50					55				60						65	
acc	tgt	cat	ttc	aat	cac	agc	agc	aaa	acc	ttc	atg	gtg	atc	cat	ggc	417
Thr	Cys	His	Phe	Asn	His	Ser	Ser	Lys	Thr	Phe	Met	Val	Ile	His	Gly	
				70					75					80		
tgg	acg	gta	aca	gga	atg	tat	gag	agt	tgg	gtg	cca	aaa	ctt	gtg	gcc	465
Trp	Thr	Val	Thr	Gly	Met	Tyr	Glu	Ser	Trp	Val	Pro	Lys	Leu	Val	Ala	
			85					90					95			
gcc	ctg	tac	aag	aga	gaa	cca	gac	tcc	aat	gtc	att	gtg	gtg	gac	tgg	513
Ala	Leu	Tyr	Lys	Arg	Glu	Pro	Asp	Ser	Asn	Val	Ile	Val	Val	Asp	Trp	
		100					105					110				
ctg	tca	cgg	gct	cag	gag	cat	tac	cca	gtg	tcc	gcg	ggc	tac	acc	aaa	561
Leu	Ser	Arg	Ala	Gln	Glu	His	Tyr	Pro	Val	Ser	Ala	Gly	Tyr	Thr	Lys	
	115					120					125					
ctg	gtg	gga	cag	gat	gtg	gcc	cgg	ttt	atc	aac	tgg	atg	gag	gag	gag	609
Leu	Val	Gly	Gln	Asp	Val	Ala	Arg	Phe	Ile	Asn	Trp	Met	Glu	Glu	Glu	
130					135					140					145	
ttt	aac	tac	cct	ctg	gac	aat	gtc	cat	ctc	ttg	gga	tac	agc	ctt	gga	657
Phe	Asn	Tyr	Pro	Leu	Asp	Asn	Val	His	Leu	Leu	Gly	Tyr	Ser	Leu	Gly	
				150					155					160		
gcc	cat	gct	gct	ggc	att	gca	gga	agt	ctg	acc	aat	aag	aaa	gtc	aac	705
Ala	His	Ala	Ala	Gly	Ile	Ala	Gly	Ser	Leu	Thr	Asn	Lys	Lys	Val	Asn	
			165					170					175			
aga	att	act	ggc	ctc	gat	cca	gct	gga	cct	aac	ttt	gag	tat	gca	gaa	753
Arg	Ile	Thr	Gly	Leu	Asp	Pro	Ala	Gly	Pro	Asn	Phe	Glu	Tyr	Ala	Glu	
		180					185					190				
gcc	ccg	agt	cgt	ctt	tct	cct	gat	gat	gca	gat	ttt	gta	gac	gtc	tta	801
Ala	Pro	Ser	Arg	Leu	Ser	Pro	Asp	Asp	Ala	Asp	Phe	Val	Asp	Val	Leu	
	195					200					205					
cac	aca	ttc	acc	aga	ggg	tcc	cct	ggt	cga	agc	att	gga	atc	cag	aaa	849
His	Thr	Phe	Thr	Arg	Gly	Ser	Pro	Gly	Arg	Ser	Ile	Gly	Ile	Gln	Lys	
					215				220						225	
cca	ggt	ggg	cat	gtt	gac	att	tac	ccg	aat	gga	ggt	act	ttt	cag	cca	897
Pro	Val	Gly	His	Val	Asp	Ile	Tyr	Pro	Asn	Gly	Gly	Thr	Phe	Gln	Pro	
				230					235					240		
gga	tgt	aac	att	gga	gaa	gct	atc	cgc	gtg	att	gca	gag	aga	gga	ctt	945
Gly	Cys	Asn	Ile	Gly	Glu	Ala	Ile	Arg	Val	Ile	Ala	Glu	Arg	Gly	Leu	
			245					250					255			
gga	gat	gtg	gac	cag	cta	gtg	aag	tgc	tcc	cac	gag	cgc	tcc	att	cat	993
Gly	Asp	Val	Asp	Gln	Leu	Val	Lys	Cys	Ser	His	Glu	Arg	Ser	Ile	His	
		260					265					270				
ctc	ttc	atc	gac	tct	ctg	ttg	aat	gaa	gaa	aat	cca	agt	aag	gcc	tac	1041
Leu	Phe	Ile	Asp	Ser	Leu	Leu	Asn	Glu	Glu	Asn	Pro	Ser	Lys	Ala	Tyr	
	275					280					285					
agg	tgc	agt	tcc	aag	gaa	gcc	ttt	gag	aaa	ggg	ctc	tgc	ttg	agt	tgt	1089
Arg	Cys	Ser	Ser	Lys	Glu	Ala	Phe	Glu	Lys	Gly	Leu	Cys	Leu	Ser	Cys	
290					295					300					305	
aga	aag	aac	cgc	tgc	aac	aat	ctg	ggc	tat	gag	atc	aat	aaa	gtc	aga	1137
Arg	Lys	Asn	Arg	Cys	Asn	Asn	Leu	Gly	Tyr	Glu	Ile	Asn	Lys	Val	Arg	
				310					315					320		
gcc	aaa	aga	agc	agc	aaa	atg	tac	ctg	aag	act	cgt	tct	cag	atg	ccc	1185

Ala	Lys	Arg	Ser <sub>325</sub>	Ser	Lys	Met	Tyr	Leu <sub>330</sub>	Lys	Thr	Arg	Ser	Gln <sub>335</sub>	Met	Pro	
tac	aaa	gtc	ttc	cat	tac	caa	gta	aag	att	cat	ttt	tct	ggg	act	gag	1233
Tyr	Lys	Val <sub>340</sub>	Phe	His	Tyr	Gln	Val <sub>345</sub>	Lys	Ile	His	Phe	Ser <sub>350</sub>	Gly	Thr	Glu	
agt	gaa	acc	cat	acc	aat	cag	gcc	ttt	gag	att	tct	ctg	tat	ggc	acc	1281
Ser	Glu <sub>355</sub>	Thr	His	Thr	Asn	Gln <sub>360</sub>	Ala	Phe	Glu	Ile	Ser <sub>365</sub>	Leu	Tyr	Gly	Thr	
gtg	gcc	gag	agt	gag	aac	atc	cca	ttc	act	ctg	cct	gaa	gtt	tcc	aca	1329
Val <sub>370</sub>	Ala	Glu	Ser	Glu	Asn <sub>375</sub>	Ile	Pro	Phe	Thr	Leu <sub>380</sub>	Pro	Glu	Val	Ser	Thr <sub>385</sub>	
aat	aag	acc	tac	tcc	ttc	cta	att	tac	aca	gag	gta	gat	att	gga	gaa	1377
Asn	Lys	Thr	Tyr	Ser <sub>390</sub>	Phe	Leu	Ile	Tyr	Thr <sub>395</sub>	Glu	Val	Asp	Ile	Gly <sub>400</sub>	Glu	
cta	ctc	atg	ttg	aag	ctc	aaa	tgg	aag	agt	gat	tca	tac	ttt	agc	tgg	1425
Leu	Leu	Met	Leu <sub>405</sub>	Lys	Leu	Lys	Trp	Lys <sub>410</sub>	Ser	Asp	Ser	Tyr	Phe <sub>415</sub>	Ser	Trp	
tca	gac	tgg	tgg	agc	agt	ccc	ggc	ttc	gcc	att	cag	aag	atc	aga	gta	1473
Ser	Asp	Trp <sub>420</sub>	Trp	Ser	Ser	Pro	Gly <sub>425</sub>	Phe	Ala	Ile	Gln	Lys <sub>430</sub>	Ile	Arg	Val	
aaa	gca	gga	gag	act	cag	aaa	aag	gtg	atc	ttc	tgt	tct	agg	gag	aaa	1521
Lys	Ala <sub>435</sub>	Gly	Glu	Thr	Gln	Lys <sub>440</sub>	Lys	Val	Ile	Phe	Cys <sub>445</sub>	Ser	Arg	Glu	Lys	
gtg	tct	cat	ttg	cag	aaa	gga	aag	gca	cct	gcg	gta	ttt	gtg	aaa	tgc	1569
Val <sub>450</sub>	Ser	His	Leu	Gln	Lys <sub>455</sub>	Gly	Lys	Ala	Pro	Ala <sub>460</sub>	Val	Phe	Val	Lys	Cys <sub>465</sub>	
cat	gac	aag	tct	ctg	aat	aag	aag	tca	ggc	tga	aactgggcga	atctacagaa				1622
His	Asp	Lys	Ser	Leu <sub>470</sub>	Asn	Lys	Lys	Ser	Gly <sub>475</sub>							
caaagaacg	catgtgaatt	ctgtgaagaa	tgaagtggag	gaagtaactt	ttacaaaaca											1682
taccagtg	ttgggtgtt	tcaaaagtgg	attttcctga	atattaatcc	cagccctacc											1742
cttgtagtt	attttaggag	acagtctcaa	gcactaaaaa	gtggctaatt	caatttatgg											1802
ggtatagtg	ccaaatagca	catcctcaa	cgtaaaga	cagtggatca	tgaagaagtc											1862
tgttttgtcc	tttgagaaag	aaataattgt	ttgagcgcag	agtaaaataa	ggctccttca											1922
tgtggcgat	tgggcatag	cctataattg	gttagaacct	cctattttta	ttggaattct											1982
ggatctttcg	gactgaggcc	ttctcaaact	ttactctaag	tctccaagaa	tacagaaaat											2042
gcttttccgc	ggcacgaatc	agactcatct	acacagcagt	atgaatgatg	ttttagaatg											2102
attccctctt	gctattggaa	tgtggtccag	acgtcaacca	ggaacatgta	acttgagag											2162
ggacgaagaa	agggctgat	aaacacagag	gttttaaca	gtccctacca	ttggcctgca											2222
tcatgacaaa	gttacaatt	caaggagata	taaaatctag	atcaattaat	tcttaatagg											2282
ctttatcggt	tattgcttaa	tccctctctc	ccccttcttt	tttgtctcaa	gattatatta											2342
taataatgtt	ctctgggtag	gtgttgaaaa	tgagcctgta	atcctcagct	gacacataat											2402
ttgaatggtg	cagaaaaaaa	aaagataccg	taattttatt	attagattct	ccaaatgatt											2462
ttcatcaatt	taaaatcatt	caatatctga	cagttactct	tcagtttttag	gcttaccttg											2522
gtcatgcttc	agttgtactt	ccagtgcgtc	tcttttggtc	ctggctttga	catgaaaaga											2582
taggtttgag	ttcaaatttt	gcattgtgtg	agcttctaca	gatttttagac	aaggaccgtt											2642
tttactaagt	aaaagggtgg	agaggttcct	ggggtggatt	cctaagcagt	gcttgtaaac											2702
catcgcgtgc	aatgagccag	atggagtacc	atgagggttg	ttatttggtg	tttttaacaa											2762
ctaatacaga	gtgagtgaac	aactatttat	aaactagatc	tcctattttt	cagaatgctc											2822
ttctacgtat	aaatatgaaa	tgataaagat	gtcaaatatc	tcagaggcta	tagctgggaa											2882

```

cccgactgtg aaagtatgtg atatctgaac acatactaga aagctctgca tgtgtgttgt 2942
ccttcagcat aattcggaag ggaaaacagt cgatcaaggg atgtattgga acatgtcgga 3002
gtagaaattg ttcctgatgt gccagaactt cgaccctttc tctgagagag atgatcgtgc 3062
ctataaatag taggaccaat gttgtgatta acatcatcag gcttggaatg aattctctct 3122
aaaaataaaa tgatgtatga tttgttgttg gcatccctt tattaattca ttaaatttct 3182
ggatttgggt tgtgaccag ggtgcattaa cttaaagat tcactaaagc agcacatagc 3242
actgggaact ctggctccga aaaactttgt tatatatatc aaggatgttc tggctttaca 3302
ttttatttat tagctgtaaa tacatgtgtg gatgtgtaaa tggagcttgt acatattgga 3362
aaggtcattg tggctatctg catttataaa tgtgtggtgc taactgtatg tgtctttatc 3422
agtgatggtc tcacagagcc aactcactct tatgaaatgg gctttaacaa aacaagaaag 3482
aaacgtactt aactgtgtga agaaatggaa tcagctttta ataaaattga caacatttta 3542
ttaccac 3549

```

```

<210> 48
<211> 475
<212> PRT
<213> Homo sapiens

```

```

<400> 48

```

```

Met Glu Ser Lys Ala Leu Leu Val Leu Thr Leu Ala Val Trp Leu Gln
1      5      10     15
Ser Leu Thr Ala Ser Arg Gly Gly Val Ala Ala Ala Asp Gln Arg Arg
20     25     30
Asp Phe Ile Asp Ile Glu Ser Lys Phe Ala Leu Arg Thr Pro Glu Asp
35     40     45
Thr Ala Glu Asp Thr Cys His Leu Ile Pro Gly Val Ala Glu Ser Val
50     55     60
Ala Thr Cys His Phe Asn His Ser Ser Lys Thr Phe Met Val Ile His
65     70     75     80
Gly Trp Thr Val Thr Gly Met Tyr Glu Ser Trp Val Pro Lys Leu Val
85     90     95
Ala Ala Leu Tyr Lys Arg Glu Pro Asp Ser Asn Val Ile Val Val Asp
100    105    110
Trp Leu Ser Arg Ala Gln Glu His Tyr Pro Val Ser Ala Gly Tyr Thr
115    120    125
Lys Leu Val Gly Gln Asp Val Ala Arg Phe Ile Asn Trp Met Glu Glu
130    135    140
Glu Phe Asn Tyr Pro Leu Asp Asn Val His Leu Leu Gly Tyr Ser Leu
145    150    155    160
Gly Ala His Ala Ala Gly Ile Ala Gly Ser Leu Thr Asn Lys Lys Val
165    170    175
Asn Arg Ile Thr Gly Leu Asp Pro Ala Gly Pro Asn Phe Glu Tyr Ala
180    185    190

```

Glu Ala Pro Ser Arg Leu Ser Pro Asp Asp Ala Asp Phe Val Asp Val  
 195 200 205  
 Leu His Thr Phe Thr Arg Gly Ser Pro Gly Arg Ser Ile Gly Ile Gln  
 210 215 220  
 Lys Pro Val Gly His Val Asp Ile Tyr Pro Asn Gly Gly Thr Phe Gln  
 225 230 235 240  
 Pro Gly Cys Asn Ile Gly Glu Ala Ile Arg Val Ile Ala Glu Arg Gly  
 245 250 255  
 Leu Gly Asp Val Asp Gln Leu Val Lys Cys Ser His Glu Arg Ser Ile  
 260 265 270  
 His Leu Phe Ile Asp Ser Leu Leu Asn Glu Glu Asn Pro Ser Lys Ala  
 275 280 285  
 Tyr Arg Cys Ser Ser Lys Glu Ala Phe Glu Lys Gly Leu Cys Leu Ser  
 290 295 300  
 Cys Arg Lys Asn Arg Cys Asn Asn Leu Gly Tyr Glu Ile Asn Lys Val  
 305 310 315 320  
 Arg Ala Lys Arg Ser Ser Lys Met Tyr Leu Lys Thr Arg Ser Gln Met  
 325 330 335  
 Pro Tyr Lys Val Phe His Tyr Gln Val Lys Ile His Phe Ser Gly Thr  
 340 345 350  
 Glu Ser Glu Thr His Thr Asn Gln Ala Phe Glu Ile Ser Leu Tyr Gly  
 355 360 365  
 Thr Val Ala Glu Ser Glu Asn Ile Pro Phe Thr Leu Pro Glu Val Ser  
 370 375 380  
 Thr Asn Lys Thr Tyr Ser Phe Leu Ile Tyr Thr Glu Val Asp Ile Gly  
 385 390 395 400  
 Glu Leu Leu Met Leu Lys Leu Lys Trp Lys Ser Asp Ser Tyr Phe Ser  
 405 410 415  
 Trp Ser Asp Trp Trp Ser Ser Pro Gly Phe Ala Ile Gln Lys Ile Arg  
 420 425 430  
 Val Lys Ala Gly Glu Thr Gln Lys Lys Val Ile Phe Cys Ser Arg Glu  
 435 440 445  
 Lys Val Ser His Leu Gln Lys Gly Lys Ala Pro Ala Val Phe Val Lys  
 450 455 460  
 Cys His Asp Lys Ser Leu Asn Lys Lys Ser Gly  
 465 470 475

<210> 49  
 <211> 5100  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (49)..(4896)

<400> 49

Page 96

Gln	Pro	Phe	Phe 295	His	Thr	Arg	Cys	Glu 300	Glu	Asp	Asn	Gly	Gly 305	Cys	Ser	
cac His	ctg Leu	tgc Cys 310	ctg Leu	ctg Leu	tcc Ser	cca Pro	agc Ser 315	gag Glu	cct Pro	ttc Phe	tac Tyr	aca Thr 320	tgc Cys	gcc Ala	tgc Cys	1017
ccc Pro	acg Thr 325	ggg Gly	gtg Val	cag Gln	ctg Leu	cag Gln 330	gac Asp	aac Asn	ggc Gly	agg Arg	acg Thr 335	tgt Cys	aag Lys	gca Ala	gga Gly	1065
gcc Ala 340	gag Glu	gag Glu	gtg Val	ctg Leu	ctg Leu 345	ctg Leu	gcc Ala	cgg Arg	cgg Arg	acg Thr 350	gac Asp	cta Leu	cgg Arg	agg Arg	atc Ile 355	1113
tcg Ser	ctg Leu	gac Asp	acg Thr	ccg Pro 360	gac Asp	ttt Phe	acc Thr	gac Asp	atc Ile 365	gtg Val	ctg Leu	cag Gln	gtg Val	gac Asp 370	gac Asp	1161
atc Ile	cgg Arg	cac His	gcc Ala 375	att Ile	gcc Ala	atc Ile	gac Asp	tac Tyr 380	gac Asp	ccg Pro	cta Leu	gag Glu	ggc Gly 385	tat Tyr	gtc Val	1209
tac Tyr	tgg Trp	aca Thr 390	gat Asp	gac Asp	gag Glu	gtg Val	cgg Arg 395	gcc Ala	atc Ile	cgc Arg	agg Arg	gcg Ala 400	tac Tyr	ctg Leu	gac Asp	1257
ggg Gly	tct Ser 405	ggg Gly	gcg Ala	cag Gln	acg Thr	ctg Leu 410	gtc Val	aac Asn	acc Thr	gag Glu	atc Ile 415	aac Asn	gac Asp	ccc Pro	gat Asp	1305
ggc Gly 420	atc Ile	gcg Ala	gtc Val	gac Asp	tgg Trp 425	gtg Val	gcc Ala	cga Arg	aac Asn	ctc Leu 430	tac Tyr	tgg Trp	acc Thr	gac Asp	acg Thr 435	1353
ggc Gly	acg Thr	gac Asp	cgc Arg	atc Ile 440	gag Glu	gtg Val	acg Thr	cgc Arg	ctc Leu 445	aac Asn	ggc Gly	acc Thr	tcc Ser	cgc Arg 450	aag Lys	1401
atc Ile	ctg Leu	gtg Val	tcg Ser 455	gag Glu	gac Asp	ctg Leu	gac Asp	gag Glu 460	ccc Pro	cga Arg	gcc Ala	atc Ile	gca Ala 465	ctg Leu	cac His	1449
ccc Pro	gtg Val	atg Met 470	ggc Gly	ctc Leu	atg Met	tac Tyr	tgg Trp 475	aca Thr	gac Asp	tgg Trp	gga Gly	gag Glu 480	aac Asn	cct Pro	aaa Lys	1497
atc Ile	gag Glu 485	tgt Cys	gcc Ala	aac Asn	ttg Leu	gat Asp 490	ggg Gly	cag Gln	gag Glu	cgg Arg	cgt Arg 495	gtg Val	ctg Leu	gtc Val	aat Asn	1545
gcc Ala 500	tcc Ser	ctc Leu	ggg Gly	tgg Trp	ccc Pro 505	aac Asn	ggc Gly	ctg Leu	gcc Ala	ctg Leu 510	gac Asp	ctg Leu	cag Gln	gag Glu 515	ggg Gly	1593
aag Lys	ctc Leu	tac Tyr	tgg Trp	gga Gly 520	gac Asp	gcc Ala	aag Lys	aca Thr	gac Asp 525	aag Lys	atc Ile	gag Glu	gtg Val	atc Ile 530	aat Asn	1641
gtt Val	gat Asp	ggg Gly	acg Thr 535	aag Lys	agg Arg	cgg Arg	acc Thr	ctc Leu 540	ctg Leu	gag Glu	gac Asp	aag Lys	ctc Leu 545	ccg Pro	cac His	1689
att Ile	ttc Phe	ggg Gly 550	ttc Phe	acg Thr	ctg Leu	ctg Leu	ggg Gly 555	gac Asp	ttc Phe	atc Ile	tac Tyr	tgg Trp 560	act Thr	gac Asp	tgg Trp	1737
cag Gln	cgc Arg 565	cgc Arg	agc Ser	atc Ile	gag Glu	cgg Arg 570	gtg Val	cac His	aag Lys	gtc Val	aag Lys 575	gcc Ala	agc Ser	cgg Arg	gac Asp	1785
gtc Val 580	atc Ile	att Ile	gac Asp	cag Gln	ctg Leu 585	ccc Pro	gac Asp	ctg Leu	atg Met	ggg Gly 590	ctc Leu	aaa Lys	gct Ala	gtg Val	aat Asn 595	1833
gtg Val	gcc Ala	aag Lys	gtc Val	gtc Val 600	gga Gly	acc Thr	aac Asn	ccg Pro	tgt Cys 605	gcg Ala	gac Asp	agg Arg	aac Asn	ggg Gly 610	ggg Gly	1881
tgc	agc	cac	ctg	tgc	ttc	ttc	aca	ccc	cac	gca	acc	cgg	tgt	ggc	tgc	1929

Cys	Ser	His	Leu	Cys	Phe	Phe	Thr	Pro	His	Ala	Thr	Arg	Cys	Gly	Cys	
615								620					625			
ccc Pro	atc Ile	ggc Gly	ctg Leu	gag Glu	ctg Leu	ctg Leu	agt Ser	gac Asp	atg Met	aag Lys	acc Thr	tgc Cys	atc Ile	gtg Val	cct Pro	1977
630							635					640				
gag Glu	gcc Ala	ttc Phe	ttg Leu	gtc Val	ttc Phe	acc Thr	agc Ser	aga Arg	gcc Ala	gcc Ala	atc Ile	cac His	agg Arg	atc Ile	tcc Ser	2025
645							650				655					
ctc Leu	gag Glu	acc Thr	aat Asn	aac Asn	aac Asn	gac Asp	gtg Val	gcc Ala	atc Ile	ccg Pro	ctc Leu	acg Thr	ggc Gly	gtc Val	aag Lys	2073
660							665			670					675	
gag Glu	gcc Ala	tca Ser	gcc Ala	ctg Leu	gac Asp	ttt Phe	gat Asp	gtg Val	tcc Ser	aac Asn	aac Asn	cac His	atc Ile	tac Tyr	tgg Trp	2121
680									685					690		
aca Thr	gac Asp	gtc Val	agc Ser	ctg Leu	aag Lys	acc Thr	atc Ile	agc Ser	cgc Arg	gcc Ala	ttc Phe	atg Met	aac Asn	ggg Gly	agc Ser	2169
695								700					705			
tcg Ser	gtg Val	gag Glu	cac His	gtg Val	gtg Val	gag Glu	ttt Phe	ggc Gly	ctt Leu	gac Asp	tac Tyr	ccc Pro	gag Glu	ggc Gly	atg Met	2217
710							715					720				
gcc Ala	gtt Val	gac Asp	tgg Trp	atg Met	ggc Gly	aag Lys	aac Asn	ctc Leu	tac Tyr	tgg Trp	gcc Ala	gac Asp	act Thr	ggg Gly	acc Thr	2265
725						730					735					
aac Asn	aga Arg	atc Ile	gaa Glu	gtg Val	gcg Ala	cgg Arg	ctg Leu	gac Asp	ggg Gly	cag Gln	ttc Phe	cgg Arg	caa Gln	gtc Val	ctc Leu	2313
740					745					750					755	
gtg Val	tgg Trp	agg Arg	gac Asp	ttg Leu	gac Asp	aac Asn	ccg Pro	agg Arg	tcg Ser	ctg Leu	gcc Ala	ctg Leu	gat Asp	ccc Pro	acc Thr	2361
760								765						770		
aag Lys	ggc Gly	tac Tyr	atc Ile	tac Tyr	tgg Trp	acc Thr	gag Glu	tgg Trp	ggc Gly	ggc Gly	aag Lys	ccg Pro	agg Arg	atc Ile	gtg Val	2409
775							780						785			
cgg Arg	gcc Ala	ttc Phe	atg Met	gac Asp	ggg Gly	acc Thr	aac Asn	tgc Cys	atg Met	acg Thr	ctg Leu	gtg Val	gac Asp	aag Lys	gtg Val	2457
790							795					800				
ggc Gly	cgg Arg	gcc Ala	aac Asn	gac Asp	ctc Leu	acc Thr	att Ile	gac Asp	tac Tyr	gct Ala	gac Asp	cag Gln	cgc Arg	ctc Leu	tac Tyr	2505
805					810						815					
tgg Trp	acc Thr	gac Asp	ctg Leu	gac Asp	acc Thr	aac Asn	atg Met	atc Ile	gag Glu	tcg Ser	tcc Ser	aac Asn	atg Met	ctg Leu	ggt Gly	2553
820					825					830					835	
cag Gln	gag Glu	cgg Arg	gtc Val	gtg Val	att Ile	gcc Ala	gac Asp	gat Asp	ctc Leu	ccg Pro	cac His	ccg Pro	ttc Phe	ggt Gly	ctg Leu	2601
840									845					850		
acg Thr	cag Gln	tac Tyr	agc Ser	gat Asp	tat Tyr	atc Ile	tac Tyr	tgg Trp	aca Thr	gac Asp	tgg Trp	aat Asn	ctg Leu	cac His	agc Ser	2649
855								860					865			
att Ile	gag Glu	cgg Arg	gcc Ala	gac Asp	aag Lys	act Thr	agc Ser	ggc Gly	cgg Arg	aac Asn	cgc Arg	acc Thr	ctc Leu	atc Ile	cag Gln	2697
870							875					880				
ggc Gly	cac His	ctg Leu	gac Asp	ttc Phe	gtg Val	atg Met	gac Asp	atc Ile	ctg Leu	gtg Val	ttc Phe	cac His	tcc Ser	tcc Ser	cgc Arg	2745
885						890					895					
cag Gln	gat Asp	ggc Gly	ctc Leu	aat Asn	gac Asp	tgt Cys	atg Met	cac His	aac Asn	aac Asn	ggg Gly	cag Gln	tgt Cys	ggg Gly	cag Gln	2793
900					905					910					915	
ctg Leu	tgc Cys	ctt Leu	gcc Ala	atc Ile	ccc Pro	ggc Gly	ggc Gly	cac His	cgc Arg	tgc Cys	ggc Gly	tgc Cys	gcc Ala	tca Ser	cac His	2841
920								925					930			
tac	acc	ctg	gac	ccc	agc	agc	cgc	aac	tgc	agc	ccg	ccc	acc	acc	ttc	2889

Tyr	Thr	Leu	Asp 935	Pro	Ser	Ser	Arg	Asn 940	Cys	Ser	Pro	Pro	Thr 945	Thr	Phe	
ttg Leu	ctg Leu	ttc Phe 950	agc Ser	cag Gln	aaa Lys	tct Ser	gcc Ala 955	atc Ile	agt Ser	cgg Arg	atg Met	atc Ile 960	ccg Pro	gac Asp	gac Asp	2937
cag Gln	cac His 965	agc Ser	ccg Pro	gat Asp	ctc Leu	atc Ile 970	ctg Leu	ccc Pro	ctg Leu	cat His	gga Gly 975	ctg Leu	agg Arg	aac Asn	gtc Val	2985
aaa Lys 980	gcc Ala	atc Ile	gac Asp	tat Tyr	gac Asp 985	cca Pro	ctg Leu	gac Asp	aag Lys	ttc Phe 990	atc Ile	tac Tyr	tgg Trp	gtg Val	gat Asp 995	3033
ggg Gly	cgc Arg	cag Gln	aac Asn	atc Ile 1000	aag Lys	cga Arg	gcc Ala	aag Lys	gac Asp 1005	gac Asp	ggg Gly	acc Thr	cag Gln	ccc Pro 1010		3078
ttt Phe	gtt Val	ttg Leu	acc Thr	tct Ser 1015	ctg Leu	agc Ser	caa Gln	ggc Gly	caa Gln 1020	aac Asn	cca Pro	gac Asp	agg Arg	cag Gln 1025		3123
ccc Pro	cac His	gac Asp	ctc Leu	agc Ser 1030	atc Ile	gac Asp	atc Ile	tac Tyr	agc Ser 1035	cgg Arg	aca Thr	ctg Leu	ttc Phe	tgg Trp 1040		3168
acg Thr	tgc Cys	gag Glu	gcc Ala	acc Thr 1045	aat Asn	acc Thr	atc Ile	aac Asn	gtc Val 1050	cac His	agg Arg	ctg Leu	agc Ser	ggg Gly 1055		3213
gaa Glu	gcc Ala	atg Met	ggg Gly	gtg Val 1060	gtg Val	ctg Leu	cgt Arg	ggg Gly	gac Asp 1065	cgc Arg	gac Asp	aag Lys	ccc Pro	agg Arg 1070		3258
gcc Ala	atc Ile	gtc Val	gtc Val	aac Asn 1075	gcg Ala	gag Glu	cga Arg	ggg Gly	tac Tyr 1080	ctg Leu	tac Tyr	ttc Phe	acc Thr	aac Asn 1085		3303
atg Met	cag Gln	gac Asp	cgg Arg	gca Ala 1090	gcc Ala	aag Lys	atc Ile	gaa Glu	cgc Arg 1095	gca Ala	gcc Ala	ctg Leu	gac Asp	ggc Gly 1100		3348
acc Thr	gag Glu	cgc Arg	gag Glu	gtc Val 1105	ctc Leu	ttc Phe	acc Thr	acc Thr	ggc Gly 1110	ctc Leu	atc Ile	cgc Arg	cct Pro	gtg Val 1115		3393
gcc Ala	ctg Leu	gtg Val	gta Val	gac Asp 1120	aac Asn	aca Thr	ctg Leu	ggc Gly	aag Lys 1125	ctg Leu	ttc Phe	tgg Trp	gtg Val	gac Asp 1130		3438
gcg Ala	gac Asp	ctg Leu	aag Lys	cgc Arg 1135	att Ile	gag Glu	agc Ser	tgt Cys	gac Asp 1140	ctg Leu	tca Ser	ggg Gly	gcc Ala	aac Asn 1145		3483
cgc Arg	ctg Leu	acc Thr	ctg Leu	gag Glu 1150	gac Asp	gcc Ala	aac Asn	atc Ile	gtg Val 1155	cag Gln	cct Pro	ctg Leu	ggc Gly	ctg Leu 1160		3528
acc Thr	atc Ile	ctt Leu	ggc Gly	aag Lys 1165	cat His	ctc Leu	tac Tyr	tgg Trp	atc Ile 1170	gac Asp	cgc Arg	cag Gln	cag Gln	cag Gln 1175		3573
atg Met	atc Ile	gag Glu	cgt Arg	gtg Val 1180	gag Glu	aag Lys	acc Thr	acc Thr	ggg Gly 1185	gac Asp	aag Lys	cgg Arg	act Thr	cgc Arg 1190		3618
atc Ile	cag Gln	ggc Gly	cgt Arg	gtc Val 1195	gcc Ala	cac His	ctc Leu	act Thr	ggc Gly 1200	atc Ile	cat His	gca Ala	gtg Val	gag Glu 1205		3663
gaa Glu	gtc Val	agc Ser	ctg Leu	gag Glu 1210	gag Glu	ttc Phe	tca Ser	gcc Ala	cac His 1215	cca Pro	tgt Cys	gcc Ala	cgt Arg	gac Asp 1220		3708
aat Asn	ggt Gly	ggc Gly	tgc Cys	tcc Ser 1225	cac His	atc Ile	tgt Cys	att Ile	gcc Ala 1230	aag Lys	ggt Gly	gat Asp	ggg Gly	aca Thr 1235		3753
cca	cgg	tgc	tca	tgc	cca	gtc	cac	ctc	gtg	ctc	ctg	cag	aac	ctg		3798



Pro	Arg	Cys	Ser	Cys 1240	Pro	Val	His	Leu	Val 1245	Leu	Leu	Gln	Asn	Leu 1250	
ctg	acc	tgt	gga	gag	ccg	ccc	acc	tgc	tcc	ccg	gac	cag	ttt	gca	3843
Leu	Thr	Cys	Gly	Glu 1255	Pro	Pro	Thr	Cys	Ser 1260	Pro	Asp	Gln	Phe	Ala 1265	
tgt	gcc	aca	ggg	gag	atc	gac	tgt	atc	ccc	ggg	gcc	tgg	cgc	tgt	3888
Cys	Ala	Thr	Gly	Glu 1270	Ile	Asp	Cys	Ile	Pro 1275	Gly	Ala	Trp	Arg	Cys 1280	
gac	ggc	ttt	ccc	gag	tgc	gat	gac	cag	agc	gac	gag	gag	ggc	tgc	3933
Asp	Gly	Phe	Pro	Glu 1285	Cys	Asp	Asp	Gln	Ser 1290	Asp	Glu	Glu	Gly	Cys 1295	
ccc	gtg	tgc	tcc	gcc	gcc	cag	ttc	ccc	tgc	gcg	cgg	ggt	cag	tgt	3978
Pro	Val	Cys	Ser	Ala 1300	Ala	Gln	Phe	Pro	Cys 1305	Ala	Arg	Gly	Gln	Cys 1310	
gtg	gac	ctg	cgc	ctg	cgc	tgc	gac	ggc	gag	gca	gac	tgt	cag	gac	4023
Val	Asp	Leu	Arg	Leu 1315	Arg	Cys	Asp	Gly	Glu 1320	Ala	Asp	Cys	Gln	Asp 1325	
cgc	tca	gac	gag	ggc	gac	tgt	gac	gcc	atc	tgc	ctg	ccc	aac	cag	4068
Arg	Ser	Asp	Glu	Ala 1330	Asp	Cys	Asp	Ala	Ile 1335	Cys	Leu	Pro	Asn	Gln 1340	
ttc	cgg	tgt	gcg	agc	ggc	cag	tgt	gtc	ctc	atc	aaa	cag	cag	tgc	4113
Phe	Arg	Cys	Ala	Ser 1345	Gly	Gln	Cys	Val	Leu 1350	Ile	Lys	Gln	Gln	Cys 1355	
gac	tcc	ttc	ccc	gac	tgt	atc	gac	ggc	tcc	gac	gag	ctc	atg	tgt	4158
Asp	Ser	Phe	Pro	Asp 1360	Cys	Ile	Asp	Gly	Ser 1365	Asp	Glu	Leu	Met	Cys 1370	
gaa	atc	acc	aag	ccg	ccc	tca	gac	gac	agc	ccg	gcc	cac	agc	agt	4203
Glu	Ile	Thr	Lys	Pro 1375	Pro	Ser	Asp	Asp	Ser 1380	Pro	Ala	His	Ser	Ser 1385	
gcc	atc	ggg	ccc	gtc	att	ggc	atc	atc	ctc	tct	ctc	ttc	gtc	atg	4248
Ala	Ile	Gly	Pro	Val 1390	Ile	Gly	Ile	Ile	Leu 1395	Ser	Leu	Phe	Val	Met 1400	
ggt	ggt	gtc	tat	ttt	gtg	tgc	cag	cgc	gtg	gtg	tgc	cag	cgc	tat	4293
Gly	Gly	Val	Tyr	Phe 1405	Val	Cys	Gln	Arg	Val 1410	Val	Cys	Gln	Arg	Tyr 1415	
gcg	ggg	gcc	aac	ggg	ccc	ttc	ccg	cac	gag	tat	gtc	agc	ggg	acc	4338
Ala	Gly	Ala	Asn	Gly 1420	Pro	Phe	Pro	His	Glu 1425	Tyr	Val	Ser	Gly	Thr 1430	
ccg	cac	gtg	ccc	ctc	aat	ttc	ata	gcc	ccg	ggc	ggt	tcc	cag	cat	4383
Pro	His	Val	Pro	Leu 1435	Asn	Phe	Ile	Ala	Pro 1440	Gly	Gly	Ser	Gln	His 1445	
ggc	ccc	ttc	aca	ggc	atc	gca	tgc	gga	aag	tcc	atg	atg	agc	tcc	4428
Gly	Pro	Phe	Thr	Gly 1450	Ile	Ala	Cys	Gly	Lys 1455	Ser	Met	Met	Ser	Ser 1460	
gtg	agc	ctg	atg	ggg	ggc	cgg	ggc	ggg	gtg	ccc	ctc	tac	gac	cgg	4473
Val	Ser	Leu	Met	Gly 1465	Gly	Arg	Gly	Gly	Val 1470	Pro	Leu	Tyr	Asp	Arg 1475	
aac	cac	gtc	aca	ggg	gcc	tcg	tcc	agc	agc	tcg	tcc	agc	acg	aag	4518
Asn	His	Val	Thr	Gly 1480	Ala	Ser	Ser	Ser	Ser 1485	Ser	Ser	Ser	Thr	Lys 1490	
gcc	acg	ctg	tac	ccg	ccg	atc	ctg	aac	ccg	ccg	ccc	tcc	ccg	gcc	4563
Ala	Thr	Leu	Tyr	Pro 1495	Pro	Ile	Leu	Asn	Pro 1500	Pro	Pro	Ser	Pro	Ala 1505	
acg	gac	ccc	tcc	ctg	tac	aac	atg	gac	atg	ttc	tac	tct	tca	aac	4608
Thr	Asp	Pro	Ser	Leu 1510	Tyr	Asn	Met	Asp	Met 1515	Phe	Tyr	Ser	Ser	Asn 1520	
att	ccg	gcc	act	gtg	aga	ccg	tac	agg	ccc	tac	atc	att	cga	gga	4653
Ile	Pro	Ala	Thr	Val 1525	Arg	Pro	Tyr	Arg	Pro 1530	Tyr	Ile	Ile	Arg	Gly 1535	
atg	gcg	ccc	ccg	acg	acg	ccc	tgc	agc	acc	gac	gtg	tgt	gac	agc	4698

Met Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys Asp Ser  
 1540 1545 1550  
 gac tac agc gcc agc cgc tgg aag gcc agc aag tac tac ctg gat 4743  
 Asp Tyr Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr Leu Asp  
 1555 1560 1565  
 ttg aac tcg gac tca gac ccc tat cca ccc cca ccc acg ccc cac 4788  
 Leu Asn Ser Asp Ser Asp Pro Tyr Pro Pro Pro Thr Pro His  
 1570 1575 1580  
 agc cag tac ctg tcg gcg gag gac agc tgc ccg ccc tcg ccc gcc 4833  
 Ser Gln Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser Pro Ala  
 1585 1590 1595  
 acc gag agg agc tac ttc cat ctc ttc ccg ccc cct ccg tcc ccc 4878  
 Thr Glu Arg Ser Tyr Phe His Leu Phe Pro Pro Pro Pro Ser Pro  
 1600 1605 1610  
 tgc acg gac tca tcc tga cctcggccgg gccactctgg cttctctgtg 4926  
 Cys Thr Asp Ser Ser  
 1615  
 ccctgtaaa tagttttaa tatgaacaaa gaaaaaata tttttatga tttaaaaaat 4986  
 aaatataatt gggattttta aaacatgaga aatgtgaact gtgatgggggt gggcagggct 5046  
 gggagaactt tgtacagtgg aacaaatatt tataaactta attttgtaaa acag 5100

<210> 50  
 <211> 1615  
 <212> PRT  
 <213> Homo sapiens

<400> 50

Met Glu Ala Ala Pro Pro Gly Pro Pro Trp Pro Leu Leu Leu Leu Leu  
 1 5 10 15  
 Leu Leu Leu Leu Ala Leu Cys Gly Cys Pro Ala Pro Ala Ala Ala Ser  
 20 25 30  
 Pro Leu Leu Leu Phe Ala Asn Arg Arg Asp Val Arg Leu Val Asp Ala  
 35 40 45  
 Gly Gly Val Lys Leu Glu Ser Thr Ile Val Val Ser Gly Leu Glu Asp  
 50 55 60  
 Ala Ala Ala Val Asp Phe Gln Phe Ser Lys Gly Ala Val Tyr Trp Thr  
 65 70 75 80  
 Asp Val Ser Glu Glu Ala Ile Lys Gln Thr Tyr Leu Asn Gln Thr Gly  
 85 90 95  
 Ala Ala Val Gln Asn Val Val Ile Ser Gly Leu Val Ser Pro Asp Gly  
 100 105 110  
 Leu Ala Cys Asp Trp Val Gly Lys Lys Leu Tyr Trp Thr Asp Ser Glu  
 115 120 125  
 Thr Asn Arg Ile Glu Val Ala Asn Leu Asn Gly Thr Ser Arg Lys Val  
 130 135 140  
 Leu Phe Trp Gln Asp Leu Asp Gln Pro Arg Ala Ile Ala Leu Asp Pro  
 145 150 155 160  
 Ala His Gly Tyr Met Tyr Trp Thr Asp Trp Gly Glu Thr Pro Arg Ile  
 165 170 175

Glu Arg Ala Gly Met Asp Gly Ser Thr Arg Lys Ile Ile Val Asp Ser  
 180 185 190  
 Asp Ile Tyr Trp Pro Asn Gly Leu Thr Ile Asp Leu Glu Glu Gln Lys  
 195 200 205  
 Leu Tyr Trp Ala Asp Ala Lys Leu Ser Phe Ile His Arg Ala Asn Leu  
 210 215 220  
 Asp Gly Ser Phe Arg Gln Lys Val Val Glu Gly Ser Leu Thr His Pro  
 225 230 235 240  
 Phe Ala Leu Thr Leu Ser Gly Asp Thr Leu Tyr Trp Thr Asp Trp Gln  
 245 250 255  
 Thr Arg Ser Ile His Ala Cys Asn Lys Arg Thr Gly Gly Lys Arg Lys  
 260 265 270  
 Glu Ile Leu Ser Ala Leu Tyr Ser Pro Met Asp Ile Gln Val Leu Ser  
 275 280 285  
 Gln Glu Arg Gln Pro Phe Phe His Thr Arg Cys Glu Glu Asp Asn Gly  
 290 295 300  
 Gly Cys Ser His Leu Cys Leu Leu Ser Pro Ser Glu Pro Phe Tyr Thr  
 305 310 315 320  
 Cys Ala Cys Pro Thr Gly Val Gln Leu Gln Asp Asn Gly Arg Thr Cys  
 325 330 335  
 Lys Ala Gly Ala Glu Glu Val Leu Leu Leu Ala Arg Arg Thr Asp Leu  
 340 345 350  
 Arg Arg Ile Ser Leu Asp Thr Pro Asp Phe Thr Asp Ile Val Leu Gln  
 355 360 365  
 Val Asp Asp Ile Arg His Ala Ile Ala Ile Asp Tyr Asp Pro Leu Glu  
 370 375 380  
 Gly Tyr Val Tyr Trp Thr Asp Asp Glu Val Arg Ala Ile Arg Arg Ala  
 385 390 395 400  
 Tyr Leu Asp Gly Ser Gly Ala Gln Thr Leu Val Asn Thr Glu Ile Asn  
 405 410 415  
 Asp Pro Asp Gly Ile Ala Val Asp Trp Val Ala Arg Asn Leu Tyr Trp  
 420 425 430  
 Thr Asp Thr Gly Thr Asp Arg Ile Glu Val Thr Arg Leu Asn Gly Thr  
 435 440 445  
 Ser Arg Lys Ile Leu Val Ser Glu Asp Leu Asp Glu Pro Arg Ala Ile  
 450 455 460  
 Ala Leu His Pro Val Met Gly Leu Met Tyr Trp Thr Asp Trp Gly Glu  
 465 470 475 480  
 Asn Pro Lys Ile Glu Cys Ala Asn Leu Asp Gly Gln Glu Arg Arg Val  
 485 490 495

Leu Val Asn Ala Ser Leu Gly Trp Pro Asn Gly Leu Ala Leu Asp Leu  
 500 505 510  
 Gln Glu Gly Lys Leu Tyr Trp Gly Asp Ala Lys Thr Asp Lys Ile Glu  
 515 520 525  
 Val Ile Asn Val Asp Gly Thr Lys Arg Arg Thr Leu Leu Glu Asp Lys  
 530 535 540  
 Leu Pro His Ile Phe Gly Phe Thr Leu Leu Gly Asp Phe Ile Tyr Trp  
 545 550 555 560  
 Thr Asp Trp Gln Arg Arg Ser Ile Glu Arg Val His Lys Val Lys Ala  
 565 570 575  
 Ser Arg Asp Val Ile Ile Asp Gln Leu Pro Asp Leu Met Gly Leu Lys  
 580 585 590  
 Ala Val Asn Val Ala Lys Val Val Gly Thr Asn Pro Cys Ala Asp Arg  
 595 600 605  
 Asn Gly Gly Cys Ser His Leu Cys Phe Phe Thr Pro His Ala Thr Arg  
 610 615 620  
 Cys Gly Cys Pro Ile Gly Leu Glu Leu Leu Ser Asp Met Lys Thr Cys  
 625 630 635 640  
 Ile Val Pro Glu Ala Phe Leu Val Phe Thr Ser Arg Ala Ala Ile His  
 645 650 655  
 Arg Ile Ser Leu Glu Thr Asn Asn Asn Asp Val Ala Ile Pro Leu Thr  
 660 665 670  
 Gly Val Lys Glu Ala Ser Ala Leu Asp Phe Asp Val Ser Asn Asn His  
 675 680 685  
 Ile Tyr Trp Thr Asp Val Ser Leu Lys Thr Ile Ser Arg Ala Phe Met  
 690 695 700  
 Asn Gly Ser Ser Val Glu His Val Val Glu Phe Gly Leu Asp Tyr Pro  
 705 710 715 720  
 Glu Gly Met Ala Val Asp Trp Met Gly Lys Asn Leu Tyr Trp Ala Asp  
 725 730 735  
 Thr Gly Thr Asn Arg Ile Glu Val Ala Arg Leu Asp Gly Gln Phe Arg  
 740 745 750  
 Gln Val Leu Val Trp Arg Asp Leu Asp Asn Pro Arg Ser Leu Ala Leu  
 755 760 765  
 Asp Pro Thr Lys Gly Tyr Ile Tyr Trp Thr Glu Trp Gly Gly Lys Pro  
 770 775 780  
 Arg Ile Val Arg Ala Phe Met Asp Gly Thr Asn Cys Met Thr Leu Val  
 785 790 795 800  
 Asp Lys Val Gly Arg Ala Asn Asp Leu Thr Ile Asp Tyr Ala Asp Gln  
 805 810 815

Arg Leu Tyr Trp Thr Asp Leu Asp Thr Asn Met Ile Glu Ser Ser Asn  
 820 825 830  
 Met Leu Gly Gln Glu Arg Val Val Ile Ala Asp Asp Leu Pro His Pro  
 835 840 845  
 Phe Gly Leu Thr Gln Tyr Ser Asp Tyr Ile Tyr Trp Thr Asp Trp Asn  
 850 855 860  
 Leu His Ser Ile Glu Arg Ala Asp Lys Thr Ser Gly Arg Asn Arg Thr  
 865 870 875 880  
 Leu Ile Gln Gly His Leu Asp Phe Val Met Asp Ile Leu Val Phe His  
 885 890 895  
 Ser Ser Arg Gln Asp Gly Leu Asn Asp Cys Met His Asn Asn Gly Gln  
 900 905 910  
 Cys Gly Gln Leu Cys Leu Ala Ile Pro Gly Gly His Arg Cys Gly Cys  
 915 920 925  
 Ala Ser His Tyr Thr Leu Asp Pro Ser Ser Arg Asn Cys Ser Pro Pro  
 930 935 940  
 Thr Thr Phe Leu Leu Phe Ser Gln Lys Ser Ala Ile Ser Arg Met Ile  
 945 950 955 960  
 Pro Asp Asp Gln His Ser Pro Asp Leu Ile Leu Pro Leu His Gly Leu  
 965 970 975  
 Arg Asn Val Lys Ala Ile Asp Tyr Asp Pro Leu Asp Lys Phe Ile Tyr  
 980 985 990  
 Trp Val Asp Gly Arg Gln Asn Ile Lys Arg Ala Lys Asp Asp Gly Thr  
 995 1000 1005  
 Gln Pro Phe Val Leu Thr Ser Leu Ser Gln Gly Gln Asn Pro Asp  
 1010 1015 1020  
 Arg Gln Pro His Asp Leu Ser Ile Asp Ile Tyr Ser Arg Thr Leu  
 1025 1030 1035  
 Phe Trp Thr Cys Glu Ala Thr Asn Thr Ile Asn Val His Arg Leu  
 1040 1045 1050  
 Ser Gly Glu Ala Met Gly Val Val Leu Arg Gly Asp Arg Asp Lys  
 1055 1060 1065  
 Pro Arg Ala Ile Val Val Asn Ala Glu Arg Gly Tyr Leu Tyr Phe  
 1070 1075 1080  
 Thr Asn Met Gln Asp Arg Ala Ala Lys Ile Glu Arg Ala Ala Leu  
 1085 1090 1095  
 Asp Gly Thr Glu Arg Glu Val Leu Phe Thr Thr Gly Leu Ile Arg  
 1100 1105 1110  
 Pro Val Ala Leu Val Val Asp Asn Thr Leu Gly Lys Leu Phe Trp  
 1115 1120 1125

Val<sub>1130</sub> Asp Ala Asp Leu Lys Arg<sub>1135</sub> Ile Glu Ser Cys Asp<sub>1140</sub> Leu Ser Gly  
 Ala Asn<sub>1145</sub> Arg Leu Thr Leu Glu<sub>1150</sub> Asp Ala Asn Ile Val<sub>1155</sub> Gln Pro Leu  
 Gly Leu<sub>1160</sub> Thr Ile Leu Gly Lys<sub>1165</sub> His Leu Tyr Trp Ile<sub>1170</sub> Asp Arg Gln  
 Gln Gln<sub>1175</sub> Met Ile Glu Arg Val<sub>1180</sub> Glu Lys Thr Thr Gly<sub>1185</sub> Asp Lys Arg  
 Thr Arg<sub>1190</sub> Ile Gln Gly Arg Val<sub>1195</sub> Ala His Leu Thr Gly<sub>1200</sub> Ile His Ala  
 Val<sub>1205</sub> Glu Val Ser Leu Glu<sub>1210</sub> Glu Phe Ser Ala His<sub>1215</sub> Pro Cys Ala  
 Arg Asp<sub>1220</sub> Asn Gly Gly Cys Ser<sub>1225</sub> His Ile Cys Ile Ala<sub>1230</sub> Lys Gly Asp  
 Gly Thr<sub>1235</sub> Pro Arg Cys Ser Cys<sub>1240</sub> Pro Val His Leu Val<sub>1245</sub> Leu Leu Gln  
 Asn Leu<sub>1250</sub> Leu Thr Cys Gly Glu<sub>1255</sub> Pro Pro Thr Cys Ser<sub>1260</sub> Pro Asp Gln  
 Phe Ala<sub>1265</sub> Cys Ala Thr Gly Glu<sub>1270</sub> Ile Asp Cys Ile Pro<sub>1275</sub> Gly Ala Trp  
 Arg Cys<sub>1280</sub> Asp Gly Phe Pro Glu<sub>1285</sub> Cys Asp Asp Gln Ser<sub>1290</sub> Asp Glu Glu  
 Gly Cys<sub>1295</sub> Pro Val Cys Ser Ala<sub>1300</sub> Ala Gln Phe Pro Cys<sub>1305</sub> Ala Arg Gly  
 Gln Cys<sub>1310</sub> Val Asp Leu Arg Leu<sub>1315</sub> Arg Cys Asp Gly Glu<sub>1320</sub> Ala Asp Cys  
 Gln Asp<sub>1325</sub> Arg Ser Asp Glu Ala<sub>1330</sub> Asp Cys Asp Ala Ile<sub>1335</sub> Cys Leu Pro  
 Asn Gln<sub>1340</sub> Phe Arg Cys Ala Ser<sub>1345</sub> Gly Gln Cys Val Leu<sub>1350</sub> Ile Lys Gln  
 Gln Cys<sub>1355</sub> Asp Ser Phe Pro Asp<sub>1360</sub> Cys Ile Asp Gly Ser<sub>1365</sub> Asp Glu Leu  
 Met Cys<sub>1370</sub> Glu Ile Thr Lys Pro<sub>1375</sub> Pro Ser Asp Asp Ser<sub>1380</sub> Pro Ala His  
 Ser Ser<sub>1385</sub> Ala Ile Gly Pro Val<sub>1390</sub> Ile Gly Ile Ile Leu<sub>1395</sub> Ser Leu Phe  
 Val Met<sub>1400</sub> Gly Gly Val Tyr Phe<sub>1405</sub> Val Cys Gln Arg Val<sub>1410</sub> Val Cys Gln  
 Arg Tyr<sub>1415</sub> Ala Gly Ala Asn Gly<sub>1420</sub> Pro Phe Pro His Glu<sub>1425</sub> Tyr Val Ser

Gly Thr Pro His Val Pro Leu Asn Phe Ile Ala Pro Gly Gly Ser  
 1430 1435 1440  
 Gln His Gly Pro Phe Thr Gly Ile Ala Cys Gly Lys Ser Met Met  
 1445 1450 1455  
 Ser Ser Val Ser Leu Met Gly Gly Arg Gly Gly Val Pro Leu Tyr  
 1460 1465 1470  
 Asp Arg Asn His Val Thr Gly Ala Ser Ser Ser Ser Ser Ser Ser  
 1475 1480 1485  
 Thr Lys Ala Thr Leu Tyr Pro Pro Ile Leu Asn Pro Pro Pro Ser  
 1490 1495 1500  
 Pro Ala Thr Asp Pro Ser Leu Tyr Asn Met Asp Met Phe Tyr Ser  
 1505 1510 1515  
 Ser Asn Ile Pro Ala Thr Val Arg Pro Tyr Arg Pro Tyr Ile Ile  
 1520 1525 1530  
 Arg Gly Met Ala Pro Pro Thr Thr Pro Cys Ser Thr Asp Val Cys  
 1535 1540 1545  
 Asp Ser Asp Tyr Ser Ala Ser Arg Trp Lys Ala Ser Lys Tyr Tyr  
 1550 1555 1560  
 Leu Asp Leu Asn Ser Asp Ser Asp Pro Tyr Pro Pro Pro Pro Thr  
 1565 1570 1575  
 Pro His Ser Gln Tyr Leu Ser Ala Glu Asp Ser Cys Pro Pro Ser  
 1580 1585 1590  
 Pro Ala Thr Glu Arg Ser Tyr Phe His Leu Phe Pro Pro Pro Pro  
 1595 1600 1605  
 Ser Pro Cys Thr Asp Ser Ser  
 1610 1615

<210> 51  
 <211> 2479  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (6)..(1892)  
 <223>

<400> 51  
 tgaac atg gag ccc ccg gac gca ccg gcc cag gcg cgc ggg gcc ccg cgg 50  
 Met Glu Pro Pro Asp Ala Pro Ala Gln Ala Arg Gly Ala Pro Arg  
 1 5 10 15  
 ctg ctg ttg ctc gca gtc ctg ctg gcg gcg cac cca gat gcc cag gcg 98  
 Leu Leu Leu Leu Ala Val Leu Leu Ala Ala His Pro Asp Ala Gln Ala  
 20 25 30  
 gag gtg cgc ttg tct gta ccc ccg ctg gtg gag gtg atg cga gga aag 146  
 Glu Val Arg Leu Ser Val Pro Pro Leu Val Glu Val Met Arg Gly Lys  
 35 40 45  
 tct gtc att ctg gac tgc acc cct acg gga acc cac gac cat tat atg 194  
 Ser Val Ile Leu Asp Cys Thr Pro Thr Gly Thr His Asp His Tyr Met  
 50 55 60  
 ctg gaa tgg ttc ctt acc gac cgc tcg gga gct cgc ccc cgc cta gcc 242

Leu	Glu 65	Trp	Phe	Leu	Thr	Asp 70	Arg	Ser	Gly	Ala	Arg 75	Pro	Arg	Leu	Ala	
tct Ser 80	gct Ala	gag Glu	atg Met	cag Gln	ggc Gly 85	tct Ser	gag Glu	ctc Leu	cag Gln	gtc Val 90	aca Thr	atg Met	cac His	gac Asp	acc Thr 95	290
cgg Arg	ggc Gly	cgc Arg	agt Ser	ccc Pro 100	cca Pro	tac Tyr	cag Gln	ctg Leu	gac Asp 105	tcc Ser	cag Gln	ggg Gly	cgc Arg	ctg Leu 110	gtg Val	338
ctg Leu	gct Ala	gag Glu	gcc Ala 115	cag Gln	gtg Val	ggc Gly	gac Asp	gag Glu 120	cga Arg	gac Asp	tac Tyr	gtg Val	tgc Cys 125	gtg Val	gtg Val	386
agg Arg	gca Ala	ggg Gly 130	gcg Ala	gca Ala	ggc Gly	act Thr	gct Ala 135	gag Glu	gcc Ala	act Thr	gcg Ala	cgg Arg 140	ctc Leu	aac Asn	gtg Val	434
ttt Phe 145	gca Ala	aag Lys	cca Pro	gag Glu	gcc Ala	act Thr 150	gag Glu	gtc Val	tcc Ser	ccc Pro	aac Asn 155	aaa Lys	ggg Gly	aca Thr	ctg Leu	482
tct Ser 160	gtg Val	atg Met	gag Glu	gac Asp	tct Ser 165	gcc Ala	cag Gln	gag Glu	atc Ile	gcc Ala 170	acc Thr	tgc Cys	aac Asn	agc Ser	cgg Arg 175	530
aac Asn	ggg Gly	aac Asn	ccg Pro	gcc Ala 180	ccc Pro	aag Lys	atc Ile	acg Thr	tgg Trp 185	tat Tyr	cgc Arg	aac Asn	ggg Gly	cag Gln 190	cgc Arg	578
ctg Leu	gag Glu	gtg Val	ccc Pro 195	gta Val	gag Glu	atg Met	aac Asn	cca Pro 200	gag Glu	ggc Gly	tac Tyr	atg Met	acc Thr 205	agc Ser	cgc Arg	626
acg Thr	gtc Val	cgg Arg 210	gag Glu	gcc Ala	tgc Ser	ggc Gly	ctg Leu 215	ctc Leu	tcc Ser	ctc Leu	acc Thr	agc Ser 220	acc Thr	ctc Leu	tac Tyr	674
ctg Leu	cgg Arg 225	ctc Leu	cgc Arg	aag Lys	gat Asp	gac Asp 230	cga Arg	gac Asp	gcc Ala	agc Ser	ttc Phe 235	cac His	tgc Cys	gcc Ala	gcc Ala	722
cac His 240	tac Tyr	agc Ser	ctg Leu	ccc Pro	gag Glu 245	ggc Gly	cgc Arg	cac His	ggc Gly	cgc Arg 250	ctg Leu	gac Asp	agc Ser	ccc Pro	acc Thr 255	770
ttc Phe	cac His	ctc Leu	acc Thr	ctg Leu 260	cac His	tat Tyr	ccc Pro	acg Thr	gag Glu 265	cac His	gtg Val	cag Gln	ttc Phe 270	tgg Trp	gtg Val	818
ggc Gly	agc Ser	ccg Pro	tcc Ser 275	acc Thr	cca Pro	gca Ala	ggc Gly	tgg Trp 280	gta Val	cgc Arg	gag Glu	ggt Gly	gac Asp 285	act Thr	gtc Val	866
cag Gln	ctg Leu	ctc Leu 290	tgc Cys	cgg Arg	ggg Gly	gac Asp	ggc Gly 295	agc Ser	ccc Pro	agc Ser	ccg Pro	gag Glu 300	tat Tyr	acg Thr	ctt Leu	914
ttc Phe 305	cgc Arg	ctt Leu	cag Gln	gat Asp	gag Glu	cag Gln 310	gag Glu	gaa Glu	gtg Val	ctg Leu	aat Asn 315	gtg Val	aat Asn	ctc Leu	gag Glu	962
ggg Gly 320	aac Asn	ttg Leu	acc Thr	ctg Leu	gag Glu 325	gga Gly	gtg Val	acc Thr	cgg Arg	ggc Gly 330	cag Gln	agc Ser	ggg Gly	acc Thr	tat Tyr 335	1010
ggc Gly	tgc Cys	aga Arg	gtg Val	gag Glu 340	gat Asp	tac Tyr	gac Asp	gcg Ala	gca Ala 345	gat Asp	gac Asp	gtg Val	cag Gln	ctc Leu 350	tcc Ser	1058
aag Lys	acg Thr	ctg Leu	gag Glu 355	ctg Leu	cgc Arg	gtg Val	gcc Ala	tat Tyr 360	ctg Leu	gac Asp	ccc Pro	ctg Leu	gag Glu 365	ctc Leu	agc Ser	1106
gag Glu	ggg Gly	aag Lys 370	gtg Val	ctt Leu	tcc Ser	tta Leu	cct Pro 375	cta Leu	aac Asn	agc Ser	agt Ser	gca Ala 380	gtc Val	gtg Val	aac Asn	1154
tgc	tcc	gtg	cac	ggc	ctg	ccc	acc	cct	gcc	cta	cgc	tgg	acc	aag	gac	1202



Cys	Ser	Val	His	Gly	Leu	Pro	Thr	Pro	Ala	Leu	Arg	Trp	Thr	Lys	Asp	
385						390					395					
tcc	act	ccc	ctg	ggc	gat	ggc	ccc	atg	ctg	tcg	ctc	agt	tct	atc	acc	1250
Ser	Thr	Pro	Leu	Gly	Asp	Gly	Pro	Met	Leu	Ser	Leu	Ser	Ser	Ile	Thr	
400					405					410					415	
ttc	gat	tcc	aat	ggc	acc	tac	gta	tgt	gag	gcc	tcc	ctg	ccc	aca	gtc	1298
Phe	Asp	Ser	Asn	Gly	Thr	Tyr	Val	Cys	Glu	Ala	Ser	Leu	Pro	Thr	Val	
				420					425					430		
ccg	gtc	ctc	agc	cgc	acc	cag	aac	ttc	acg	ctg	ctg	gtc	caa	ggc	tcg	1346
Pro	Val	Leu	Arg	Arg	Thr	Gln	Asn	Phe	Thr	Leu	Leu	Val	Gln	Gly	Ser	
			435					440					445			
cca	gag	cta	aag	aca	gcg	gaa	ata	gag	ccc	aag	gca	gat	ggc	agc	tgg	1394
Pro	Glu	Leu	Lys	Thr	Ala	Glu	Ile	Glu	Pro	Lys	Ala	Asp	Gly	Ser	Trp	
			450				455					460				
agg	gaa	gga	gac	gaa	gtc	aca	ctc	atc	tgc	tct	gcc	cgc	ggc	cat	cca	1442
Arg	Glu	Gly	Asp	Glu	Val	Thr	Leu	Ile	Cys	Ser	Ala	Arg	Gly	His	Pro	
						470					475					
gac	ccc	aaa	ctc	agc	tgg	agc	caa	ttg	ggg	ggc	agc	ccc	gca	gag	cca	1490
Asp	Pro	Lys	Leu	Ser	Trp	Ser	Gln	Leu	Gly	Gly	Ser	Pro	Ala	Glu	Pro	
480					485					490					495	
atc	ccc	gga	cgg	cag	ggt	tgg	gtg	agc	agc	tct	ctg	acc	ctg	aaa	gtg	1538
Ile	Pro	Gly	Arg	Gln	Gly	Trp	Val	Ser	Ser	Ser	Leu	Thr	Leu	Lys	Val	
				500					505					510		
acc	agc	gcc	ctg	agc	cgc	gat	ggc	atc	tcc	tgt	gaa	gcc	tcc	aac	ccc	1586
Thr	Ser	Ala	Leu	Ser	Arg	Asp	Gly	Ile	Ser	Cys	Glu	Ala	Ser	Asn	Pro	
			515					520					525			
cac	ggg	aac	aag	cgc	cat	gtc	ttc	cac	ttc	ggc	acc	gtg	agc	ccc	cag	1634
His	Gly	Asn	Lys	Arg	His	Val	Phe	His	Phe	Gly	Thr	Val	Ser	Pro	Gln	
			530				535					540				
acc	tcc	cag	gct	gga	gtg	gcc	gtc	atg	gcc	gtg	gcc	gtc	agc	gtg	ggc	1682
Thr	Ser	Gln	Ala	Gly	Val	Ala	Val	Met	Ala	Val	Ala	Val	Ser	Val	Gly	
			545			550					555					
ctc	ctg	ctc	ctc	gtc	gtt	gct	gtc	ttc	tac	tgc	gtg	aga	cgc	aaa	ggg	1730
Leu	Leu	Leu	Leu	Val	Val	Ala	Val	Phe	Tyr	Cys	Val	Arg	Arg	Lys	Gly	
560					565					570					575	
ggc	ccc	tgc	tgc	cgc	cag	cgg	cgg	gag	aag	ggg	gct	ccg	ccg	cca	ggg	1778
Gly	Pro	Cys	Cys	Arg	Gln	Arg	Arg	Glu	Lys	Gly	Ala	Pro	Pro	Pro	Gly	
				580					585					590		
gag	cca	ggg	ctg	agc	cac	tcg	ggg	tcg	gag	caa	cca	gag	cag	acc	ggc	1826
Glu	Pro	Gly	Leu	Ser	His	Ser	Gly	Ser	Glu	Gln	Pro	Glu	Gln	Thr	Gly	
			595					600					605			
ctt	ctc	atg	gga	ggt	gcc	tcc	gga	gga	gcc	agg	ggt	ggc	agc	ggg	ggc	1874
Leu	Leu	Met	Gly	Gly	Ala	Ser	Gly	Gly	Ala	Arg	Gly	Gly	Ser	Gly	Gly	
			610				615					620				
ttc	gga	gac	gag	tgc	tga	gccaagaacc	tcctagaggc	tgtccctgga								1922
Phe	Gly	Asp	Glu	Cys												
			625													
cctggagctg	caggcatcag	agaaccagcc	ctgctcacgc	catgcccgcc	cccgcttcc											1982
ctcttccctc	ttccctctcc	ctgcccagcc	ctcccttctc	tcctctgccg	gcaaggcagg											2042
gacccacagt	ggctgcctgc	ctccgggagg	gaaggagagg	gaggggtgggt	gggtgggagg											2102
gggccttctc	ccagggaatg	tgactctccc	aggccccaga	atagctcctg	gacccaagcc											2162
caaggcccag	cctgggacaa	ggctccgagg	gtcggctggc	cggagctatt	tttacctccc											2222
gcctcccttg	ctgggtcccc	cacctgacgt	cttgcctgcag	agtctgacac	tggattcccc											2282
ccccctaccc	cgccccctggt	cccactcctg	ccccgcacct	acctccgccc	caccccatca											2342
tctgtggaca	ctggagtctg	gaataaatgc	tgtttgtcac	atcaaaaaaa	aaaaaaaaaa											2402
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa											2462

aaaaaaaaa aaaaaaa

2479

<210> 52  
 <211> 628  
 <212> PRT  
 <213> Homo sapiens

<400> 52

Met Glu Pro Pro Asp Ala Pro Ala Gln Ala Arg Gly Ala Pro Arg Leu  
 1 5 10  
 Leu Leu Leu Ala Val Leu Leu Ala Ala His Pro Asp Ala Gln Ala Glu  
 20 25 30  
 Val Arg Leu Ser Val Pro Pro Leu Val Glu Val Met Arg Gly Lys Ser  
 35 40 45  
 Val Ile Leu Asp Cys Thr Pro Thr Gly Thr His Asp His Tyr Met Leu  
 50 55 60  
 Glu Trp Phe Leu Thr Asp Arg Ser Gly Ala Arg Pro Arg Leu Ala Ser  
 65 70 75 80  
 Ala Glu Met Gln Gly Ser Glu Leu Gln Val Thr Met His Asp Thr Arg  
 85 90 95  
 Gly Arg Ser Pro Pro Tyr Gln Leu Asp Ser Gln Gly Arg Leu Val Leu  
 100 105 110  
 Ala Glu Ala Gln Val Gly Asp Glu Arg Asp Tyr Val Cys Val Val Arg  
 115 120 125  
 Ala Gly Ala Ala Gly Thr Ala Glu Ala Thr Ala Arg Leu Asn Val Phe  
 130 135 140  
 Ala Lys Pro Glu Ala Thr Glu Val Ser Pro Asn Lys Gly Thr Leu Ser  
 145 150 155 160  
 Val Met Glu Asp Ser Ala Gln Glu Ile Ala Thr Cys Asn Ser Arg Asn  
 165 170 175  
 Gly Asn Pro Ala Pro Lys Ile Thr Trp Tyr Arg Asn Gly Gln Arg Leu  
 180 185 190  
 Glu Val Pro Val Glu Met Asn Pro Glu Gly Tyr Met Thr Ser Arg Thr  
 195 200 205  
 Val Arg Glu Ala Ser Gly Leu Leu Ser Leu Thr Ser Thr Leu Tyr Leu  
 210 215 220  
 Arg Leu Arg Lys Asp Asp Arg Asp Ala Ser Phe His Cys Ala Ala His  
 225 230 235 240  
 Tyr Ser Leu Pro Glu Gly Arg His Gly Arg Leu Asp Ser Pro Thr Phe  
 245 250 255  
 His Leu Thr Leu His Tyr Pro Thr Glu His Val Gln Phe Trp Val Gly  
 260 265 270  
 Ser Pro Ser Thr Pro Ala Gly Trp Val Arg Glu Gly Asp Thr Val Gln  
 275 280 285

Leu<sub>290</sub> Cys Arg Gly Asp Gly<sub>295</sub> Ser Pro Ser Pro Glu<sub>300</sub> Tyr Thr Leu Phe  
 Arg<sub>305</sub> Leu Gln Asp Glu Gln<sub>310</sub> Glu Glu Val Leu Asn<sub>315</sub> Val Asn Leu Glu Gly<sub>320</sub>  
 Asn Leu Thr Leu Glu<sub>325</sub> Gly Val Thr Arg Gly<sub>330</sub> Gln Ser Gly Thr Tyr<sub>335</sub> Gly  
 Cys Arg Val Glu<sub>340</sub> Asp Tyr Asp Ala Ala<sub>345</sub> Asp Asp Val Gln Leu<sub>350</sub> Ser Lys  
 Thr Leu Glu<sub>355</sub> Leu Arg Val Ala Tyr<sub>360</sub> Leu Asp Pro Leu Glu<sub>365</sub> Leu Ser Glu  
 Gly Lys<sub>370</sub> Val Leu Ser Leu Pro<sub>375</sub> Leu Asn Ser Ser Ala<sub>380</sub> Val Val Asn Cys  
 Ser<sub>385</sub> Val His Gly Leu Pro<sub>390</sub> Thr Pro Ala Leu Arg<sub>395</sub> Trp Thr Lys Asp Ser<sub>400</sub>  
 Thr Pro Leu Gly Asp<sub>405</sub> Gly Pro Met Leu Ser<sub>410</sub> Leu Ser Ser Ile Thr<sub>415</sub> Phe  
 Asp Ser Asn Gly<sub>420</sub> Thr Tyr Val Cys Glu<sub>425</sub> Ala Ser Leu Pro Thr<sub>430</sub> Val Pro  
 Val Leu Ser<sub>435</sub> Arg Thr Gln Asn Phe<sub>440</sub> Thr Leu Leu Val Gln<sub>445</sub> Gly Ser Pro  
 Glu Leu<sub>450</sub> Lys Thr Ala Glu Ile<sub>455</sub> Glu Pro Lys Ala Asp<sub>460</sub> Gly Ser Trp Arg  
 Glu<sub>465</sub> Gly Asp Glu Val Thr<sub>470</sub> Leu Ile Cys Ser Ala<sub>475</sub> Arg Gly His Pro Asp<sub>480</sub>  
 Pro Lys Leu Ser Trp<sub>485</sub> Ser Gln Leu Gly Gly<sub>490</sub> Ser Pro Ala Glu Pro<sub>495</sub> Ile  
 Pro Gly Arg Gln<sub>500</sub> Gly Trp Val Ser Ser<sub>505</sub> Ser Leu Thr Leu Lys<sub>510</sub> Val Thr  
 Ser Ala Leu<sub>515</sub> Ser Arg Asp Gly Ile<sub>520</sub> Ser Cys Glu Ala Ser<sub>525</sub> Asn Pro His  
 Gly Asn<sub>530</sub> Lys Arg His Val Phe<sub>535</sub> His Phe Gly Thr Val<sub>540</sub> Ser Pro Gln Thr  
 Ser<sub>545</sub> Gln Ala Gly Val Ala<sub>550</sub> Val Met Ala Val Ala<sub>555</sub> Val Ser Val Gly Leu<sub>560</sub>  
 Leu Leu Leu Val Val<sub>565</sub> Ala Val Phe Tyr Cys<sub>570</sub> Val Arg Arg Lys Gly<sub>575</sub> Gly  
 Pro Cys Cys Arg<sub>580</sub> Gln Arg Arg Glu Lys<sub>585</sub> Gly Ala Pro Pro Pro<sub>590</sub> Gly Glu  
 Pro Gly Leu<sub>595</sub> Ser His Ser Gly Ser<sub>600</sub> Glu Gln Pro Glu Gln<sub>605</sub> Thr Gly Leu

Leu Met Gly Gly Ala Ser Gly Gly Ala Arg Gly Gly Ser Gly Gly Phe  
610 615 620

Gly Asp Glu Cys  
625

<210> 53  
<211> 3565  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (249)..(2378)  
<223>

<400> 53  
agcggagccc gagcggccgc gaaggccccc gctctccgct tctcccgcc ctcgcgaccc 60  
agaggrctgc tggctggcta agtccctccc gctcccggt ctcgcctcac taggagcggc 120  
tctcggtgca gcgggacagg gcgaagcggc ctgcgccac ggagcgcgcg aactgcccg 180  
gaagggaccg ccacccttgc cccctcagct gccactcgt gatttccagc ggcctccgcg 240  
cgcgcacg atg ccc tcg gcc acc agc cac agc ggg agc ggc agc aag tcg 290  
Met Pro Ser Ala Thr Ser His Ser Gly Ser Gly Ser Lys Ser  
1 5 10  
tcc gga ccg cca ccg ccg tcg ggt tcc tcc ggg agt gag gcg gcc gcg 338  
Ser Gly Pro Pro Pro Pro Ser Gly Ser Ser Gly Ser Glu Ala Ala Ala  
15 20 25 30  
gga gcc ggg gcc gcc gcc ccg gct tct cag cac ccc gca acc ggc acc 386  
Gly Ala Gly Ala Ala Ala Pro Ala Ser Gln His Pro Ala Thr Gly Thr  
35 40 45  
ggc gct gtc cag acc gag gcc atg aag cag att ctc ggg gtg atc gac 434  
Gly Ala Val Gln Thr Glu Ala Met Lys Gln Ile Leu Gly Val Ile Asp  
50 55 60  
aag aaa ctt ccg aac ctg gag aag aaa aag ggt aag ctt gat gat tac 482  
Lys Lys Leu Arg Asn Leu Glu Lys Lys Gly Lys Leu Asp Asp Tyr  
65 70 75  
cag gaa cga atg aac aaa ggg gaa agg ctt aat caa gat cag ctg gat 530  
Gln Glu Arg Met Asn Lys Gly Glu Arg Leu Asn Gln Asp Gln Leu Asp  
80 85 90  
gcc gtt tct aag tac cag gaa gtc aca aat aat ttg gag ttt gca aaa 578  
Ala Val Ser Lys Tyr Gln Glu Val Thr Asn Asn Leu Glu Phe Ala Lys  
95 100 105 110  
gaa tta cag agg agt ttc atg gca cta agt caa gat att cag aaa aca 626  
Glu Leu Gln Arg Ser Phe Met Ala Leu Ser Gln Asp Ile Gln Lys Thr  
115 120 125  
ata aag aag aca gca cgt ccg gag cag ctt atg aga gaa gaa gct gaa 674  
Ile Lys Lys Thr Ala Arg Arg Glu Gln Leu Met Arg Glu Glu Ala Glu  
130 135 140  
cag aaa cgt tta aaa act gta ctt gag cta cag tat gtt ttg gac aaa 722  
Gln Lys Arg Leu Lys Thr Val Leu Glu Leu Gln Tyr Val Leu Asp Lys  
145 150 155  
ttg gga gat gat gaa gtg ccg act gac ctg aaa caa ggt ttg aat gga 770  
Leu Gly Asp Asp Glu Val Arg Thr Asp Leu Lys Gln Gly Leu Asn Gly  
160 165 170  
gtg cca ata ttg tcc gaa gag gag ttg tca ttg ttg gat gaa ttc tat 818  
Val Pro Ile Leu Ser Glu Glu Glu Leu Ser Leu Leu Asp Glu Phe Tyr  
175 180 185 190  
aag cta gta gac cct gaa ccg gac atg agc ttg agg ttg aat gaa cag 866  
Lys Leu Val Asp Pro Glu Arg Asp Met Ser Leu Arg Leu Asn Glu Gln  
195 200 205  
tat gaa cat gcc tcc att cac ctg tgg gac ctg ctg gaa ggg aag gaa 914

Tyr	Glu	His	Ala 210	Ser	Ile	His	Leu	Trp 215	Asp	Leu	Leu	Glu	Gly 220	Lys	Glu	
aaa Lys	cct Pro	gta Val 225	tgt Cys	gga Gly	acc Thr	acc Thr	tat Tyr 230	aaa Lys	gtt Val	cta Leu	aag Lys	gaa Glu 235	att Ile	gtt Val	gag Glu	962
cgt Arg	gtt Val 240	ttt Phe	cag Gln	tca Ser	aac Asn	tac Tyr 245	ttt Phe	gac Asp	agc Ser	acc Thr	cac His 250	aac Asn	cac His	cag Gln	aat Asn	1010
ggg Gly 255	ctg Leu	tgt Cys	gag Glu	gaa Glu	gaa Glu 260	gag Glu	gca Ala	gcc Ala	tca Ser	gca Ala 265	cct Pro	gca Ala	gtt Val	gaa Glu	gac Asp 270	1058
cag Gln	gta Val	cct Pro	gaa Glu	gct Ala 275	gaa Glu	cct Pro	gag Glu	cca Pro	gca Ala 280	gaa Glu	gag Glu	tac Tyr	act Thr	gag Glu 285	caa Gln	1106
agt Ser	gaa Glu	gtt Val	gaa Glu 290	tca Ser	aca Thr	gag Glu	tat Tyr	gta Val 295	aat Asn	aga Arg	cag Gln	ttc Phe	atg Met 300	gca Ala	gaa Glu	1154
aca Thr	cag Gln	ttc Phe 305	acc Thr	agt Ser	ggt Gly	gaa Glu	aag Lys 310	gag Glu	cag Gln	gta Val	gat Asp	gag Glu 315	tgg Trp	aca Thr	gtt Val	1202
gaa Glu	acg Thr 320	gtt Val	gag Glu	gtg Val	gta Val	aat Asn 325	tca Ser	ctc Leu	cag Gln	cag Gln	caa Gln 330	cct Pro	cag Gln	gct Ala	gca Ala	1250
tcc Ser 335	cct Pro	tca Ser	gta Val	cca Pro	gag Glu 340	ccc Pro	cac His	tct Ser	ttg Leu	act Thr 345	cca Pro	gtg Val	gct Ala	cag Gln	gca Ala 350	1298
gat Asp	ccc Pro	ctt Leu	gtg Val	aga Arg 355	aga Arg	cag Gln	cga Arg	gta Val	caa Gln 360	gac Asp	ctt Leu	atg Met	gca Ala	caa Gln 365	atg Met	1346
cag Gln	ggt Gly	ccc Pro	tat Tyr 370	aat Asn	ttc Phe	ata Ile	cag Gln	gat Asp 375	tca Ser	atg Met	ctg Leu	gat Asp	ttt Phe 380	gaa Glu	aat Asn	1394
cag Gln	aca Thr	ctt Leu 385	gat Asp	cct Pro	gcc Ala	att Ile	gta Val 390	tct Ser	gca Ala	cag Gln	cct Pro	atg Met 395	aat Asn	cca Pro	aca Thr	1442
caa Gln	aac Asn 400	atg Met	gac Asp	atg Met	ccc Pro	cag Gln 405	ctg Leu	gtt Val	tgc Cys	cct Pro	cca Pro 410	gtt Val	cat His	tct Ser	gaa Glu	1490
tct Ser 415	aga Arg	ctt Leu	gct Ala	cag Gln	cct Pro 420	aat Asn	caa Gln	gtt Val	cct Pro	gta Val 425	caa Gln	cca Pro	gaa Glu	gcg Ala	aca Thr 430	1538
cag Gln	gtt Val	cct Pro	ttg Leu	gta Val 435	tca Ser	tcc Ser	aca Thr	agt Ser	gag Glu 440	ggg Gly	tac Tyr	aca Thr	gca Ala	tct Ser 445	caa Gln	1586
ccc Pro	ttg Leu	tac Tyr	cag Gln 450	cct Pro	tct Ser	cat His	gct Ala	aca Thr 455	gag Glu	caa Gln	cga Arg	cca Pro	cag Gln 460	aag Lys	gaa Glu	1634
cca Pro	att Ile	gat Asp 465	cag Gln	att Ile	cag Gln	gca Ala	aca Thr 470	atc Ile	tct Ser	tta Leu	aat Asn	aca Thr 475	gac Asp	cag Gln	act Thr	1682
aca Thr	gca Ala 480	tca Ser	tca Ser	tcc Ser	cct Leu	cct Pro 485	gct Ala	gcg Ala	tct Ser	cag Gln	cct Pro 490	caa Gln	gta Val	ttt Phe	cag Gln	1730
gct Ala 495	ggg Gly	aca Thr	agc Ser	aaa Lys	cct Pro 500	tta Leu	cat His	agc Ser	agt Ser	gga Gly 505	atc Ile	aat Asn	gta Val	aat Asn	gca Ala 510	1778
gct Ala	cca Pro	ttc Phe	caa Gln	tcc Ser 515	atg Met	caa Gln	acg Thr	gtg Val	ttc Phe 520	aat Asn	atg Met	aat Asn	gcc Ala	cca Pro 525	gtt Val	1826
cct	cct	gtt	aat	gaa	cca	gaa	act	tta	aaa	cag	caa	aat	cag	tac	cag	1874

Pro	Pro	Val	Asn 530	Glu	Pro	Glu	Thr	Leu 535	Lys	Gln	Gln	Asn	Gln 540	Tyr	Gln	
gcc Ala	agt Ser	tat Tyr 545	aac Asn	cag Gln	agc Ser	ttt Phe 550	tct Ser	agt Ser	cag Gln	cct Pro	cac His	caa Gln 555	gta Val	gaa Glu	caa Gln	1922
aca Thr	gag Glu 560	ctt Leu	cag Gln	caa Gln	gaa Glu	cag Gln 565	ctt Leu	caa Gln	aca Thr	gtg Val	gtt Val 570	ggc Gly	act Thr	tac Tyr	cat His	1970
ggc Gly 575	tcc Ser	cca Pro	gac Asp	cag Gln	tcc Ser 580	cat His	caa Gln	gtg Val	act Thr	ggc Gly 585	aac Asn	cac His	cag Gln	cag Gln	cct Pro 590	2018
cct Pro	cag Gln	cag Gln	aac Asn	act Thr 595	gga Gly	ttt Phe	cca Pro	cgt Arg	agc Ser 600	aat Asn	cag Gln	ccc Pro	tat Tyr	tac Tyr 605	aat Asn	2066
agt Ser	cgt Arg	ggc Gly	gtg Val 610	tct Ser	cgt Arg	gga Gly	ggc Gly	tcc Ser 615	cgt Arg	ggc Gly	gct Ala	aga Arg	ggc Gly 620	ttg Leu	atg Met	2114
aat Asn	gga Gly	tac Tyr 625	cgg Arg	ggc Gly	cct Pro	gcc Ala	aat Asn 630	gga Gly	ttc Phe	aga Arg	gga Gly	gga Gly 635	tat Tyr	gat Asp	ggc Gly	2162
tac Tyr	cgc Arg 640	cct Pro	tca Ser	ttc Phe	tct Ser	aac Asn 645	act Thr	cca Pro	aac Asn	agt Ser	ggc Gly 650	tat Tyr	aca Thr	cag Gln	tct Ser	2210
cag Gln 655	ttc Phe	agt Ser	gct Ala	ccc Pro	cgg Arg 660	gat Asp	tac Tyr	tct Ser	ggc Gly	tat Tyr 665	caa Gln	cgg Arg	gat Asp	gga Gly	tat Tyr 670	2258
cag Gln	cag Gln	aat Asn	ttc Phe	aag Lys 675	cga Arg	ggc Gly	tct Ser	ggg Gly	cag Gln 680	agt Ser	gga Gly	cca Pro	cgg Arg	gga Gly 685	gcc Ala	2306
cca Pro	cga Arg	ggc Gly	cgt Arg 690	gga Gly	ggg Gly	ccc Pro	cca Pro	aga Arg 695	ccc Pro	aac Asn	aga Arg	ggg Gly	atg Met 700	ccg Pro	caa Gln	2354
atg Met	aac Asn	act Thr 705	cag Gln	caa Gln	gtg Val	aat Asn	taa	tctgattcac aggattatgt ttaatcgcca								2408
aaaacacact ggccagtgtg ccataatatg ttaccagaag agttattatc tatttgttct																2468
ccctttcagg aaacttattg taaagggact gttttcatcc cataaagaca ggactacaat																2528
tgtcagcttt ctattacctg gatatggaag gaaactatct ttactctgca tgttctgtcc																2588
taagcgtcat cttgagcctt gcacatgata ctgagattcc tcacccttgc ttaggagtaa																2648
aacaatatac ttacaggggt gataataatc tccatagtta tttgaagtgg cttgaaaaag																2708
gcaagattga cttttatgac attggataaa atctacaaat cagccctcga gttattcaat																2768
gataactgac aaactaaatt atttccctag aaaggaagat gaaaggagtg gagtgtgggt																2828
tggcagaaca actgcatttc acagcttttc cagttaaatt ggagcactga acgttcagat																2888
gcataccaaa ttatgcatgg gtcctaatac cacatataag gctggctacc agctttgaca																2948
cagcactgtt catctggcca aacaactgtg gttaaaaaca catgtaaaat gctttttaac																3008
agctgatact gtataagaca aagccaagat gcaaaattag gctttgattg gcactttttg																3068
aaaaatatgc aacaaatatg ggatgtaatc cggatggccg cttctgtact taatgtgaaa																3128
tatttagata cttttttgaa cacttaacag tttctttgag acaatgactt ttgtaaggat																3188
tggtactatc tatcattcct tatgacatgt acattgtctg tcactaatcc ttggattttg																3248
ctgtattgtc acctaaattg gtacaggtac tgatgaaaat ctctagtgga taatcataac																3308
actctcggtc acatgttttt ctttcagctt gaaagctttt ttttaaaagg aaaagatacc																3368
aaatgcctgc tgctaccacc cttttcaatt gctatctttt gaaaggcacc agtatgtgtt																3428

ttagattgat ttccctgttt cagggaatc acggacagta gtttcagttc tgatggata 3488  
 agcaaaacaa ataaaacgtt tataaaagtt gtatcttgaa acactggtgt tcaacagcta 3548  
 gcagcttatg tgattca 3565

<210> 54  
 <211> 709  
 <212> PRT  
 <213> Homo sapiens

<400> 54

Met Pro Ser Ala Thr Ser His Ser Gly Ser Gly Ser Lys Ser Ser Gly  
 1 5 10 15

Pro Pro Pro Pro Ser Gly Ser Ser Gly Ser Glu Ala Ala Ala Gly Ala  
 20 25 30

Gly Ala Ala Ala Pro Ala Ser Gln His Pro Ala Thr Gly Thr Gly Ala  
 35 40 45

Val Gln Thr Glu Ala Met Lys Gln Ile Leu Gly Val Ile Asp Lys Lys  
 50 55 60

Leu Arg Asn Leu Glu Lys Lys Lys Gly Lys Leu Asp Asp Tyr Gln Glu  
 65 70 75 80

Arg Met Asn Lys Gly Glu Arg Leu Asn Gln Asp Gln Leu Asp Ala Val  
 85 90 95

Ser Lys Tyr Gln Glu Val Thr Asn Asn Leu Glu Phe Ala Lys Glu Leu  
 100 105 110

Gln Arg Ser Phe Met Ala Leu Ser Gln Asp Ile Gln Lys Thr Ile Lys  
 115 120 125

Lys Thr Ala Arg Arg Glu Gln Leu Met Arg Glu Glu Ala Glu Gln Lys  
 130 135 140

Arg Leu Lys Thr Val Leu Glu Leu Gln Tyr Val Leu Asp Lys Leu Gly  
 145 150 155 160

Asp Asp Glu Val Arg Thr Asp Leu Lys Gln Gly Leu Asn Gly Val Pro  
 165 170 175

Ile Leu Ser Glu Glu Glu Leu Ser Leu Leu Asp Glu Phe Tyr Lys Leu  
 180 185 190

Val Asp Pro Glu Arg Asp Met Ser Leu Arg Leu Asn Glu Gln Tyr Glu  
 195 200 205

His Ala Ser Ile His Leu Trp Asp Leu Leu Glu Gly Lys Glu Lys Pro  
 210 215 220

Val Cys Gly Thr Thr Tyr Lys Val Leu Lys Glu Ile Val Glu Arg Val  
 225 230 235 240

Phe Gln Ser Asn Tyr Phe Asp Ser Thr His Asn His Gln Asn Gly Leu  
 245 250 255

Cys Glu Glu Glu Glu Ala Ala Ser Ala Pro Ala Val Glu Asp Gln Val  
 260 265 270

Pro Glu Ala Glu Pro Glu Pro Ala Glu Glu Tyr Thr Glu Gln Ser Glu  
 275 280 285  
 Val Glu Ser Thr Glu Tyr Val Asn Arg Gln Phe Met Ala Glu Thr Gln  
 290 295 300  
 Phe Thr Ser Gly Glu Lys Glu Gln Val Asp Glu Trp Thr Val Glu Thr  
 305 310 315 320  
 Val Glu Val Val Asn Ser Leu Gln Gln Gln Pro Gln Ala Ala Ser Pro  
 325 330 335  
 Ser Val Pro Glu Pro His Ser Leu Thr Pro Val Ala Gln Ala Asp Pro  
 340 345 350  
 Leu Val Arg Arg Gln Arg Val Gln Asp Leu Met Ala Gln Met Gln Gly  
 355 360 365  
 Pro Tyr Asn Phe Ile Gln Asp Ser Met Leu Asp Phe Glu Asn Gln Thr  
 370 375 380  
 Leu Asp Pro Ala Ile Val Ser Ala Gln Pro Met Asn Pro Thr Gln Asn  
 385 390 395 400  
 Met Asp Met Pro Gln Leu Val Cys Pro Pro Val His Ser Glu Ser Arg  
 405 410 415  
 Leu Ala Gln Pro Asn Gln Val Pro Val Gln Pro Glu Ala Thr Gln Val  
 420 425 430  
 Pro Leu Val Ser Ser Thr Ser Glu Gly Tyr Thr Ala Ser Gln Pro Leu  
 435 440 445  
 Tyr Gln Pro Ser His Ala Thr Glu Gln Arg Pro Gln Lys Glu Pro Ile  
 450 455 460  
 Asp Gln Ile Gln Ala Thr Ile Ser Leu Asn Thr Asp Gln Thr Thr Ala  
 465 470 475 480  
 Ser Ser Ser Leu Pro Ala Ala Ser Gln Pro Gln Val Phe Gln Ala Gly  
 485 490 495  
 Thr Ser Lys Pro Leu His Ser Ser Gly Ile Asn Val Asn Ala Ala Pro  
 500 505 510  
 Phe Gln Ser Met Gln Thr Val Phe Asn Met Asn Ala Pro Val Pro Pro  
 515 520 525  
 Val Asn Glu Pro Glu Thr Leu Lys Gln Gln Asn Gln Tyr Gln Ala Ser  
 530 535 540  
 Tyr Asn Gln Ser Phe Ser Ser Gln Pro His Gln Val Glu Gln Thr Glu  
 545 550 555 560  
 Leu Gln Gln Glu Gln Leu Gln Thr Val Val Gly Thr Tyr His Gly Ser  
 565 570 575  
 Pro Asp Gln Ser His Gln Val Thr Gly Asn His Gln Gln Pro Pro Gln  
 580 585 590



Gln Asn Thr Gly Phe Pro Arg Ser Asn Gln Pro Tyr Tyr Asn Ser Arg  
 595 600 605

Gly Val Ser Arg Gly Gly Ser Arg Gly Ala Arg Gly Leu Met Asn Gly  
 610 615 620

Tyr Arg Gly Pro Ala Asn Gly Phe Arg Gly Gly Tyr Asp Gly Tyr Arg  
 625 630 635 640

Pro Ser Phe Ser Asn Thr Pro Asn Ser Gly Tyr Thr Gln Ser Gln Phe  
 645 650 655

Ser Ala Pro Arg Asp Tyr Ser Gly Tyr Gln Arg Asp Gly Tyr Gln Gln  
 660 665 670

Asn Phe Lys Arg Gly Ser Gly Gln Ser Gly Pro Arg Gly Ala Pro Arg  
 675 680 685

Gly Arg Gly Gly Pro Pro Arg Pro Asn Arg Gly Met Pro Gln Met Asn  
 690 695 700

Thr Gln Gln Val Asn  
 705

<210> 55  
 <211> 2131  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (374)..(1528)  
 <223>

<400> 55  
 cgactctccc gggctgccag ccgggacgcg cggccgccgc cgctgcagac gacgagtcgg 60  
 ccctcgtccc gcgcccccg ggctcgcgga gccaggtctc cacctctggg caggagagtt 120  
 gccgaccacc tcgggggtgc tttctctgcg cttgaacatc tatagctgct tctgaggggc 180  
 tgggagccgg gccctggga gagacgagcc atgaaccccc cacagcctct gcatttgggg 240  
 acctcacctt aggagagtgc catttacagc ttccgccagg gcaaaggagc tgagcagcca 300  
 tcccaagccc agcccacctc cttcccccg cccctggtag gcatggacta gcagctgtga 360  
 gcagccagag ctg atg ccc ggc ccc cag ggg ggc aga ggc gcc gcc acc 409  
 Met Pro Gly Pro Gln Gly Gly Arg Gly Ala Ala Thr  
 1 5 10

atg agc ctg ggc aag ctc tcg cct gtg ggc tgg gtg tcc agt tca cag 457  
 Met Ser Leu Gly Lys Leu Ser Pro Val Gly Trp Val Ser Ser Ser Gln  
 15 20 25

gga aag agg cgg ctg act gca gac atg atc agc cac cca ctc ggg gac 505  
 Gly Lys Arg Arg Leu Thr Ala Asp Met Ile Ser His Pro Leu Gly Asp  
 30 35 40

ttc cgc cac acc atg cat gtg ggc cgt ggc ggg gat gtc ttc ggg gac 553  
 Phe Arg His Thr Met His Val Gly Arg Gly Gly Asp Val Phe Gly Asp  
 45 50 55 60

acg tcc ttc ctc agc aac cac ggt ggc agc tcc ggg agc acc cat cgc 601  
 Thr Ser Phe Leu Ser Asn His Gly Gly Ser Ser Gly Ser Thr His Arg  
 65 70 75

tca ccc cgc agc ttc ctg gcc aag aag ctg cag ctg gtg cgg agg gtg 649  
 Ser Pro Arg Ser Phe Leu Ala Lys Lys Leu Gln Leu Val Arg Arg Val  
 80 85 90

ggg gcg ccc ccc cgg agg atg gca tct ccc cct gca ccc tcc ccg gct 697

Gly	Ala	Pro	Pro	Arg	Arg	Met	Ala	Ser	Pro	Pro	Ala	Pro	Ser	Pro	Ala		
	95						100					105					
cca	ccg	gcc	atc	tcc	ccc	atc	atc	aag	aac	gcc	atc	tcc	ctg	ccc	cag	745	
Pro	Pro	Ala	Ile	Ser	Pro	Ile	Ile	Lys	Asn	Ala	Ile	Ser	Leu	Pro	Gln		
	110					115					120						
ctc	aac	cag	gcc	gcc	tac	gac	agc	ctc	gtg	gtt	ggc	aag	ctc	agc	ttc	793	
Leu	Asn	Gln	Ala	Ala	Tyr	Asp	Ser	Leu	Val	Val	Gly	Lys	Leu	Ser	Phe		
	125				130					135					140		
gac	agc	agc	ccc	acc	agc	tcc	acg	gac	ggc	cac	tcc	agc	tac	ggc	ctg	841	
Asp	Ser	Ser	Pro	Thr	Ser	Ser	Thr	Asp	Gly	His	Ser	Ser	Tyr	Gly	Leu		
				145					150					155			
gac	tct	ggg	ttc	tgc	acc	atc	tcc	cgc	ctg	ccc	cgc	tgc	gaa	aag	ccg	889	
Asp	Ser	Gly	Phe	Cys	Thr	Ile	Ser	Arg	Leu	Pro	Arg	Ser	Glu	Lys	Pro		
			160					165					170				
cat	gac	cga	gac	cgg	gat	ggt	tcc	ttc	ccc	tct	gag	ccc	ggg	ctt	cgc	937	
His	Asp	Arg	Asp	Arg	Asp	Gly	Ser	Phe	Pro	Ser	Glu	Pro	Gly	Leu	Arg		
		175				180						185					
cgc	tct	gac	tct	ctc	ttg	tcc	ttc	cgc	ctg	gac	ctc	gac	ctt	ggg	ccc	985	
Arg	Ser	Asp	Ser	Leu	Leu	Ser	Phe	Arg	Leu	Asp	Leu	Asp	Leu	Gly	Pro		
	190					195					200						
tca	ctc	ctc	agc	gag	ctg	cta	ggg	gtc	atg	agc	ctc	cca	gaa	gcc	cct	1033	
Ser	Leu	Leu	Ser	Glu	Leu	Leu	Gly	Val	Met	Ser	Leu	Pro	Glu	Ala	Pro		
					210					215					220		
gca	gct	gag	act	cca	gcc	ccc	gct	gca	aac	ccc	cca	gcc	cct	act	gca	1081	
Ala	Ala	Glu	Thr	Pro	Ala	Pro	Ala	Ala	Asn	Pro	Pro	Ala	Pro	Thr	Ala		
				225					230					235			
aac	ccc	acg	ggt	cct	gct	gca	aac	ccc	cca	gcg	cct	gct	gca	aac	ccc	1129	
Asn	Pro	Thr	Gly	Pro	Ala	Ala	Asn	Pro	Pro	Ala	Pro	Ala	Ala	Asn	Pro		
			240					245					250				
tca	gca	cct	gcc	gca	acc	ccc	acg	ggt	cct	gct	gca	aat	ccc	cca	gcc	1177	
Ser	Ala	Pro	Ala	Ala	Thr	Pro	Thr	Gly	Pro	Ala	Ala	Asn	Pro	Pro	Ala		
		255					260					265					
cct	gcc	gca	agc	tcc	aca	ccc	cat	gga	cac	tgt	ccc	aat	ggg	gta	aca	1225	
Pro	Ala	Ala	Ser	Ser	Thr	Pro	His	Gly	His	Cys	Pro	Asn	Gly	Val	Thr		
					275						280						
gct	ggg	ttg	ggc	cca	gtg	gct	gag	gtg	aag	tcc	agc	cca	gtg	gga	ggg	1273	
Ala	Gly	Leu	Gly	Pro	Val	Ala	Glu	Val	Lys	Ser	Ser	Pro	Val	Gly	Gly		
	285				290					295				300			
ggt	ccc	cga	gga	cct	gct	ggc	cct	gcc	ctc	ggc	agg	cac	tgg	gga	gca	1321	
Gly	Pro	Arg	Gly	Pro	Ala	Gly	Pro	Ala	Leu	Gly	Arg	His	Trp	Gly	Ala		
				305					310					315			
ggc	tgg	gat	ggc	ggc	cac	cac	tac	cca	gag	atg	gat	gcg	cgg	cag	gag	1369	
Gly	Trp	Asp	Gly	Gly	His	His	Tyr	Pro	Glu	Met	Asp	Ala	Arg	Gln	Glu		
			320					325					330				
cgg	gtg	gag	gtg	ctg	ccc	caa	gcc	cgg	gcc	tcc	tgg	gag	agc	ctg	gac	1417	
Arg	Val	Glu	Val	Leu	Pro	Gln	Ala	Arg	Ala	Ser	Trp	Glu	Ser	Leu	Asp		
		335					340					345					
gaa	gag	tgg	agg	gcg	ccc	cag	gca	ggc	agc	agg	acc	cca	gtg	ccc	agc	1465	
Glu	Glu	Trp	Arg	Ala	Pro	Gln	Ala	Gly	Ser	Arg	Thr	Pro	Val	Pro	Ser		
		350				355					360						
aca	gtg	caa	gca	aac	acc	ttt	gaa	ttt	gcg	gat	gct	gag	gag	gat	gat	1513	
Thr	Val	Gln	Ala	Asn	Thr	Phe	Glu	Phe	Ala	Asp	Ala	Glu	Glu	Asp	Asp		
					370					375				380			
gag	gtc	aag	gtg	tga	ggggctgggg	cacggtccca	gggccccacc	taggtgcaga								1568	
Glu	Val	Lys	Val														
gccggcccct	cacctaacag	ctggttccta	ccagaccgga	gaggggagaa	gtcatgttgc											1628	
ccctaaaccc	ctccccacct	ctgcaggaca	gacatgggag	ggaggacagg	gaaggccagg											1688	
cttgctctgg	gacttttatg	ctcccagagg	ccctgccaaa	ctgaccacct	cccccgactg											1748	

ccactctgga cctaataagct gttccttagg cccactcca tgccaccccc accagctgga 1808  
 ggacccagcc tcacagtgtg tcctttgtgc cagaccaagc ggcccggtggg ggggtggggg 1868  
 caggagtggt accacacagg gccattgtct cacctcccaa agggaccgcc tgcccccagc 1928  
 tcatcccaga gcgtccctgc tgcaaccctg acagccgtct cccaggccgc ttccccaaca 1988  
 tccccgcccc agcctccctc ttaccccaga aaggtcaggt atgacctccc ggggaggaat 2048  
 cccacctgcc tgtatacccc agacttgccct ctggggcctg attaaataag gctgttttga 2108  
 taaaaaaaaa aaaaaaaaaa aaa 2131

<210> 56  
 <211> 384  
 <212> PRT  
 <213> Homo sapiens

<400> 56

Met Pro Gly Pro Gln Gly Gly Arg Gly Ala Ala Thr Met Ser Leu Gly  
 1 5 10 15  
 Lys Leu Ser Pro Val Gly Trp Val Ser Ser Ser Gln Gly Lys Arg Arg  
 20 25 30  
 Leu Thr Ala Asp Met Ile Ser His Pro Leu Gly Asp Phe Arg His Thr  
 35 40 45  
 Met His Val Gly Arg Gly Gly Asp Val Phe Gly Asp Thr Ser Phe Leu  
 50 55 60  
 Ser Asn His Gly Gly Ser Ser Gly Ser Thr His Arg Ser Pro Arg Ser  
 65 70 75 80  
 Phe Leu Ala Lys Lys Leu Gln Leu Val Arg Arg Val Gly Ala Pro Pro  
 85 90 95  
 Arg Arg Met Ala Ser Pro Pro Ala Pro Ser Pro Ala Pro Pro Ala Ile  
 100 105 110  
 Ser Pro Ile Ile Lys Asn Ala Ile Ser Leu Pro Gln Leu Asn Gln Ala  
 115 120 125  
 Ala Tyr Asp Ser Leu Val Val Gly Lys Leu Ser Phe Asp Ser Ser Pro  
 130 135 140  
 Thr Ser Ser Thr Asp Gly His Ser Ser Tyr Gly Leu Asp Ser Gly Phe  
 145 150 155 160  
 Cys Thr Ile Ser Arg Leu Pro Arg Ser Glu Lys Pro His Asp Arg Asp  
 165 170 175  
 Arg Asp Gly Ser Phe Pro Ser Glu Pro Gly Leu Arg Arg Ser Asp Ser  
 180 185 190  
 Leu Leu Ser Phe Arg Leu Asp Leu Asp Leu Gly Pro Ser Leu Leu Ser  
 195 200 205  
 Glu Leu Leu Gly Val Met Ser Leu Pro Glu Ala Pro Ala Ala Glu Thr  
 210 215 220  
 Pro Ala Pro Ala Ala Asn Pro Pro Ala Pro Thr Ala Asn Pro Thr Gly  
 225 230 235 240

Pro Ala Ala Asn Pro Pro Ala Pro Ala Ala Asn Pro Ser Ala Pro Ala  
 245 250 255  
 Ala Thr Pro Thr Gly Pro Ala Ala Asn Pro Pro Ala Pro Ala Ala Ser  
 260 265 270  
 Ser Thr Pro His Gly His Cys Pro Asn Gly Val Thr Ala Gly Leu Gly  
 275 280 285  
 Pro Val Ala Glu Val Lys Ser Ser Pro Val Gly Gly Gly Pro Arg Gly  
 290 295 300  
 Pro Ala Gly Pro Ala Leu Gly Arg His Trp Gly Ala Gly Trp Asp Gly  
 305 310 315 320  
 Gly His His Tyr Pro Glu Met Asp Ala Arg Gln Glu Arg Val Glu Val  
 325 330 335  
 Leu Pro Gln Ala Arg Ala Ser Trp Glu Ser Leu Asp Glu Glu Trp Arg  
 340 345 350  
 Ala Pro Gln Ala Gly Ser Arg Thr Pro Val Pro Ser Thr Val Gln Ala  
 355 360 365  
 Asn Thr Phe Glu Phe Ala Asp Ala Glu Glu Asp Asp Glu Val Lys Val  
 370 375 380

<210> 57  
 <211> 4471  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (247)..(4230)  
 <223>

<400> 57  
 gcggaacgct agcgggtgttg gcgcggagtg gaccccggtc gcggccccctg gcaatggcgc 60  
 caccatcggt cccggagtcc cagtgatgct ctgtgccata gagcccccat aacttcacta 120  
 ctacgtgata gtaaattcccc ggcaaaaacc agcagcgcct tgcaagccca cgccacccca 180  
 agcatcccag gactcttctg aaacgactcc gggctaccag atcggccgctc cagctggaat 240  
 caaccg atg gag gct ccg ctg caa act gga atg gtg ctt ggc gtg atg 288  
 1 Met Glu Ala Pro Leu Gln Thr Gly Met Val Leu Gly Val Met 10  
 atc ggg gcc gga gtg gcg gtg gtg gtc acg gcc gtg ctc atc ctc ctg 336  
 15 Ile Gly Ala Gly Val Ala Val Val Val Thr Ala Val Leu Ile Leu Leu 20 25 30  
 gtg gtg cgg agg ctg cga gtg cca aaa acc cca gcc ccg gat ggc ccc 384  
 Val Val Arg Arg Leu Arg Val Pro Lys Thr Pro Ala Pro Asp Gly Pro 35 40 45  
 cgg tat cgg ttc cgg aag agg gac aaa gtg ctc ttc tat ggc cgg aag 432  
 Arg Tyr Arg Phe Arg Lys Arg Asp Lys Val Leu Phe Tyr Gly Arg Lys 50 55 60  
 att atg cgg aag gtg tca caa tcc acc tcc tcc ctc gtg gat acc tct 480  
 Ile Met Arg Lys Val Ser Gln Ser Thr Ser Ser Leu Val Asp Thr Ser 65 70 75  
 gtc tcc gcc acc tcc cgg cca cgc atg agg aag aaa ctg aag atg ctc 528  
 Val Ser Ala Thr Ser Arg Pro Arg Met Arg Lys Lys Leu Lys Met Leu 80 85 90

aac Asn 95	att Ile	gcc Ala	aag Lys	aag Lys	atc Ile 100	ctg Leu	cgc Arg	atc Ile	cag Gln	aaa Lys 105	gag Glu	acg Thr	ccc Pro	acg Thr	ctg Leu 110	576
cag Gln	cgg Arg	aag Lys	gag Glu	ccc Pro 115	ccg Pro	ccc Pro	gca Ala	gtg Val	cta Leu 120	gaa Glu	gct Ala	gac Asp	ctg Leu	acc Thr 125	gag Glu	624
ggc Gly	gac Asp	ctg Leu	gct Ala 130	aac Asn	tcc Ser	cat His	ctg Leu	ccc Pro 135	tct Ser	gaa Glu	gtg Val	ctt Leu	tat Tyr 140	atg Met	ctc Leu	672
aag Lys	aac Asn	gtc Val 145	cgg Arg	gtg Val	ctg Leu	ggc Gly	cac His 150	ttc Phe	gag Glu	aag Lys	cca Pro	ctc Leu 155	ttc Phe	ctg Leu	gag Glu	720
ctc Leu	tgc Cys 160	cgc Arg	cac His	atg Met	gtc Val	ttc Phe 165	cag Gln	cgg Arg	ctg Leu	ggc Gly	cag Gln 170	ggg Gly	gac Asp	tac Tyr	gtc Val	768
ttc Phe 175	cgg Arg	ccg Pro	ggc Gly	cag Gln	cca Pro 180	gat Asp	gcc Ala	agc Ser	atc Ile	tac Tyr 185	gtg Val	gtg Val	cag Gln	gac Asp	ggg Gly 190	816
ctg Leu	ctg Leu	gag Glu	ctc Leu	tgt Cys 195	ctg Leu	cca Pro	ggg Gly	cct Pro	gac Asp 200	ggg Gly	aag Lys	gag Glu	tgt Cys	gtg Val 205	gtg Val	864
aag Lys	gaa Glu	gtg Val	gtt Val 210	cct Pro	ggg Gly	gac Asp	agc Ser	gtc Val 215	aac Asn	agc Ser	ctt Leu	ctc Leu	agc Ser 220	atc Ile	ctg Leu	912
gat Asp	gtc Val	atc Ile 225	acc Thr	ggt Gly	cac His	cag Gln	cat His 230	ccc Pro	cag Gln	cgg Arg	acc Thr	gtg Val 235	tct Ser	gcc Ala	cgg Arg	960
gcg Ala	gcc Ala 240	cgg Arg	gac Asp	tcc Ser	acg Thr	gtg Val 245	ctg Leu	cgc Arg	ctg Leu	ccg Pro	gtg Val 250	gaa Glu	gca Ala	ttc Phe	tcc Ser	1008
gcg Ala 255	gtc Val	ttc Phe	acc Thr	aag Lys	tac Tyr 260	ccg Pro	gag Glu	agc Ser	ttg Leu	gtg Val 265	cgg Arg	gtc Val	gtg Val	cag Gln	atc Ile 270	1056
atc Ile	atg Met	gtg Val	cgg Arg	ctg Leu 275	cag Gln	cga Arg	gtc Val	acc Thr	ttc Phe 280	ctg Leu	gca Ala	ctg Leu	cac His	aac Asn 285	tac Tyr	1104
ctg Leu	ggt Gly	ctg Leu	acc Thr 290	aat Asn	gag Glu	ctc Leu	ttc Phe	agc Ser 295	cac His	gag Glu	atc Ile	cag Gln	ccc Pro 300	ctg Leu	cgt Arg	1152
ctg Leu	ttc Phe	ccc Pro 305	agc Ser	ccc Pro	ggc Gly	ctc Leu	cca Pro 310	act Thr	cgc Arg	acc Thr	agc Ser	cct Pro 315	gtg Val	cgg Arg	ggc Gly	1200
tcc Ser	aag Lys 320	aga Arg	atg Met	gtc Val	agc Ser	acc Thr 325	tca Ser	gct Ala	aca Thr	gac Asp	gag Glu 330	ccc Pro	agg Arg	gag Glu	acc Thr	1248
cca Pro 335	ggg Gly	cgg Arg	cca Pro	ccc Pro	gat Asp 340	ccc Pro	acc Thr	ggg Gly	gcc Ala	ccg Pro 345	ctg Leu	cct Pro	gga Gly	cct Pro	aca Thr 350	1296
ggg Gly	gac Asp	cct Pro	gtg Val	aag Lys 355	ccc Pro	aca Thr	tcc Ser	ctg Leu	gaa Glu 360	acc Thr	ccc Pro	tgc Ser	ccc Pro	cct Pro 365	ctg Leu	1344
ctg Leu	agc Ser	cgc Arg	tgc Cys 370	gtc Val	tcc Ser	atg Met	cca Pro	ggg Gly 375	gac Asp	atc Ile	tca Ser	ggc Gly	ttg Leu 380	cag Gln	ggt Gly	1392
ggc Gly	ccc Pro	cgc Arg 385	tcc Ser	gac Asp	ttc Phe	gac Asp	atg Met 390	gcc Ala	tat Tyr	gag Glu	cgt Arg	ggc Gly 395	cgg Arg	atc Ile	tcc Ser	1440
gtg Val	tcc Ser 400	ctg Leu	caa Gln	gaa Glu	gag Glu	gcc Ala 405	tcc Ser	ggg Gly	ggg Gly	tcc Ser	ctg Leu 410	gca Ala	gcc Ala	ccc Pro	gct Ala	1488

cgg acc ccc act cag gag cct cgt gag cag ccg gca ggc gcc tgt gaa Arg Thr Pro Thr Gln Glu Pro Arg Glu Gln Pro Ala Gly Ala Cys Glu 415 420 425 430	1536
tac agc tac tgt gag gat gag tgc gcc act ggt ggc tgc cct ttc ggg Tyr Ser Tyr Cys Glu Asp Glu Ser Ala Thr 440 Gly Gly Cys Pro Phe Gly 435 445	1584
ccc tac cag ggc cgc cag acc agc agc atc ttc gag gca gca aag cag Pro Tyr Gln Gly Arg Gln Thr Ser 455 Ile Phe Glu Ala Ala Lys Gln 450 460	1632
gag ctg gcc aag ctg atg cgg att gag gac ccc tcc ctc ctg aac agc Glu Leu Ala Lys Leu Met Arg Ile Glu Asp Pro Ser Leu Leu Asn Ser 465 470 475	1680
aga gtc ttg ctg cac cac gcc aaa gct ggc acc atc att gcc cgc cag Arg Val Leu Leu His His Ala Lys Ala Gly Thr Ile Ile Ala Arg Gln 480 485 490	1728
gga gac cag gac gtg agc ctg cac ttc gtg ctc tgg ggc tgc ctg cac Gly Asp Gln Asp Val Ser 500 Leu His Phe Val Leu Trp Gly Cys Leu His 495 500 510	1776
gtg tac cag cgc atg atc gac aag gcg gag gac gtg tgc ctg ttc gta Val Tyr Gln Arg Met Ile Asp Lys Ala Glu Asp Val Cys Leu Phe Val 515 520 525	1824
gcg cag ccc ggg gaa ctg gtg ggg cag ctg gcg gtg ctc act ggc gaa Ala Gln Pro Gly Glu Leu Val Gly Gln Leu Ala Val Leu Thr Gly Glu 530 535 540	1872
cct ctc atc ttc aca ctg cga gcc caa cgc gac tgc acc ttc ctg cgg Pro Leu Ile 545 Phe Thr Leu Arg Ala Gln Arg Asp Cys Thr Phe Leu Arg 550 555	1920
atc tcc aag tcc gac ttc tat gag atc atg cgc gca cag ccc agt gtg Ile Ser 560 Lys Ser Asp Phe 565 Glu Ile Met Arg Ala Gln Pro Ser Val 570	1968
gtg ctg agt gcg gcg cac acg gtg gca gcc agg atg tgc ccc ttc gtg Val Leu Ser Ala Ala His Thr Val Ala Ala Arg Met Ser Pro Phe Val 575 580 585 590	2016
gcg cag atg gac ttc gcc atc gac tgg act gca gtg gag gcg gga cgc Arg Gln Met Asp Phe 595 Ala Ile Asp Trp Thr Ala Val Glu Ala Gly Arg 600 605	2064
gcg ctg tac agg cag ggc gac cgc tcc gac tgc act tac atc gtg ctc Ala Leu Tyr 610 Gln Gly Asp Arg 615 Asp Cys Thr Tyr Ile Val Leu 620	2112
aat ggg cgg ctg cgt agc gtg atc cag cga ggc agt ggc aag gag Asn Gly Arg Leu Arg Ser Val Ile Gln Arg Gly Ser 635 Lys Lys Glu 625 630 635	2160
ctg gtg ggc gag tac ggc cgc ggc gac ctc atc ggc gtg gtg gag gca Leu Val Gly Glu Tyr Gly Arg 645 Gly Asp Leu Ile Gly Val Val Glu Ala 640 650	2208
ctg acc cgg cag ccg cga gcc acg acg gtg cac gcg gtg cgc gac acg Leu Thr Arg Gln Pro 660 Ala Thr Thr Val His Ala Val Arg Asp Thr 655 665 670	2256
gag ctg gcc aag ctt ccc gag ggc acc ttg ggt cac atc aaa cgc cgg Glu Leu Ala Lys Leu Pro Glu Gly Thr Leu 680 Gly His Ile Lys Arg Arg 675 685	2304
tac ccg cag gtc gtg acc cgc ctt atc cac cta ctg agc cag aaa att Tyr Pro Gln Val Val Thr Arg Leu Ile His Leu Leu Ser Gln Lys Ile 690 695 700	2352
cta ggg aat ttg cag cag ctg caa gga ccc ttc cca gca ggc tct ggg Leu Gly Asn Leu Gln Gln Leu Gln Gly Pro Phe Pro Ala Gly Ser Gly 705 710 715	2400
ttg ggt gtg ccc cca cac tcg gaa ctc acc aac cca gcc agc aac ctg Leu Gly Val Pro Pro His Ser 725 Glu Leu Thr Asn 730 Ala Ser Asn Leu 720 730	2448

gca Ala 735	act Thr	gtg Val	gca Ala	atc Ile	ctg Leu 740	cct Pro	gtg Val	tgt Cys	gct Ala	gag Glu 745	gtc Val	ccc Pro	atg Met	gtg Val	gcc Ala 750	2496
ttc Phe	acg Thr	ctg Leu	gag Glu	ctg Leu 755	cag Gln	cac His	gcc Ala	ctg Leu	cag Gln 760	gcc Ala	atc Ile	ggt Gly	ccg Pro	acg Thr 765	cta Leu	2544
ctc Leu	ctt Leu	aac Asn	agt Ser 770	gac Asp	atc Ile	atc Ile	cgg Arg	gca Ala 775	cgc Arg	ctg Leu	ggg Gly	gcc Ala	tcc Ser 780	gca Ala	ctg Leu	2592
gat Asp	agc Ser	atc Ile 785	caa Gln	gag Glu	ttc Phe	cgg Arg	ctg Leu 790	tca Ser	ggg Gly	tgg Trp	ctg Leu	gcc Ala 795	cag Gln	cag Gln	gag Glu	2640
gat Asp	gca Ala 800	cac His	cgt Arg	atc Ile	gta Val	ctc Leu 805	tac Tyr	cag Gln	acg Thr	gac Asp	gcc Ala 810	tcg Ser	ctg Leu	acg Thr	ccc Pro	2688
tgg Trp 815	acc Thr	gtg Val	cgc Arg	tgc Cys	ctg Leu 820	cga Arg	cag Gln	gcc Ala	gac Asp	tgc Cys 825	atc Ile	ctc Leu	att Ile	gtg Val	ggc Gly 830	2736
ctg Leu	ggg Gly	gac Asp	cag Gln	gag Glu 835	cct Pro	acc Thr	ctc Leu	ggc Gly	cag Gln 840	ctg Leu	gag Glu	cag Gln	atg Met	ctg Leu 845	gag Glu	2784
aac Asn	acg Thr	gct Ala 850	gtg Val	cgc Arg	gcc Ala	ctt Leu	aag Lys	cag Gln 855	cta Leu	gtc Val	ctg Leu	ctc Leu	cac His 860	cga Arg	gag Glu	2832
gag Glu	ggc Gly	gcg Ala 865	ggc Gly	ccc Pro	acg Thr	cgc Arg	acc Thr 870	gtg Val	gag Glu	tgg Trp	cta Leu	aat Asn 875	atg Met	cgc Arg	agc Ser	2880
tgg Trp 880	tgc Cys	tcg Ser	ggg Gly	cac His	ctg Leu 885	ctg Leu	cgc Arg	tgt Cys	ccg Pro	cgc Arg 890	cgc Arg	ctc Leu	ttt Phe	tcg Ser		2928
cgc Arg 895	cgc Arg	agc Ser	cct Pro	gcc Ala	aag Lys 900	ctg Leu	cat His	gag Glu	ctc Leu	tac Tyr 905	gag Glu	aag Lys	gtt Val	ttc Phe	tcc Ser 910	2976
agg Arg	cgc Arg	gcg Ala	gac Asp	cgg Arg 915	cac His	agc Ser	gac Asp	ttc Phe	tcc Ser 920	cgc Arg	ttg Leu	gcg Ala	agg Arg	gtg Val 925	ctc Leu	3024
acg Thr	ggg Gly	aac Asn	acc Thr 930	att Ile	gcc Ala	ctt Leu	gtg Val	cta Leu 935	ggc Gly	ggg Gly	ggc Gly	ggg Gly	gcc Ala 940	agg Arg	ggc Gly	3072
tgc Cys	tcg Ser	cac His 945	atc Ile	gga Gly	gta Val	cta Leu	aag Lys 950	gca Ala	tta Leu	gag Glu	gag Glu	gcg Ala 955	ggg Gly	gtc Val	ccc Pro	3120
gtg Val	gac Asp 960	ctg Leu	gtg Val	ggc Gly	ggc Gly	acg Thr 965	tcc Ser	att Ile	ggc Gly	tct Ser	ttc Phe 970	atc Ile	gga Gly	gcg Ala	ttg Leu	3168
tac Tyr 975	gcg Ala	gag Glu	gag Glu	cgc Arg	agc Ser 980	gcc Ala	agc Ser	cgc Arg	acg Thr	agg Arg 985	cag Gln	cgg Arg	gcc Ala	cgg Arg	gag Glu 990	3216
tgg Trp	gcc Ala	aag Lys	agc Ser	atg Met 995	act Thr	tcg Ser	gtg Val	ctg Leu	gaa Glu 1000	cct Pro	gtg Val	ttg Leu	gac Asp	ctc Leu 1005	acg Thr	3264
tac Tyr	cca Pro	gtc Val	acc Thr 1010	tcc Ser	atg Met	ttc Phe	act Thr	ggg Gly 1015	tct Ser	gcc Ala	ttt Phe	aac Asn	cgc Arg 1020	agc Ser		3309
atc Ile	cat His	cgg Arg	gtc Val 1025	ttc Phe	cag Gln	gat Asp	aag Lys	cag Gln 1030	att Ile	gag Glu	gac Asp	ctg Leu	tgg Trp 1035	ctg Leu		3354
cct Pro	tac Tyr	ttc Phe	aac Asn 1040	gtg Val	acc Thr	aca Thr	gat Asp	atc Ile 1045	acc Thr	gcc Ala	tca Ser	gcc Ala	atg Met 1050	cga Arg		3399

gtc Val	cac His	aaa Lys	gat Asp 1055	ggc Gly	tcc Ser	ctg Leu	tgg Trp	cgg Arg 1060	tac Tyr	gtg Val	cgc Arg	gcc Ala	agc Ser 1065	atg Met	3444
acg Thr	ctg Leu	tcg Ser	ggc Gly 1070	tac Tyr	ctg Leu	ccc Pro	ccg Pro	ctg Leu 1075	tgc Cys	gac Asp	ccc Pro	aag Lys	gac Asp 1080	ggg Gly	3489
cac His	cta Leu	ctc Leu	atg Met 1085	gat Asp	ggc Gly	ggc Gly	tac Tyr	atc Ile 1090	aac Asn	aat Asn	ctg Leu	cca Pro	gcg Ala 1095	gac Asp	3534
atc Ile	gcc Ala	cgc Arg	agc Ser 1100	atg Met	ggc Gly	gcc Ala	aaa Lys	acg Thr 1105	gtc Val	atc Ile	gcc Ala	att Ile	gac Asp 1110	gtg Val	3579
ggg Gly	agc Ser	cag Gln	gat Asp 1115	gag Glu	acg Thr	gac Asp	ctc Leu	agc Ser 1120	acc Thr	tac Tyr	ggg Gly	gac Asp	agc Ser 1125	ctg Leu	3624
tcc Ser	ggc Gly	tgg Trp	tgg Trp 1130	ctg Leu	ctg Leu	tgg Trp	aag Lys	cgg Arg 1135	ctg Leu	aat Asn	ccc Pro	tgg Trp	gct Ala 1140	gac Asp	3669
aag Lys	gta Val	aag Lys	gtt Val 1145	cca Pro	gac Asp	atg Met	gct Ala	gaa Glu 1150	atc Ile	cag Gln	tcc Ser	cgc Arg	ctg Leu 1155	gcc Ala	3714
tac Tyr	gtg Val	tcc Ser	tgt Cys 1160	gtg Val	cgg Arg	cag Gln	cta Leu	gag Glu 1165	gtt Val	gtc Val	aag Lys	tcc Ser	agc Ser 1170	tcc Ser	3759
tac Tyr	tgc Cys	gag Glu	tac Tyr 1175	ctg Leu	cgc Arg	ccg Pro	ccc Pro	atc Ile 1180	gac Asp	tgc Cys	ttc Phe	aag Lys	acc Thr 1185	atg Met	3804
gac Asp	ttt Phe	ggg Gly	aag Lys 1190	ttc Phe	gac Asp	cag Gln	atc Ile	tat Tyr 1195	gat Asp	gtg Val	ggc Gly	tac Tyr	cag Gln 1200	tac Tyr	3849
ggg Gly	aag Lys	gcg Ala	gtg Val 1205	ttt Phe	gga Gly	ggc Gly	tgg Trp	agc Ser 1210	cgt Arg	ggc Gly	aac Asn	gtc Val	att Ile 1215	gag Glu	3894
aaa Lys	atg Met	ctc Leu	aca Thr 1220	gac Asp	cgg Arg	cgg Arg	tct Ser	aca Thr 1225	gac Asp	ctt Leu	aat Asn	gag Glu	agc Ser 1230	cgc Arg	3939
cgt Arg	gca Ala	gac Asp	gtg Val 1235	ctt Leu	gcc Ala	ttc Phe	cca Pro	agc Ser 1240	tct Ser	ggc Gly	ttc Phe	act Thr	gac Asp 1245	ttg Leu	3984
gca Ala	gag Glu	att Ile	gtg Val 1250	tcc Ser	cgg Arg	att Ile	gag Glu	ccc Pro 1255	ccc Pro	acg Thr	agc Ser	tat Tyr	gtc Val 1260	tct Ser	4029
gat Asp	ggc Gly	tgt Cys	gct Ala 1265	gac Asp	gga Gly	gag Glu	gag Glu	tca Ser 1270	gat Asp	tgt Cys	ctg Leu	aca Thr	gag Glu 1275	tat Tyr	4074
gag Glu	gag Glu	gac Asp	gcc Ala 1280	gga Gly	ccc Pro	gac Asp	tgc Cys	tgc Ser 1285	agg Arg	gat Asp	gaa Glu	ggg Gly	ggg Gly 1290	tcc Ser	4119
ccc Pro	gag Glu	ggc Gly	gca Ala 1295	agc Ser	ccc Pro	agc Ser	act Thr	gcc Ala 1300	tcc Ser	gag Glu	atg Met	gag Glu	gag Glu 1305	gag Glu	4164
aag Lys	tcg Ser	att Ile	ctc Leu 1310	cgg Arg	caa Gln	cga Arg	cgc Arg	tgt Cys 1315	ctg Leu	ccc Pro	cag Gln	gag Glu	ccg Pro 1320	ccc Pro	4209
ggc Gly	tca Ser	gcc Ala	aca Thr 1325	gat Asp	gcc Ala	tga	ggac	ctcgac	aggg	gtcacc	ccct	ccctcc	ccctcc	ccctcc	4260
cacccctgga	ctgggctggg	ggtggccccg	tgggggtagc	tcactcccc	tcctgctgct										4320
atgcctgtga	ccccgcggc	ccacacactg	gactgacctg	ccctgagcgg	ggatgcagtg										4380



ttgCactgat gacttgacca gcccctcccc caataaactc gcctcttgga aaaaaaaaaa 4440  
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa a 4471

<210> 58  
 <211> 1327  
 <212> PRT  
 <213> Homo sapiens

<400> 58

Met Glu Ala Pro Leu Gln Thr Gly Met Val Leu Gly Val Met Ile Gly  
 1 5 10 15  
 Ala Gly Val Ala Val Val Val Thr Ala Val Leu Ile Leu Leu Val Val  
 20 25 30  
 Arg Arg Leu Arg Val Pro Lys Thr Pro Ala Pro Asp Gly Pro Arg Tyr  
 35 40 45  
 Arg Phe Arg Lys Arg Asp Lys Val Leu Phe Tyr Gly Arg Lys Ile Met  
 50 55 60  
 Arg Lys Val Ser Gln Ser Thr Ser Ser Leu Val Asp Thr Ser Val Ser  
 65 70 75 80  
 Ala Thr Ser Arg Pro Arg Met Arg Lys Lys Leu Lys Met Leu Asn Ile  
 85 90 95  
 Ala Lys Lys Ile Leu Arg Ile Gln Lys Glu Thr Pro Thr Leu Gln Arg  
 100 105 110  
 Lys Glu Pro Pro Pro Ala Val Leu Glu Ala Asp Leu Thr Glu Gly Asp  
 115 120 125  
 Leu Ala Asn Ser His Leu Pro Ser Glu Val Leu Tyr Met Leu Lys Asn  
 130 135 140  
 Val Arg Val Leu Gly His Phe Glu Lys Pro Leu Phe Leu Glu Leu Cys  
 145 150 155 160  
 Arg His Met Val Phe Gln Arg Leu Gly Gln Gly Asp Tyr Val Phe Arg  
 165 170 175  
 Pro Gly Gln Pro Asp Ala Ser Ile Tyr Val Val Gln Asp Gly Leu Leu  
 180 185 190  
 Glu Leu Cys Leu Pro Gly Pro Asp Gly Lys Glu Cys Val Val Lys Glu  
 195 200 205  
 Val Val Pro Gly Asp Ser Val Asn Ser Leu Leu Ser Ile Leu Asp Val  
 210 215 220  
 Ile Thr Gly His Gln His Pro Gln Arg Thr Val Ser Ala Arg Ala Ala  
 225 230 235 240  
 Arg Asp Ser Thr Val Leu Arg Leu Pro Val Glu Ala Phe Ser Ala Val  
 245 250 255  
 Phe Thr Lys Tyr Pro Glu Ser Leu Val Arg Val Val Gln Ile Ile Met  
 260 265 270

Val Arg <sup>Leu</sup> 275 Gln Arg Val Thr <sup>phe</sup> 280 Leu Ala Leu His <sup>Asn</sup> 285 Tyr Leu Gly  
 Leu Thr <sup>Asn</sup> 290 Glu Leu Phe <sup>Ser</sup> 295 His Glu Ile Gln <sup>Pro</sup> 300 Leu Arg Leu Phe  
 Pro Ser Pro Gly Leu <sup>Pro</sup> 310 Thr Arg Thr Ser <sup>Pro</sup> 315 Val Arg Gly Ser <sup>Lys</sup> 320  
 Arg Met Val Ser <sup>Thr</sup> 325 Ser Ala Thr Asp <sup>Glu</sup> 330 Pro Arg Glu Thr <sup>Pro</sup> 335 Gly  
 Arg Pro Pro <sup>Asp</sup> 340 Pro Thr Gly Ala <sup>Pro</sup> 345 Leu Pro Gly Pro <sup>Thr</sup> 350 Gly Asp  
 Pro Val <sup>Lys</sup> 355 Pro Thr Ser Leu <sup>Glu</sup> 360 Thr Pro Ser Pro <sup>Pro</sup> 365 Leu Leu Ser  
 Arg <sup>Cys</sup> 370 Val Ser Met Pro <sup>Gly</sup> 375 Asp Ile Ser Gly <sup>Leu</sup> 380 Gln Gly Gly Pro  
 Arg Ser Asp Phe Asp <sup>Met</sup> 390 Ala Tyr Glu Arg <sup>Gly</sup> 395 Arg Ile Ser Val <sup>Ser</sup> 400  
 Leu Gln Glu Glu <sup>Ala</sup> 405 Ser Gly Gly Ser <sup>Leu</sup> 410 Ala Ala Pro Ala <sup>Arg</sup> 415 Thr  
 Pro Thr Gln <sup>Glu</sup> 420 Pro Arg Glu Gln <sup>Pro</sup> 425 Ala Gly Ala Cys <sup>Glu</sup> 430 Tyr Ser  
 Tyr Cys <sup>Glu</sup> 435 Asp Glu Ser Ala <sup>Thr</sup> 440 Gly Gly Cys Pro <sup>Phe</sup> 445 Gly Pro Tyr  
 Gln <sup>Gly</sup> 450 Arg Gln Thr Ser <sup>Ser</sup> 455 Ile Phe Glu Ala <sup>Ala</sup> 460 Lys Gln Glu Leu  
 Ala <sup>Lys</sup> 465 Leu Met Arg <sup>Ile</sup> 470 Glu Asp Pro Ser <sup>Leu</sup> 475 Leu Asn Ser Arg Val <sup>Arg</sup> 480  
 Leu Leu His His <sup>Ala</sup> 485 Lys Ala Gly Thr <sup>Ile</sup> 490 Ile Ala Arg Gln <sup>Gly</sup> 495 Asp  
 Gln Asp Val <sup>Ser</sup> 500 Leu His Phe Val <sup>Leu</sup> 505 Trp Gly Cys Leu <sup>His</sup> 510 Val Tyr  
 Gln Arg <sup>Met</sup> 515 Ile Asp Lys Ala <sup>Glu</sup> 520 Asp Val Cys Leu <sup>Phe</sup> 525 Val Ala Gln  
 Pro <sup>Gly</sup> 530 Glu Leu Val Gly <sup>Gln</sup> 535 Leu Ala Val Leu <sup>Thr</sup> 540 Gly Glu Pro Leu  
 Ile <sup>Phe</sup> 545 Thr Leu Arg <sup>Ala</sup> 550 Gln Arg Asp Cys <sup>Thr</sup> 555 Phe Leu Arg Ile <sup>Ser</sup> 560  
 Lys Ser Asp Phe <sup>Tyr</sup> 565 Glu Ile Met Arg <sup>Ala</sup> 570 Gln Pro Ser Val <sup>Val</sup> 575 Leu  
 Ser Ala Ala <sup>His</sup> 580 Thr Val Ala Ala <sup>Arg</sup> 585 Met Ser Pro Phe <sup>Val</sup> 590 Arg Gln

Met Asp Phe Ala Ile Asp Trp Thr Ala Val Glu Ala Gly Arg Ala Leu  
 595 600 605  
 Tyr Arg Gln Gly Asp Arg Ser Asp Cys Thr Tyr Ile Val Leu Asn Gly  
 610 615 620  
 Arg Leu Arg Ser Val Ile Gln Arg Gly Ser Gly Lys Lys Glu Leu Val  
 625 630 635 640  
 Gly Glu Tyr Gly Arg Gly Asp Leu Ile Gly Val Val Glu Ala Leu Thr  
 645 650 655  
 Arg Gln Pro Arg Ala Thr Thr Val His Ala Val Arg Asp Thr Glu Leu  
 660 665 670  
 Ala Lys Leu Pro Glu Gly Thr Leu Gly His Ile Lys Arg Arg Tyr Pro  
 675 680 685  
 Gln Val Val Thr Arg Leu Ile His Leu Leu Ser Gln Lys Ile Leu Gly  
 690 695 700  
 Asn Leu Gln Gln Leu Gln Gly Pro Phe Pro Ala Gly Ser Gly Leu Gly  
 705 710 715 720  
 Val Pro Pro His Ser Glu Leu Thr Asn Pro Ala Ser Asn Leu Ala Thr  
 725 730 735  
 Val Ala Ile Leu Pro Val Cys Ala Glu Val Pro Met Val Ala Phe Thr  
 740 745 750  
 Leu Glu Leu Gln His Ala Leu Gln Ala Ile Gly Pro Thr Leu Leu Leu  
 755 760 765  
 Asn Ser Asp Ile Ile Arg Ala Arg Leu Gly Ala Ser Ala Leu Asp Ser  
 770 775 780  
 Ile Gln Glu Phe Arg Leu Ser Gly Trp Leu Ala Gln Gln Glu Asp Ala  
 785 790 795 800  
 His Arg Ile Val Leu Tyr Gln Thr Asp Ala Ser Leu Thr Pro Trp Thr  
 805 810 815  
 Val Arg Cys Leu Arg Gln Ala Asp Cys Ile Leu Ile Val Gly Leu Gly  
 820 825 830  
 Asp Gln Glu Pro Thr Leu Gly Gln Leu Glu Gln Met Leu Glu Asn Thr  
 835 840 845  
 Ala Val Arg Ala Leu Lys Gln Leu Val Leu Leu His Arg Glu Glu Gly  
 850 855 860  
 Ala Gly Pro Thr Arg Thr Val Glu Trp Leu Asn Met Arg Ser Trp Cys  
 865 870 875 880  
 Ser Gly His Leu His Leu Arg Cys Pro Arg Arg Leu Phe Ser Arg Arg  
 885 890 895  
 Ser Pro Ala Lys Leu His Glu Leu Tyr Glu Lys Val Phe Ser Arg Arg  
 900 905 910

Ala Asp Arg His Ser Asp Phe Ser Arg Leu Ala Arg Val Leu Thr Gly  
 915 920 925  
 Asn Thr Ile Ala Leu Val Leu Gly Gly Gly Gly Ala Arg Gly Cys Ser  
 930 935 940  
 His Ile Gly Val Leu Lys Ala Leu Glu Glu Ala Gly Val Pro Val Asp  
 945 950 955 960  
 Leu Val Gly Gly Thr Ser Ile Gly Ser Phe Ile Gly Ala Leu Tyr Ala  
 965 970 975  
 Glu Glu Arg Ser Ala Ser Arg Thr Arg Gln Arg Ala Arg Glu Trp Ala  
 980 985 990  
 Lys Ser Met Thr Ser Val Leu Glu Pro Val Leu Asp Leu Thr Tyr Pro  
 995 1000 1005  
 Val Thr Ser Met Phe Thr Gly Ser Ala Phe Asn Arg Ser Ile His  
 1010 1015 1020  
 Arg Val Phe Gln Asp Lys Gln Ile Glu Asp Leu Trp Leu Pro Tyr  
 1025 1030 1035  
 Phe Asn Val Thr Thr Asp Ile Thr Ala Ser Ala Met Arg Val His  
 1040 1045 1050  
 Lys Asp Gly Ser Leu Trp Arg Tyr Val Arg Ala Ser Met Thr Leu  
 1055 1060 1065  
 Ser Gly Tyr Leu Pro Pro Leu Cys Asp Pro Lys Asp Gly His Leu  
 1070 1075 1080  
 Leu Met Asp Gly Gly Tyr Ile Asn Asn Leu Pro Ala Asp Ile Ala  
 1085 1090 1095  
 Arg Ser Met Gly Ala Lys Thr Val Ile Ala Ile Asp Val Gly Ser  
 1100 1105 1110  
 Gln Asp Glu Thr Asp Leu Ser Thr Tyr Gly Asp Ser Leu Ser Gly  
 1115 1120 1125  
 Trp Trp Leu Leu Trp Lys Arg Leu Asn Pro Trp Ala Asp Lys Val  
 1130 1135 1140  
 Lys Val Pro Asp Met Ala Glu Ile Gln Ser Arg Leu Ala Tyr Val  
 1145 1150 1155  
 Ser Cys Val Arg Gln Leu Glu Val Val Lys Ser Ser Ser Tyr Cys  
 1160 1165 1170  
 Glu Tyr Leu Arg Pro Pro Ile Asp Cys Phe Lys Thr Met Asp Phe  
 1175 1180 1185  
 Gly Lys Phe Asp Gln Ile Tyr Asp Val Gly Tyr Gln Tyr Gly Lys  
 1190 1195 1200  
 Ala Val Phe Gly Gly Trp Ser Arg Gly Asn Val Ile Glu Lys Met  
 1205 1210 1215

Leu Thr Asp Arg Arg Ser Thr Asp Leu Asn Glu Ser Arg Arg Ala  
 1220 1225 1230  
 Asp Val Leu Ala Phe Pro Ser Ser Gly Phe Thr Asp Leu Ala Glu  
 1235 1240 1245  
 Ile Val Ser Arg Ile Glu Pro Pro Thr Ser Tyr Val Ser Asp Gly  
 1250 1255 1260  
 Cys Ala Asp Gly Glu Glu Ser Asp Cys Leu Thr Glu Tyr Glu Glu  
 1265 1270 1275  
 Asp Ala Gly Pro Asp Cys Ser Arg Asp Glu Gly Gly Ser Pro Glu  
 1280 1285 1290  
 Gly Ala Ser Pro Ser Thr Ala Ser Glu Met Glu Glu Glu Lys Ser  
 1295 1300 1305  
 Ile Leu Arg Gln Arg Arg Cys Leu Pro Gln Glu Pro Pro Gly Ser  
 1310 1315 1320  
 Ala Thr Asp Ala  
 1325

<210> 59  
 <211> 4445  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (1351)..(2883)  
 <223>

<400> 59  
 gtttcttgct gtgtgacctt gggccaatat ctgcactgcc ctgaccttca gagactagct 60  
 gccgtccttt cactctctga ggccaggcct gggaaccctc ggacaggtgt ctgactttgg 120  
 gaaaccctca agggcttcct gtcacattaa tggtctctcca tccggatctg caccctttt 180  
 cctcctcctt cgtggctaac ttaatgaaac caagtttgca aatgaaacat aatttcatag 240  
 acagacatgt tgttggaagg tctgggatgg tcttaacagc tgtctctcta attaccgcag 300  
 atgctaacga ggtgcctgga gcctctgggt acaggagcag agctgctggt tgtttgccag 360  
 ggccgggtag gaggcagggc tgccaaacct gcccctccat tgagggtgtac acacacctga 420  
 aggcccttgg gcaggcagga cctacagtgg accccatgcc caggctctgg gcgggcctcg 480  
 cctgtgtggc caactcacc agcccagacg tgaacgtttc ccagggacag ctctccattc 540  
 actcaattca tccagcaagt gtctgtgatg ccccatgcac aggctcagcc agtgctagca 600  
 gtagggata gtgagcaggc caggcagctc cactccaga ggggttgcca ggggtgcaca 660  
 ggatccttca gagaacgaca gatggcgggg agactcagcg aggcagtggt cgggggtacg 720  
 tgtgctaggc gctccccagg agcctttctg aagagggcac attgggttgg gtccacaagg 780  
 gcccaggaag atgccagggg aaatttctgg ttgtagaggc agcagttgca aaggccctga 840  
 ggtgggacag gaggcggttc tcatgctaca gcgcggggag ccggagggtg aggggtcagg 900  
 tgcccgtga gggcccgggg ctgtgctgct ggccctgtgc tgtgcgctt ggtgctggtg 960  
 aacctccctg ggtgggcaag cctcctcagg tgggtatgtc agtatccatg acacaccata 1020  
 gttgtgtccc agagtaatat gggggcccag ctgggtggtc cctaggaggc cagtggatca 1080  
 cagtcacact tggagttgct tagtatgggg tccgcttggt ccatgggcgg tgggccatgg 1140

ggagctttgt cctgagcacc tccagctggg gagcaggccc ctgggaggct ggagctaggc	1200
ggggatcctg ctgagaccag gggagacttc tgggtgaaat aggcctcggc cctccctgat	1260
gcagggtcccg cgtgccacgc catgttcctc gatacactac tgcgcctcct ggctcatgtg	1320
taatttaggg ttttcatgtg atattgtggg atg gtg ggt atg ttt tgt ttc ctg Met Val Gly Met Phe Cys Phe Leu	1374
att ttc ttg cag tct ctg ctg ggc ttt ggg act aag gct gta ctt gcc Ile Phe Leu Gln Ser Leu Leu Gly Phe Gly Thr Lys Ala Val Leu Ala	1422
tcc caa aga gtt ggg aag tgc tgc tca ttt ctc ctt gcc agg aac acc Ser Gln Arg Val Gly Lys Cys Cys Ser Phe Leu Leu Ala Arg Asn Thr	1470
atg gct ggc act cga cgg gtg gag ggg cag gtt ggg ggt agg ccc ggg Met Ala Gly Thr Arg Arg Val Glu Gly Gln Val Gly Gly Arg Pro Gly	1518
ggt cct ggc tgc agc ctc atg ccg cca ccc ccg cag gag tgc gct ggg Gly Pro Gly Cys Ser Leu Met Pro Pro Pro Gln Glu Cys Ala Gly	1566
gag ccg ctg ttc atg ctg tac tgc gcc atc aag cag cag atg gag aag Glu Pro Leu Phe Met Leu Tyr Cys Ala Ile Lys Gln Gln Met Glu Lys	1614
ggc ccc att gac gcc atc acg ggt gag gca cgc tac tcc ctg agt gag Gly Pro Ile Asp Ala Ile Thr Gly Glu Ala Arg Tyr Ser Leu Ser Glu	1662
gac aag ctc atc cgg cag cag att gac tac aag aca ctg acc ctg aac Asp Lys Leu Ile Arg Gln Gln Ile Asp Tyr Lys Thr Leu Thr Leu Asn	1710
tgt gtg aac cct gag aat gag aat gca cct gag gtg ccg gtg aag ggg Cys Val Asn Pro Glu Asn Glu Asn Ala Pro Glu Val Pro Val Lys Gly	1758
ctg gac tgt gac acg gtc acc cag gcc aag gag aag ctg ctg gac gct Leu Asp Cys Asp Thr Val Thr Gln Ala Lys Glu Lys Leu Leu Asp Ala	1806
gcc tac aag ggc gtg ccc tac tcc cag cgg ccc aag gcc gcg gac atg Ala Tyr Lys Gly Val Pro Tyr Ser Gln Arg Pro Lys Ala Ala Asp Met	1854
gac ctg gag tgg cgc cag ggc cgc atg gcg cgc atc atc ctg cag gac Asp Leu Glu Trp Arg Gln Gly Arg Met Ala Arg Ile Ile Leu Gln Asp	1902
gag gac gtc acc acc aag att gag aac gat tgg aag agg ctg aac aca Glu Asp Val Thr Thr Lys Ile Asp Asn Asp Trp Lys Arg Leu Asn Thr	1950
ctg gct cac tac cag gtg aca gac ggg tcc tcc gtg gca ctg gtg ccc Leu Ala His Tyr Gln Val Thr Asp Gly Ser Ser Val Ala Leu Val Pro	1998
aag cag acg tcc gcc tac aac atc tcc aac tcc tcc acc ttc acc aag Lys Gln Thr Ser Ala Tyr Asn Ile Ser Asn Ser Ser Thr Phe Thr Lys	2046
tcc ctc agc aga tac gag agc atg ctg cgc acg gcc agc agc ccc gac Ser Leu Ser Arg Tyr Glu Ser Met Leu Arg Thr Ala Ser Pro Asp	2094
agc ctg cgc tgc cgc acg ccc atg atc acg ccc gac ctg gag agc ggc Ser Leu Arg Ser Arg Thr Pro Met Ile Thr Pro Asp Leu Glu Ser Gly	2142
acc aag ctg tgg cac ctg gtg aag aac cac gac cac ctg gac cag cgt Thr Lys Leu Trp His Leu Val Lys Asn His Asp His Leu Asp Gln Arg	2190
gag ggt gac cgc ggc agc aag atg gtc tgc gag atc tac ttg aca cgg Glu Gly Asp Arg Gly Ser Lys Met Val Ser Glu Ile Tyr Leu Thr Arg	2238

285										290										295									
cta	ctg	gcc	acc	aag	ggc	aca	ctg	cag	aag	ttt	gtg	gac	gac	ctg	ttt														
Leu	Leu	Ala	Thr	Lys	Gly	Thr	Leu	Gln	Lys	Phe	Val	Asp	Asp	Leu	Phe														
			300					305					310																2286
gag	acc	atc	ttc	agc	acg	gca	cac	cgg	ggc	tca	gcc	ctg	ccg	ctg	gcc														
Glu	Thr	Ile	Phe	Ser	Thr	Ala	His	Arg	Gly	Ser	Ala	Leu	Pro	Leu	Ala														2334
		315					320					325																	
atc	aag	tac	atg	ttc	gac	ttc	ctg	gat	gag	cag	gcc	gac	aag	cac	cag														
Ile	Lys	Tyr	Met	Phe	Asp	Phe	Leu	Asp	Glu	Gln	Ala	Asp	Lys	His	Gln														2382
	330					335					340																		
atc	cac	gat	gct	gac	gtg	cgc	cac	acc	tgg	aag	agc	aac	tgc	ctg	ccc														
Ile	His	Asp	Ala	Asp	Val	Arg	His	Thr	Trp	Lys	Ser	Asn	Cys	Leu	Pro														2430
					350					355					360														
ctg	cgc	ttc	tgg	gtg	aac	gtg	atc	aag	aac	cca	cag	ttt	gtg	ttc	gac														
Leu	Arg	Phe	Trp	Val	Asn	Val	Ile	Lys	Asn	Pro	Gln	Phe	Val	Phe	Asp														2478
				365				370						375															
att	cac	aag	aac	agc	acc	acg	gac	gcc	tgc	ttg	tcg	gtg	gtg	gcc	cag														
Ile	His	Lys	Asn	Ser	Thr	Thr	Asp	Ala	Cys	Leu	Ser	Val	Val	Ala	Gln														2526
			380					385					390																
acc	ttc	atg	gac	tcc	tgc	tcc	acc	tct	gag	cac	aag	ctg	ggc	aag	gac														
Thr	Phe	Met	Asp	Ser	Cys	Ser	Thr	Ser	Glu	His	Lys	Leu	Gly	Lys	Asp														2574
		395					400					405																	
tca	ccc	tcc	aac	aag	ctg	ctc	tac	gcc	aag	gac	atc	ccc	aac	tac	aag														
Ser	Pro	Ser	Asn	Lys	Leu	Leu	Tyr	Ala	Lys	Asp	Ile	Pro	Asn	Tyr	Lys														2622
	410					415					420																		
agc	tgg	gtg	gag	agg	tac	tat	gca	gac	atc	gcc	aag	atg	cca	gcc	atc														
Ser	Trp	Val	Glu	Arg	Tyr	Tyr	Ala	Asp	Ile	Ala	Lys	Met	Pro	Ala	Ile														2670
	425				430					435				440															
agc	gac	cag	gac	atg	agt	gcg	tat	ctg	gct	gag	cag	tcc	cgc	ctg	cac														
Ser	Asp	Gln	Asp	Met	Ser	Ala	Tyr	Leu	Ala	Glu	Gln	Ser	Arg	Leu	His														2718
				445				450						455															
ctg	agc	cag	ttc	aac	agc	atg	agc	gcc	ttg	cac	gag	atc	tac	tcc	tac														
Leu	Ser	Gln	Phe	Asn	Ser	Met	Ser	Ala	Leu	His	Glu	Ile	Tyr	Ser	Tyr														2766
			460					465					470																
atc	acc	aag	tac	aag	gat	gag	atc	ctg	gca	gcc	ctg	gag	aag	gat	gag														
Ile	Thr	Lys	Tyr	Lys	Asp	Glu	Ile	Leu	Ala	Ala	Leu	Glu	Lys	Asp	Glu														2814
		475				480						485																	
cag	gcg	cgg	cgg	cag	cgg	ctg	cgg	agc	aag	ctg	gag	cag	gtg	gtg	gac														
Gln	Ala	Arg	Arg	Gln	Arg	Leu	Arg	Ser	Lys	Leu	Gln	Gln	Val	Val	Asp														2862
	490					495					500																		
acg	atg	gcc	ctg	agc	agc	tga	gccccagctg	tgatcatcca	gcatgatgca																				
Thr	Met	Ala	Leu	Ser	Ser																								2913
	505				510																								
gcgtgaggac	agctgagcag	ggaccgggac	agccctcacc	gcatgcgtgt	ggagtgtccg																								2973
gtggtgctcg	ggccgccgca	gtgcagcgac	tgcccgggcc	tccctcccct	gcctcaccgc																								3033
gtcgggtccc	ggctcttcct	gtgtggaggt	gatggtacct	gccacaccac	agctgcgcac																								3093
acagctgctt	gctcaggggc	cgggacagca	ctgggtgctc	aggctggcca	aggaccttca																								3153
ttgcctggca	agagctgccc	agtggccttc	atgggagaag	ggctgacctc	tgaggggctg																								3213
aggggtgagg	ccagggccct	ccagggggag	gggtagccag	cttgggctgt	ccccttgaga																								3273
ccaggacaag	aggctggggg	tgctcagcatt	cccagctttc	caagctgccc	ccaggcggca																								3333
gagtctgagg	gtcccggggc	ccggttgcca	gctggagaaa	gaggcaaaaa	gcccgtagcc																								3393
gggcaagagg	agctcaagtc	ggtctggggc	cgttgccacc	gactcccacc	tccagcaccc																								3453
atgcccctg	caccgctgcc	atcctcagat	tcaccgcgtg	ctctgcgcgg	ccgaggccgg																								3513
agcaccacat	ccacctcgcc	ccagagaggc	tctgctccct	cctatggagg	ggctgtgggc																								3573

caggctgctc agactcctgg gtggcttcca gacggaccgg gcagcccctc tccgtcctca 3633  
 gggctgtgcc tctgggagcc actgggccag gggccccggg tcgcagagag cacgttcccc 3693  
 ttattttattc ccctccgcgt cctacacagg ctgccctggc agctgtcttc aagggttaggc 3753  
 tgagctcccc accctggagc ccctgagggc ggccccctgag cactcctctc tctccactct 3813  
 ctctgtccct gccccagcgg cttccagtgt ggcatctcag cagtgtcctg gcccctccag 3873  
 agcagtggga catctgggga ctgtttttgt gtttagggga aaaaattctg ctgcactctg 3933  
 cttgggcctt gaggtctgtg gcagggctcc tctggcccgc agtggcctgg atctatctgg 3993  
 gccatgagtg acgggcagt accagagggga ctggaggcca gcggtgtcca cccttgccct 4053  
 cagcaagaga gaatgcattc ttaaaagaaa gctgtacatg tatatatatg catatatata 4113  
 tatgtggctc tagcctcagg ctccagcccc agtgggggtac tgtacagtta actgaagaag 4173  
 aattttaaaag acgatttgaa caagaaaatg aaggcagtgg gaaagcaatg ccaaattggtt 4233  
 gtggagaaaag tggccggagc ctccctggag tggagcagcc ctgaagcctg tgccccccga 4293  
 cctgcgggcc gctgttttgg ttgacatga caaggaaagg acttcctgct gaccctgaga 4353  
 gcctctgggg tgccgcggca ccacggggca tgcattgatt tgctagcgtt tagtctgagt 4413  
 tgatcttttt aaaactgcaa gtgttgaata ct 4445

<210> 60  
 <211> 510  
 <212> PRT  
 <213> Homo sapiens

<400> 60

Met Val Gly Met Phe Cys Phe Leu Ile Phe Leu Gln Ser Leu Leu Gly  
 1 5 10 15  
 Phe Gly Thr Lys Ala Val Leu Ala Ser Gln Arg Val Gly Lys Cys Cys  
 20 25 30  
 Ser Phe Leu Leu Ala Arg Asn Thr Met Ala Gly Thr Arg Arg Val Glu  
 35 40 45  
 Gly Gln Val Gly Gly Arg Pro Gly Gly Pro Gly Cys Ser Leu Met Pro  
 50 55 60  
 Pro Pro Pro Gln Glu Cys Ala Gly Glu Pro Leu Phe Met Leu Tyr Cys  
 65 70 75 80  
 Ala Ile Lys Gln Gln Met Glu Lys Gly Pro Ile Asp Ala Ile Thr Gly  
 85 90 95  
 Glu Ala Arg Tyr Ser Leu Ser Glu Asp Lys Leu Ile Arg Gln Gln Ile  
 100 105 110  
 Asp Tyr Lys Thr Leu Thr Leu Asn Cys Val Asn Pro Glu Asn Glu Asn  
 115 120 125  
 Ala Pro Glu Val Pro Val Lys Gly Leu Asp Cys Asp Thr Val Thr Gln  
 130 135 140  
 Ala Lys Glu Lys Leu Leu Asp Ala Ala Tyr Lys Gly Val Pro Tyr Ser  
 145 150 155 160  
 Gln Arg Pro Lys Ala Ala Asp Met Asp Leu Glu Trp Arg Gln Gly Arg  
 165 170 175



Met Ala Arg Ile Ile Leu Gln Asp Glu Asp Val Thr Thr Lys Ile Asp  
 180 185 190  
 Asn Asp Trp Lys Arg Leu Asn Thr Leu Ala His Tyr Gln Val Thr Asp  
 195 200 205  
 Gly Ser Ser Val Ala Leu Val Pro Lys Gln Thr Ser Ala Tyr Asn Ile  
 210 215 220  
 Ser Asn Ser Ser Thr Phe Thr Lys Ser Leu Ser Arg Tyr Glu Ser Met  
 225 230 235 240  
 Leu Arg Thr Ala Ser Ser Pro Asp Ser Leu Arg Ser Arg Thr Pro Met  
 245 250 255  
 Ile Thr Pro Asp Leu Glu Ser Gly Thr Lys Leu Trp His Leu Val Lys  
 260 265 270  
 Asn His Asp His Leu Asp Gln Arg Glu Gly Asp Arg Gly Ser Lys Met  
 275 280 285  
 Val Ser Glu Ile Tyr Leu Thr Arg Leu Leu Ala Thr Lys Gly Thr Leu  
 290 295 300  
 Gln Lys Phe Val Asp Asp Leu Phe Glu Thr Ile Phe Ser Thr Ala His  
 305 310 315 320  
 Arg Gly Ser Ala Leu Pro Leu Ala Ile Lys Tyr Met Phe Asp Phe Leu  
 325 330 335  
 Asp Glu Gln Ala Asp Lys His Gln Ile His Asp Ala Asp Val Arg His  
 340 345 350  
 Thr Trp Lys Ser Asn Cys Leu Pro Leu Arg Phe Trp Val Asn Val Ile  
 355 360 365  
 Lys Asn Pro Gln Phe Val Phe Asp Ile His Lys Asn Ser Thr Thr Asp  
 370 375 380  
 Ala Cys Leu Ser Val Val Ala Gln Thr Phe Met Asp Ser Cys Ser Thr  
 385 390 395 400  
 Ser Glu His Lys Leu Gly Lys Asp Ser Pro Ser Asn Lys Leu Leu Tyr  
 405 410 415  
 Ala Lys Asp Ile Pro Asn Tyr Lys Ser Trp Val Glu Arg Tyr Tyr Ala  
 420 425 430  
 Asp Ile Ala Lys Met Pro Ala Ile Ser Asp Gln Asp Met Ser Ala Tyr  
 435 440 445  
 Leu Ala Glu Gln Ser Arg Leu His Leu Ser Gln Phe Asn Ser Met Ser  
 450 455 460  
 Ala Leu His Glu Ile Tyr Ser Tyr Ile Thr Lys Tyr Lys Asp Glu Ile  
 465 470 475 480  
 Leu Ala Ala Leu Glu Lys Asp Glu Gln Ala Arg Arg Gln Arg Leu Arg  
 485 490 495

Ser Lys Leu Glu Gln Val Val Asp Thr Met Ala Leu Ser Ser  
500 505 510

<210> 61  
<211> 1440  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (1)..(1332)  
<223>

<400> 61  
gat tct ctg cac aaa gcc ccc aag aag aag agc atc aag tca tcc ata 48  
Asp Ser Leu His Lys Ala Pro Lys Lys Lys Ser Ile Lys Ser Ser Ile  
1 5 10 15  
ggc cgt ctc ttt ggc aag aaa gag aag gga cga atg gga ccc cca ggc 96  
Gly Arg Leu Phe Gly Lys Lys Glu Lys Gly Arg Met Gly Pro Pro Gly  
20 25 30  
cgg gac agc tct tct ctg gct gga aca ccc tca gat gag aca ctg gcc 144  
Arg Asp Ser Ser Ser Leu Ala Gly Thr Pro Ser Asp Glu Thr Leu Ala  
35 40 45  
act gac cct ctg ggg cta gcc aag ctg aca ggc cca gga gac aag gac 192  
Thr Asp Pro Leu Gly Leu Ala Lys Leu Thr Gly Pro Gly Asp Lys Asp  
50 55  
cga agg aac aag agg aag cat gaa ctc ctg gag gag gcc tgc cgc cag 240  
Arg Arg Asn Lys Arg Lys His Glu Leu Leu Glu Glu Ala Cys Arg Gln  
65 70 75 80  
ggc cta cct ttt gct gcc tgg gac ggg ccc acc gtg gtg tcc tgg ctg 288  
Gly Leu Pro Phe Ala Ala Trp Asp Gly Pro Thr Val Val Ser Trp Leu  
85 90 95  
gag ctg tgg gtg ggc atg cct gcc tgg tat gtg gcc gcc tgc cgg gcc 336  
Glu Leu Trp Val Gly Met Pro Ala Trp Tyr Val Ala Ala Cys Arg Ala  
100 105 110  
aat gtc aag agc ggt gcc atc atg gcc aac ctg tca gac acg aag atc 384  
Asn Val Lys Ser Gly Ala Ile Met Ala Asn Leu Ser Asp Thr Lys Ile  
115 120 125  
cag cgc gag atc ggc atc agc aac ccg ctg cac cga ctc aag cta cgc 432  
Gln Arg Glu Ile Gly Ile Ser Asn Pro Leu His Arg Leu Lys Leu Arg  
130 135 140  
ctc gcc atc cag gag atg gtc tcg ctc acc tcg ccc tca gcc ccc gcc 480  
Leu Ala Ile Gln Glu Met Val Ser Leu Thr Ser Pro Ser Ala Pro Ala  
145 150 155 160  
tcc tcc cgc act tcc aca gga aac gtg tgg atg aca cac gag gag atg 528  
Ser Ser Arg Thr Ser Thr Gly Asn Val Trp Met Thr His Glu Glu Met  
165 170 175  
gag tcc ctt acg gcc acg acc aag ccc gag acc aag gag atc agc tgg 576  
Glu Ser Leu Thr Ala Thr Thr Lys Pro Glu Thr Lys Glu Ile Ser Trp  
180 185 190  
gag cag atc ctg gca tat ggc gac atg aac cac gag tgg gtg ggg aac 624  
Glu Gln Ile Leu Ala Tyr Gly Asp Met Asn His Glu Trp Val Gly Asn  
195 200 205  
gac tgg ctg ccc agc ctg ggg ctg ccc caa tac cgc agc tac ttc atg 672  
Asp Trp Leu Pro Ser Leu Gly Leu Pro Gln Tyr Arg Ser Tyr Phe Met  
210 215 220  
gag tcg ctg gtg gac gct cga atg tta gat cac ctt aac aag aag gag 720  
Glu Ser Leu Val Asp Ala Arg Met Leu Asp His Leu Asn Lys Lys Glu  
225 230 235 240  
ctc cgg ggc caa ctc aag atg gtg gac agc ttt cac agg gtg agt cta 768  
Leu Arg Gly Gln Leu Lys Met Val Asp Ser Phe His Arg Val Ser Leu  
245 250 255  
cat tat gga gtt atg tgc ctg aaa cgg ctc aac tat gac cgg aag gac 816

His Tyr Gly Val Met Cys Leu Lys Arg Leu Asn Tyr Asp Arg Lys Asp  
 260 265 270  
 ctg gag cgg agg cgg gaa gaa agt cag acc cag atc cga gac gtg atg 864  
 Leu Glu Arg Arg Glu Glu Ser Gln Thr Gln Ile Arg Asp Val Met  
 275 280  
 gtg tgg tcc aat gag cgg gtc atg ggt tgg gtg tcc ggg ctg ggc ctg 912  
 Val Trp Ser Asn Glu Arg Val Met Gly Trp Val Ser Gly Leu Gly Leu  
 290 295 300  
 aag gaa ttt gcc acg aac ctc acg gag agc ggg gta cac ggg gca ctg 960  
 Lys Glu Phe Ala Thr Asn Leu Thr Glu Ser Gly Val His Gly Ala Leu  
 305 310 315 320  
 ctc gcc ctg gac gag acc ttc gac tac tcc gac ctg gcc ttg ctc ctg 1008  
 Leu Ala Leu Asp Glu Thr Phe Asp Tyr Ser Asp Leu Ala Leu Leu Leu  
 325 330 335  
 cag atc ccc acg cag aat gca cag gcc cgg cag ctt ctg gag aag gaa 1056  
 Gln Ile Pro Thr Gln Asn Ala Gln Ala Arg Gln Leu Leu Glu Lys Glu  
 340 345 350  
 ttc agc aac ctt atc tcc tta ggc aca gac agg cgg ctg gac gag gac 1104  
 Phe Ser Asn Leu Ile Ser Leu Gly Thr Asp Arg Arg Leu Asp Glu Asp  
 355 360 365  
 agc gcc aag tct ttc agc cgc tcc cca tcc tgg cgg aag atg ttc cgg 1152  
 Ser Ala Lys Ser Phe Ser Arg Ser Pro Ser Trp Arg Lys Met Phe Arg  
 370 375 380  
 gag aag gac ctc cga ggc gta act ccc gac tca gct gag atg ttg ccc 1200  
 Glu Lys Asp Leu Arg Gly Val Thr Pro Asp Ser Ala Glu Met Leu Pro  
 385 390 395 400  
 ccc aac ttt cgt tct gct gca gcg gga gcc ctg ggc tct ccg ggg ctc 1248  
 Pro Asn Phe Arg Ser Ala Ala Ala Gly Ala Leu Gly Ser Pro Gly Leu  
 405 410 415  
 cct ctc cgc aag ctg cag cca gaa ggc cag act tct ggg agt tcc cgg 1296  
 Pro Leu Arg Lys Leu Gln Pro Glu Gly Gln Thr Ser Gly Ser Ser Arg  
 420 425 430  
 gca gac ggc gtt tct gtc cgg acc tat tcc tgc tag tgcaggcctc 1342  
 Ala Asp Gly Val Ser Val Arg Thr Tyr Ser Cys  
 435 440  
 caggtgacct cactcggacg gaagaatctt cccgaggctg ggctgttccc tctcctgccc 1402  
 ggactgtggc ctcgccgggg agagcgggcg gggagctc 1440  
  
 <210> 62  
 <211> 443  
 <212> PRT  
 <213> Homo sapiens  
 <400> 62  
 Asp Ser Leu His Lys Ala Pro Lys Lys Lys Ser Ile Lys Ser Ser Ile  
 1 5 10 15  
 Gly Arg Leu Phe Gly Lys Lys Glu Lys Gly Arg Met Gly Pro Pro Gly  
 20 25 30  
 Arg Asp Ser Ser Ser Leu Ala Gly Thr Pro Ser Asp Glu Thr Leu Ala  
 35 40 45  
 Thr Asp Pro Leu Gly Leu Ala Lys Leu Thr Gly Pro Gly Asp Lys Asp  
 50 55 60  
 Arg Arg Asn Lys Arg Lys His Glu Leu Leu Glu Glu Ala Cys Arg Gln  
 65 70 75 80  
 Gly Leu Pro Phe Ala Ala Trp Asp Gly Pro Thr Val Val Ser Trp Leu

85

90

95

Glu Leu Trp Val Gly Met Pro Ala Trp Tyr Val Ala Ala Cys Arg Ala  
 100 105 110  
 Asn Val Lys Ser Gly Ala Ile Met Ala Asn Leu Ser Asp Thr Lys Ile  
 115 120 125  
 Gln Arg Glu Ile Gly Ile Ser Asn Pro Leu His Arg Leu Lys Leu Arg  
 130 135 140  
 Leu Ala Ile Gln Glu Met Val Ser Leu Thr Ser Pro Ser Ala Pro Ala  
 145 150 155 160  
 Ser Ser Arg Thr Ser Thr Gly Asn Val Trp Met Thr His Glu Glu Met  
 165 170 175  
 Glu Ser Leu Thr Ala Thr Thr Lys Pro Glu Thr Lys Glu Ile Ser Trp  
 180 185 190  
 Glu Gln Ile Leu Ala Tyr Gly Asp Met Asn His Glu Trp Val Gly Asn  
 195 200 205  
 Asp Trp Leu Pro Ser Leu Gly Leu Pro Gln Tyr Arg Ser Tyr Phe Met  
 210 215 220  
 Glu Ser Leu Val Asp Ala Arg Met Leu Asp His Leu Asn Lys Lys Glu  
 225 230 235 240  
 Leu Arg Gly Gln Leu Lys Met Val Asp Ser Phe His Arg Val Ser Leu  
 245 250 255  
 His Tyr Gly Val Met Cys Leu Lys Arg Leu Asn Tyr Asp Arg Lys Asp  
 260 265 270  
 Leu Glu Arg Arg Arg Glu Glu Ser Gln Thr Gln Ile Arg Asp Val Met  
 275 280 285  
 Val Trp Ser Asn Glu Arg Val Met Gly Trp Val Ser Gly Leu Gly Leu  
 290 295 300  
 Lys Glu Phe Ala Thr Asn Leu Thr Glu Ser Gly Val His Gly Ala Leu  
 305 310 315 320  
 Leu Ala Leu Asp Glu Thr Phe Asp Tyr Ser Asp Leu Ala Leu Leu Leu  
 325 330 335  
 Gln Ile Pro Thr Gln Asn Ala Gln Ala Arg Gln Leu Leu Glu Lys Glu  
 340 345 350  
 Phe Ser Asn Leu Ile Ser Leu Gly Thr Asp Arg Arg Leu Asp Glu Asp  
 355 360 365  
 Ser Ala Lys Ser Phe Ser Arg Ser Pro Ser Trp Arg Lys Met Phe Arg  
 370 375 380  
 Glu Lys Asp Leu Arg Gly Val Thr Pro Asp Ser Ala Glu Met Leu Pro  
 385 390 395 400  
 Pro Asn Phe Arg Ser Ala Ala Ala Gly Ala Leu Gly Ser Pro Gly Leu

405

410

415

Pro Leu Arg Lys Leu Gln Pro Glu Gly Gln Thr Ser Gly Ser Ser Arg  
 420 425 430

Ala Asp Gly Val Ser Val Arg Thr Tyr Ser Cys  
 435 440

<210> 63  
 <211> 2807  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (59)..(1792)  
 <223>

<400> 63  
 caggttggtggt tctgggacag gtgacccggc ggcggggcga ggcagctggc ggcgtcgc 58  
 atg gag ggc tct ggg ggc ggt gcg ggc gag cgg gcg ccg ctg ctg ggc 106  
 Met Glu Gly Ser Gly Gly Gly Ala Gly Glu Arg Ala Pro Leu Leu Gly 15  
 gcg cgg cgg gcg gcg gcg gcc gcg gcg gcg gct ggg gcg ttc gcg ggc 154  
 Ala Arg Arg Ala Ala Ala Ala Ala Ala Ala Ala Ala Gly Ala Phe Ala Gly 20 25 30  
 cgg cgc gcg gcg tgc ggg gcc gtg ctg ctg acg gag ctg ctg gag cgc 202  
 Arg Arg Ala Cys Gly Ala Val Leu Leu Thr Glu Leu Leu Glu Arg 35 40 45  
 gcc gct ttc tac ggc atc acg tcc aac ctg gtg cta ttc ctg aac ggc 250  
 Ala Ala Phe Tyr Gly Ile Thr Ser Asn Leu Val Leu Phe Leu Asn Gly 50 55 60  
 gcg ccg ttc tgc tgg gag ggc gcg cag gcc agc gag gcg ctg ctg ctc 298  
 Ala Pro Phe Cys Trp Glu Gly Ala Gln Ala Ser Glu Ala Leu Leu Leu 65 70 75 80  
 ttc atg ggc ctc acc tac ctg ggc tgc ccg ttc gga ggc tgg ctg gcc 346  
 Phe Met Gly Leu Thr Tyr Leu Gly Ser Pro Phe Gly Gly Trp Leu Ala 85 90 95  
 gac gcg cgg ctg ggc cgg gcg cgc gcc atc ctg ctg agc ctg gcg ctc 394  
 Asp Ala Arg Leu Gly Arg Ala Arg Ala Ile Leu Leu Ser Leu Ala Leu 100 105 110  
 tac ctg ctg ggc atg ctg gcc ttc ccg ctg ctg gcc gcg ccc gcc acg 442  
 Tyr Leu Leu Gly Met Leu Ala Phe Pro Leu Leu Ala Ala Pro Ala Thr 115 120 125  
 cga gcc gcg ctc tgc ggt tcc gcg cgc ctg ctc aac tgc acg gcg cct 490  
 Arg Ala Ala Leu Cys Gly Ser Ala Arg Leu Leu Asn Cys Thr Ala Pro 130 135 140  
 ggt ccc gac gcc gcc gcc cgc tgc tgc tca ccg gcc acc ttc gcg ggc 538  
 Gly Pro Asp Ala Ala Ala Arg Cys Cys Ser Pro Ala Thr Phe Ala Gly 145 150 155 160  
 ctg gtg ctg gtg ggc ctg ggc gtg gcc acc gtc aag gcc aac atc acg 586  
 Leu Val Leu Val Gly Leu Gly Val Ala Thr Val Lys Ala Asn Ile Thr 165 170 175  
 ccc ttc ggc gcc gac cag gtt aaa gat cga ggt ccg gaa gcc act agg 634  
 Pro Phe Gly Ala Asp Gln Val Lys Asp Arg Gly Pro Glu Ala Thr Arg 180 185 190  
 aga ttt ttt aat tgg ttt tat tgg agc att aac ctg gga gcg atc ctg 682  
 Arg Phe Phe Asn Trp Phe Tyr Trp Ser Ile Asn Leu Gly Ala Ile Leu 195 200 205  
 tcg tta ggt ggc att gcc tat att cag cag aac gtc agc ttt gtc act 730  
 Ser Leu Gly Gly Ile Ala Tyr Ile Gln Gln Asn Val Ser Phe Val Thr 210 215 220

ggt Gly 225	tat Tyr	gcg Ala	atc Ile	ccc Pro	act Thr 230	gtc Val	tgc Cys	gtc Val	ggc Gly	ctt Leu 235	gct Ala	ttt Phe	gtg Val	gtc Val	ttc Phe 240	778
ctc Leu	tgt Cys	ggc Gly	cag Gln	agc Ser 245	gtt Val	ttc Phe	atc Ile	acc Thr	aag Lys 250	cct Pro	cct Pro	gat Asp	ggc Gly	agt Ser 255	gcc Ala	826
ttc Phe	acc Thr	gac Asp	atg Met 260	ttc Phe	aag Lys	ata Ile	ctg Leu	acg Thr 265	tat Tyr	tcc Ser	tgc Cys	tgt Cys	tcc Ser 270	cag Gln	aag Lys	874
cga Arg	agt Ser	gga Gly 275	gag Glu	cgc Arg	cag Gln	agt Ser	aat Asn 280	ggt Gly	gaa Glu	ggc Gly	att Ile	gga Gly 285	gtc Val	ttt Phe	cag Gln	922
caa Gln	tct Ser 290	tct Ser	aaa Lys	caa Gln	agt Ser	ctg Leu 295	ttt Phe	gat Asp	tca Ser	tgt Cys	aag Lys 300	atg Met	tct Ser	cat His	ggt Gly	970
ggg Gly 305	cca Pro	ttt Phe	aca Thr	gaa Glu	gag Glu 310	aaa Lys	gtg Val	gaa Glu	gat Asp	gtg Val 315	aaa Lys	gct Ala	ctg Leu	gtc Val	aag Lys 320	1018
att Ile	gtc Val	cct Pro	gtt Val	ttc Phe 325	ttg Leu	gct Ala	ttg Leu	ata Ile	cct Pro 330	tac Tyr	tgg Trp	aca Thr	gtg Val	tat Tyr 335	ttc Phe	1066
caa Gln	atg Met	cag Gln	aca Thr 340	aca Thr	tat Tyr	gtt Val	tta Leu	cag Gln 345	agt Ser	ctt Leu	cat His	ttg Leu	agg Arg 350	att Ile	cca Pro	1114
gaa Glu	att Ile	tca Ser 355	aat Asn	att Ile	aca Thr	acc Thr	act Thr 360	cct Pro	cac His	acg Thr	ctc Leu	cct Pro 365	gca Ala	gcc Ala	tgg Trp	1162
ctg Leu	acc Met 370	atg Met	ttt Phe	gat Asp	gct Ala	gtg Val 375	ctc Leu	atc Ile	ctc Leu	ctg Leu	ctc Leu 380	atc Ile	cct Pro	ctg Leu	aag Lys	1210
gac Asp 385	aaa Lys	ctg Leu	gtc Val	gat Asp	ccc Pro 390	att Ile	ttg Leu	aga Arg	aga Arg	cat His 395	ggc Gly	ctg Leu	ctc Leu	cca Pro	tcc Ser 400	1258
tcc Ser	ctg Leu	aag Lys	agg Arg	atc Ile 405	gcc Ala	gtg Val	ggc Gly	atg Met	ttc Phe 410	ttt Phe	gtc Val	atg Met	tgc Cys	tcg Ser 415	gcc Ala	1306
ttt Phe	gct Ala	gca Ala	gga Gly 420	att Ile	ttg Leu	gag Glu	agt Ser	aaa Lys 425	agg Arg	ctg Leu	aac Asn	ctt Leu	gtt Val 430	aaa Lys	gag Glu	1354
aaa Lys	acc Thr	att Ile 435	aat Asn	cag Gln	acc Thr	atc Ile	ggc Gly 440	aac Asn	gtc Val	gtc Val	tac Tyr	cat His 445	gct Ala	gcc Ala	gat Asp	1402
ctg Leu	tcg Ser 450	ctg Leu	tgg Trp	tgg Trp	cag Gln	gtg Val 455	ccg Pro	cag Gln	tac Tyr	ttg Leu	ctg Leu 460	att Ile	ggg Gly	atc Ile	agc Ser	1450
gag Glu 465	atc Ile	ttt Phe	gca Ala	agt Ser	atc Ile 470	gca Ala	ggc Gly	ctg Leu	gaa Glu	ttt Phe 475	gca Ala	tac Tyr	tca Ser	gct Ala	gcc Ala 480	1498
ccc Pro	aag Lys	tcc Ser	atg Met	cag Gln 485	agt Ser	gcc Ala	ata Ile	atg Met	ggc Gly 490	ttg Leu	ttc Phe	ttt Phe	ttc Phe	ttc Phe 495	tct Ser	1546
ggc Gly	gtc Val	ggg Gly	tcg Ser 500	ttc Phe	gtg Val	ggt Gly	tct Ser	gga Gly 505	ctg Leu	ctg Leu	gca Ala	ctg Leu	gtg Val 510	tct Ser	atc Ile	1594
aaa Lys	gcc Ala	atc Ile 515	gga Gly	tgg Trp	atg Met	agc Ser	agt Ser 520	cac His	aca Thr	gac Asp	ttt Phe	ggt Gly 525	aat Asn	att Ile	aac Asn	1642
ggc Gly	tgc Cys 530	tat Tyr	ttg Leu	aac Asn	tat Tyr	tac Tyr 535	ttt Phe	ttt Phe	ctt Leu	ctg Leu	gct Ala 540	gct Ala	att Ile	caa Gln	gga Gly	1690

gct acc ctc ctg ctt ttc ctc att att tct gtg aaa tat gac cat cat 1738  
 Ala Thr Leu Leu Leu Phe Leu Ile Ile Ser Val Lys Tyr Asp His His  
 545 550 555 560  
 cga gac cat cag cga tca aga gcc aat ggc gtg ccc acc agc agg agg 1786  
 Arg Asp His Gln Arg Ser Arg Ala Asn Gly Val Pro Thr Ser Arg Arg  
 565 570 575  
 gcc tga ccttcctgag gccatgtgag gtttctgagg ctgacatgtc agtaactgac 1842  
 Ala  
 tgggggtgcac tgagaacagg caagacttta aattcccata aaatgtctga cttcactgaa 1902  
 acttgcatgt tgcctggatt gatttcttct ttccctctat ccaaaggagc ttggttaagt 1962  
 ccttactgca gcgtgtctcc tggcacgctg ggccctccgg gaggagagct gcagatttcg 2022  
 agtatgtcgc ttgtcattca aggtctctgt gaatcctcta gctgggttcc cttttttaca 2082  
 gaaactcaca aatggagatt gcaaagtctt ggggaactcc acgtgttagt tggcatccca 2142  
 gtttcttaaa caaatagtat cacctgcttc ccatagccat atctcactgt aaaaaaaaaa 2202  
 aattaataaa ctgttactta tatttaagaa agtgaggatt tttttttttt aaagataaaa 2262  
 gcatggctcag atgctgcaag gattttacat aaatgccata tttatgggtt ctttcctgag 2322  
 aacagtcttg ctcttgccat gttctttgat ttaggctggt agtaaacaca tttcatctgc 2382  
 tgcttcaaaa agtacttact ttttaacca tcaacattac ttttcttct taaggcaagg 2442  
 catgcataag agtcatttga gaccatgtgt cccatctcaa gccacagagc aactcacagg 2502  
 gtacttcaca ccttacctag tcagagtgtt tatatatagc tttattttgg tacgattgag 2562  
 actaaagact gatcatgggt gtatgtaagg aaaacattct tttgaacaga aatagtgtaa 2622  
 ttaaaaataa ttgaaagtgt taaatgtgaa cttgagctgt ttgaccagcc acatttttgt 2682  
 attgttactg tacgtgtatc tggggcttct ccgtttgtta atactttttc tgtatttgtt 2742  
 gctgtatttt tggcataact ttattataaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2802  
 aaaaaa 2807

<210> 64  
 <211> 577  
 <212> PRT  
 <213> Homo sapiens

<400> 64

Met Glu Gly Ser Gly Gly Gly Ala Gly Glu Arg Ala Pro Leu Leu Gly  
1 5 10 15

Ala Arg Arg Ala Ala Ala Ala Ala Ala Ala Gly Ala Phe Ala Gly  
20 25 30

Arg Arg Ala Ala Cys Gly Ala Val Leu Leu Thr Glu Leu Leu Glu Arg  
35 40 45

Ala Ala Phe Tyr Gly Ile Thr Ser Asn Leu Val Leu Phe Leu Asn Gly  
50 55 60

Ala Pro Phe Cys Trp Glu Gly Ala Gln Ala Ser Glu Ala Leu Leu Leu  
65 70 75 80

Phe Met Gly Leu Thr Tyr Leu Gly Ser Pro Phe Gly Gly Trp Leu Ala  
85 90 95

Asp Ala Arg Leu Gly Arg Ala Arg Ala Ile Leu Leu Ser Leu Ala Leu  
100 105 110

Tyr Leu <sup>115</sup>Leu Gly Met Leu Ala <sup>120</sup>Phe Pro Leu Leu Ala <sup>125</sup>Ala Pro Ala Thr  
 Arg <sup>130</sup>Ala Ala Leu Cys Gly <sup>135</sup>Ser Ala Arg Leu Leu <sup>140</sup>Asn Cys Thr Ala Pro  
 Gly <sup>145</sup>Pro Asp Ala Ala <sup>150</sup>Ala Arg Cys Cys Ser <sup>155</sup>Pro Ala Thr Phe Ala <sup>160</sup>Gly  
 Leu Val Leu Val <sup>165</sup>Gly Leu Gly Val Ala <sup>170</sup>Thr Val Lys Ala Asn <sup>175</sup>Ile Thr  
 Pro Phe Gly <sup>180</sup>Ala Asp Gln Val Lys <sup>185</sup>Asp Arg Gly Pro Glu <sup>190</sup>Ala Thr Arg  
 Arg Phe <sup>195</sup>Phe Asn Trp Phe Tyr <sup>200</sup>Trp Ser Ile Asn Leu <sup>205</sup>Gly Ala Ile Leu  
 Ser <sup>210</sup>Leu Gly Gly Ile Ala <sup>215</sup>Tyr Ile Gln Gln Asn <sup>220</sup>Val Ser Phe Val Thr  
 Gly <sup>225</sup>Tyr Ala Ile Pro <sup>230</sup>Thr Val Cys Val Gly <sup>235</sup>Leu Ala Phe Val Val <sup>240</sup>Phe  
 Leu Cys Gly Gln <sup>245</sup>Ser Val Phe Ile Thr <sup>250</sup>Lys Pro Pro Asp Gly <sup>255</sup>Ser Ala  
 Phe Thr Asp <sup>260</sup>Met Phe Lys Ile Leu <sup>265</sup>Thr Tyr Ser Cys Cys <sup>270</sup>Ser Gln Lys  
 Arg Ser <sup>275</sup>Gly Glu Arg Gln Ser <sup>280</sup>Asn Gly Glu Gly Ile <sup>285</sup>Gly Val Phe Gln  
 Gln <sup>290</sup>Ser Ser Lys Gln Ser <sup>295</sup>Leu Phe Asp Ser Cys <sup>300</sup>Lys Met Ser His Gly  
 Gly <sup>305</sup>Pro Phe Thr Glu <sup>310</sup>Glu Lys Val Glu Asp <sup>315</sup>Val Lys Ala Leu Val <sup>320</sup>Lys  
 Ile Val Pro Val <sup>325</sup>Phe Leu Ala Leu Ile <sup>330</sup>Pro Tyr Trp Thr Val <sup>335</sup>Tyr Phe  
 Gln Met Gln <sup>340</sup>Thr Thr Tyr Val Leu <sup>345</sup>Gln Ser Leu His Leu <sup>350</sup>Arg Ile Pro  
 Glu Ile <sup>355</sup>Ser Asn Ile Thr Thr <sup>360</sup>Thr Pro His Thr Leu <sup>365</sup>Pro Ala Ala Trp  
 Leu <sup>370</sup>Thr Met Phe Asp Ala <sup>375</sup>Val Leu Ile Leu Leu <sup>380</sup>Leu Ile Pro Leu Lys  
 Asp <sup>385</sup>Lys Leu Val Asp <sup>390</sup>Pro Ile Leu Arg Arg <sup>395</sup>His Gly Leu Leu Pro <sup>400</sup>Ser  
 Ser Leu Lys Arg <sup>405</sup>Ile Ala Val Gly Met <sup>410</sup>Phe Phe Val Met Cys <sup>415</sup>Ser Ala  
 Phe Ala Ala <sup>420</sup>Gly Ile Leu Glu Ser <sup>425</sup>Lys Arg Leu Asn Leu <sup>430</sup>Val Lys Glu



Lys Thr Ile Asn Gln Thr Ile Gly Asn Val Val Tyr His Ala Ala Asp  
 435 440 445  
 Leu Ser Leu Trp Trp Gln Val Pro Gln Tyr Leu Leu Ile Gly Ile Ser  
 450 455 460  
 Glu Ile Phe Ala Ser Ile Ala Gly Leu Glu Phe Ala Tyr Ser Ala Ala  
 465 470 475 480  
 Pro Lys Ser Met Gln Ser Ala Ile Met Gly Leu Phe Phe Phe Phe Ser  
 485 490 495  
 Gly Val Gly Ser Phe Val Gly Ser Gly Leu Leu Ala Leu Val Ser Ile  
 500 505 510  
 Lys Ala Ile Gly Trp Met Ser Ser His Thr Asp Phe Gly Asn Ile Asn  
 515 520 525  
 Gly Cys Tyr Leu Asn Tyr Tyr Phe Phe Leu Leu Ala Ala Ile Gln Gly  
 530 535 540  
 Ala Thr Leu Leu Leu Phe Leu Ile Ile Ser Val Lys Tyr Asp His His  
 545 550 555 560  
 Arg Asp His Gln Arg Ser Arg Ala Asn Gly Val Pro Thr Ser Arg Arg  
 565 570 575

Ala

<210> 65  
 <211> 1982  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (63)..(1460)  
 <223>

<400> 65  
 ggcgagaggc gggctgaggc ggcccagcgg cggcaggtga ggcggaacca accctcctgg 60  
 cc atg gga ggg gcc gtg gtg gac gag ggc ccc aca ggc gtc aag gcc 107  
 Met Gly Gly Ala Val Val Asp Glu Gly Pro Thr Gly Val Lys Ala 15  
 1  
 5  
 10  
 cct gac ggc ggc tgg ggc tgg gcc gtg ctc ttc ggc tgt ttc gtc atc 155  
 Pro Asp Gly Gly Trp Gly Trp Ala Val Leu Phe Gly Cys Phe Val Ile 25 30  
 20  
 act ggc ttc tcc tac gcc ttc ccc aag gcc gtc agt gtc ttc ttc aag 203  
 Thr Gly Phe Ser Tyr Ala Phe Pro Lys Ala Val Ser Val Phe Phe Lys 35 40 45  
 gag ctc ata cag gag ttt ggg atc ggc tac agc gac aca gcc tgg atc 251  
 Glu Leu Ile Gln Glu Phe Gly Ile Gly Tyr Ser Asp Thr Ala Trp Ile 50 55 60  
 tcc tcc atc ctg ctg gcc atg ctc tac ggg aca ggt ccg ctc tgc agt 299  
 Ser Ser Ile Leu Leu Ala Met Leu Tyr Gly Thr Gly Pro Leu Cys Ser 65 70 75  
 gtg tgc gtg aac cgc ttt ggc tgc cgg ccc gtc atg ctt gtg ggg ggt 347  
 Val Cys Val Asn Arg Phe Gly Cys Arg Pro Val Met Leu Val Gly Gly 80 85 90 95  
 ctc ttt gcg tcg ctg ggc atg gtg gct gcg tcc ttt tgc cgg agc atc 395  
 Leu Phe Ala Ser Leu Gly Met Val Ala Ala Ser Phe Cys Arg Ser Ile 100 105 110

atc Ile	cag Gln	gtc Val	tac Tyr 115	ctc Leu	acc Thr	act Thr	ggg Gly	gtc Val 120	atc Ile	acg Thr	ggg Gly	ttg Leu	ggt Gly 125	ttg Leu	gca Ala	443
ctc Leu	aac Asn	ttc Phe 130	cag Gln	ccc Pro	tcg Ser	ctc Leu	atc Ile 135	atg Met	ctg Leu	aac Asn	cgc Arg	tac Tyr 140	ttc Phe	agc Ser	aag Lys	491
cgg Arg	cgc Arg 145	ccc Pro	atg Met	gcc Ala	aac Asn	ggg Gly 150	ctg Leu	gcg Ala	gca Ala	gca Ala	ggt Gly 155	agc Ser	cct Pro	gtc Val	ttc Phe	539
ctg Leu 160	tgt Cys	gcc Ala	ctg Leu	agc Ser	ccg Pro 165	ctg Leu	ggg Gly	cag Gln	ctg Leu	ctg Leu 170	cag Gln	gac Asp	cgc Arg	tac Tyr	ggc Gly 175	587
tgg Trp	cgg Arg	ggc Gly	ggc Gly	ttc Phe 180	ctc Leu	atc Ile	ctg Leu	ggc Gly	ggc Gly 185	ctg Leu	ctg Leu	ctc Leu	aac Asn	tgc Cys 190	tgc Cys	635
gtg Val	tgt Cys	gcc Ala	gca Ala 195	ctc Leu	atg Met	agg Arg	ccc Pro	ctg Leu 200	gtg Val	gtc Val	acg Thr	gcc Ala	cag Gln 205	ccg Pro	ggc Gly	683
tcg Ser	ggg Gly	ccg Pro 210	ccg Pro	cga Arg	ccc Pro	tcc Ser	cgg Arg 215	cgc Arg	ctg Leu	cta Leu	gac Asp	ctg Leu 220	agc Ser	gtc Val	ttc Phe	731
cgg Arg	gac Asp 225	cgc Arg	ggc Gly	ttt Phe	gtg Val	ctt Leu 230	tac Tyr	gcc Ala	gtg Val	gcc Ala	gcc Ala 235	tcg Ser	gtc Val	atg Met	gtg Val	779
ctg Leu 240	ggg Gly	ctc Leu	ttc Phe	gtc Val	ccg Pro 245	ccc Pro	gtg Val	ttc Phe	gtg Val	gtg Val 250	agc Ser	tac Tyr	gcc Ala	aag Lys	gac Asp 255	827
ctg Leu	ggc Gly	gtg Val	ccc Pro	gac Asp 260	acc Thr	aag Lys	gcc Ala	gcc Ala	ttc Phe 265	ctg Leu	ctc Leu	acc Thr	atc Ile	ctg Leu 270	ggc Gly	875
ttc Phe	att Ile	gac Asp	atc Ile 275	ttc Phe	gcg Ala	cgg Arg	ccg Pro	gcc Ala 280	gcg Ala	ggc Gly	ttc Phe	gtg Val	gcg Ala 285	ggg Gly	ctt Leu	923
ggg Gly	aag Lys	gtg Val 290	cgg Arg	ccc Pro	tac Tyr	tcc Ser	gtc Val 295	tac Tyr	ctc Leu	ttc Phe	agc Ser	ttc Phe 300	tcc Ser	atg Met	ttc Phe	971
ttc Phe	aac Asn 305	ggc Gly	ctc Leu	gcg Ala	gac Asp	ctg Leu 310	gcg Ala	ggc Gly	tct Ser	acg Thr	gcg Ala 315	ggc Gly	gac Asp	tac Tyr	ggc Gly	1019
ggc Gly 320	ctc Leu	gtg Val	gtc Val	ttc Phe	tgc Cys 325	atc Ile	ttc Phe	ttt Phe	ggc Gly	atc Ile 330	tcc Ser	tac Tyr	ggc Gly	atg Met	gtg Val 335	1067
ggg Gly	gcc Ala	ctg Leu	cag Gln	ttc Phe 340	gag Glu	gtg Val	ctc Leu	atg Met	gcc Ala 345	atc Ile	gtg Val	ggc Gly	acc Thr	cac His 350	aag Lys	1115
ttc Phe	tcc Ser	agt Ser	gcc Ala 355	att Ile	ggc Gly	ctg Leu	gtg Val	ctg Leu 360	ctg Leu	atg Met	gag Glu	gcg Ala	gtg Val 365	gcc Ala	gtg Val	1163
ctc Leu	gtc Val	ggg Gly 370	ccc Pro	cct Pro	tcg Ser	gga Gly	ggc Gly 375	aaa Lys	ctc Leu	ctg Leu	gat Asp	gcg Ala 380	acc Thr	cac His	gtc Val	1211
tac Tyr	atg Met 385	tac Tyr	gtg Val	ttc Phe	atc Ile	ctg Leu 390	gcg Ala	ggg Gly	gcc Ala	gag Glu	gtg Val 395	ctc Leu	acc Thr	tcc Ser	tcc Ser	1259
ctg Leu 400	att Ile	ttg Leu	ctg Leu	ctg Leu	ggc Gly 405	aac Asn	ttc Phe	ttc Phe	tgc Cys	att Ile 410	agg Arg	aag Lys	aag Lys	ccc Pro	aaa Lys 415	1307
gag Glu	cca Pro	cag Gln	cct Pro	gag Glu 420	gtg Val	gcg Ala	gcc Ala	gcg Ala	gag Glu 425	gag Glu	gag Glu	aag Lys	ctc Leu	cac His 430	aag Lys	1355

cct cct gca gac tcg ggg gtg gac ttg cgg gag gtg gag cat ttc ctg 1403  
 Pro Pro Ala Asp Ser Gly Val Asp Leu Arg Glu Val Glu His Phe Leu  
 435 440 445

aag gct gag cct gag aaa aac ggg gag gtg gtt cac acc ccg gaa aca 1451  
 Lys Ala Glu Pro Glu Lys Asn Gly Glu Val Val His Thr Pro Glu Thr  
 450 455 460

agt gtc tga gtggctgggc ggggccggca ggcacagga ggaggtacag 1500  
 Ser Val  
 465

aagccggcaa cgcttgctat ttattttaca aactggactg gctcaggcag ggccacggct 1560  
 gggctccagc tgccggccca gcgatcgtc gccgatcag tgttttgagg gggaaggtgg 1620  
 cggggtggga accgtgtcat tccagagtgg atctgcggtg aagccaagcc gcaaggttac 1680  
 aaggcatcct caccaggggc ccgcctgct gctcccagggt ggctgcggc cactgctatg 1740  
 ctcaaggacc tggaaccca tgcttcgaga caacgtgact ttaatgggag ggtgggtggg 1800  
 ccgcagacag gctggcaggg caggtgctgc gtggggccct ctccagcccg tcctaccctg 1860  
 ggctcacatg gggcctgtgc ccaccctct tgagtgtctt ggggacagct ctttccacc 1920  
 ctggaagatg gaaataaacc tgcgtgtggg tggagtgttc tcgtgccgaa ttcaaaaagc 1980  
 tt 1982

<210> 66  
 <211> 465  
 <212> PRT  
 <213> Homo sapiens

<400> 66

Met Gly Gly Ala Val Val Asp Glu Gly Pro Thr Gly Val Lys Ala Pro  
 1 5 10 15

Asp Gly Gly Trp Gly Trp Ala Val Leu Phe Gly Cys Phe Val Ile Thr  
 20 25 30

Gly Phe Ser Tyr Ala Phe Pro Lys Ala Val Ser Val Phe Phe Lys Glu  
 35 40 45

Leu Ile Gln Glu Phe Gly Ile Gly Tyr Ser Asp Thr Ala Trp Ile Ser  
 50 55 60

Ser Ile Leu Leu Ala Met Leu Tyr Gly Thr Gly Pro Leu Cys Ser Val  
 65 70 75 80

Cys Val Asn Arg Phe Gly Cys Arg Pro Val Met Leu Val Gly Gly Leu  
 85 90 95

Phe Ala Ser Leu Gly Met Val Ala Ala Ser Phe Cys Arg Ser Ile Ile  
 100 105 110

Gln Val Tyr Leu Thr Thr Gly Val Ile Thr Gly Leu Gly Leu Ala Leu  
 115 120 125

Asn Phe Gln Pro Ser Leu Ile Met Leu Asn Arg Tyr Phe Ser Lys Arg  
 130 135 140

Arg Pro Met Ala Asn Gly Leu Ala Ala Ala Gly Ser Pro Val Phe Leu  
 145 150 155 160

Cys Ala Leu Ser Pro Leu Gly Gln Leu Leu Gln Asp Arg Tyr Gly Trp  
 165 170 175

Arg Gly Gly Phe<sub>180</sub> Leu Ile Leu Gly Gly<sub>185</sub> Leu Leu Leu Asn Cys<sub>190</sub> Cys Val  
 Cys Ala Ala<sub>195</sub> Leu Met Arg Pro Leu<sub>200</sub> Val Val Thr Ala Gln<sub>205</sub> Pro Gly Ser  
 Gly Pro<sub>210</sub> Pro Arg Pro Ser Arg<sub>215</sub> Arg Leu Leu Asp Leu<sub>220</sub> Ser Val Phe Arg  
 Asp Arg Gly Phe Val Leu<sub>230</sub> Tyr Ala Val Ala Ala<sub>235</sub> Ser Val Met Val Leu<sub>240</sub>  
 Gly Leu Phe Val Pro<sub>245</sub> Pro Val Phe Val Val<sub>250</sub> Ser Tyr Ala Lys Asp<sub>255</sub> Leu  
 Gly Val Pro Asp<sub>260</sub> Thr Lys Ala Ala Phe<sub>265</sub> Leu Leu Thr Ile Leu<sub>270</sub> Gly Phe  
 Ile Asp Ile<sub>275</sub> Phe Ala Arg Pro Ala<sub>280</sub> Ala Gly Phe Val Ala<sub>285</sub> Gly Leu Gly  
 Lys Val<sub>290</sub> Arg Pro Tyr Ser Val<sub>295</sub> Tyr Leu Phe Ser Phe<sub>300</sub> Ser Met Phe Phe  
 Asn Gly Leu Ala Asp Leu<sub>310</sub> Ala Gly Ser Thr Ala<sub>315</sub> Gly Asp Tyr Gly Gly<sub>320</sub>  
 Leu Val Val Phe Cys<sub>325</sub> Ile Phe Phe Gly Ile<sub>330</sub> Ser Tyr Gly Met Val<sub>335</sub> Gly  
 Ala Leu Gln Phe<sub>340</sub> Glu Val Leu Met Ala<sub>345</sub> Ile Val Gly Thr His<sub>350</sub> Lys Phe  
 Ser Ser Ala<sub>355</sub> Ile Gly Leu Val Leu<sub>360</sub> Leu Met Glu Ala Val<sub>365</sub> Ala Val Leu  
 Val Gly Pro Pro Ser Gly Gly<sub>375</sub> Lys Leu Leu Asp Ala<sub>380</sub> Thr His Val Tyr  
 Met Tyr Val Phe Ile Leu<sub>390</sub> Ala Gly Ala Glu Val<sub>395</sub> Leu Thr Ser Ser Leu<sub>400</sub>  
 Ile Leu Leu Leu Gly<sub>405</sub> Asn Phe Phe Cys Ile<sub>410</sub> Arg Lys Lys Pro Lys<sub>415</sub> Glu  
 Pro Gln Pro Glu<sub>420</sub> Val Ala Ala Ala Glu<sub>425</sub> Glu Glu Lys Leu His<sub>430</sub> Lys Pro  
 Pro Ala Asp<sub>435</sub> Ser Gly Val Asp Leu<sub>440</sub> Arg Glu Val Glu His<sub>445</sub> Phe Leu Lys  
 Ala Glu<sub>450</sub> Pro Glu Lys Asn Gly<sub>455</sub> Glu Val Val His Thr<sub>460</sub> Pro Glu Thr Ser  
 Val<sub>465</sub>

<210> 67  
 <211> 2856  
 <212> DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; CDS

&lt;222&gt; (591)..(2216)

&lt;223&gt;

&lt;400&gt; 67

```

gtaaccgcta ctcccggaca ccagaccacc gccttccgta cacaggggcc cgcattccac      60
cctcccggac ctaagagcct ggggtcccctg tttccggagg tccgcttccc ggccccaga      120
ttctggcatc ccagccctca gtgtccaaga cccaggcagc ccgggtcccc gcctcccgga      180
tccaggcgctc cgggatctgc gccaccagaa cctagcctcc tgcagacctc cgccatctgg      240
gggcactcaa cctcctggag ccaaggggccc cacgtccac ccagagaaac tctcgtattc      300
ccagctccta gggccaagga acccgggcgc tccgaactcc cagctttcgg acatctggca      360
cacggggcag agcagagaag ctcagcgccc agcctgggga atttaaacac tccagcttcc      420
aagagccaag gaacttcagt gctgtgaact cacaactcta aggagccctc caaagttcca      480
gtctccaggt gctgttactc aactcagtcc taggaacgtc gggtcctggg aaggagccca      540
agcgctccca gccagcttcc aggcgctaag aaaccccggt gcttcccatc atg gtg      596
                                     Met Val
                                     1

```

```

gcc gat cct cct cga gac tcc aag ggg ctc gca gcg gcg gag ccc acc      644
Ala Asp Pro Pro Arg Asp Ser Lys Gly Leu Ala Ala Ala Glu Pro Thr
                                     5
                                     10
                                     15

```

```

gcc aac ggg ggc ctg gcg ctg gcc tcc atc gag gac caa ggc gcg gca      692
Ala Asn Gly Gly Leu Ala Leu Ala Ser Ile Glu Asp Gln Gly Ala Ala
                                     20
                                     25
                                     30

```

```

gca ggc ggc tac tgc ggt tcc cgg gac cag gtg cgc cgc tgc ctt cga      740
Ala Gly Gly Tyr Cys Gly Ser Arg Asp Gln Val Arg Arg Cys Leu Arg
                                     35
                                     40
                                     45
                                     50

```

```

gcc aac ctg ctt gtg ctg ctg aca gtg gtg gcc gtg gtg gcc ggc gtg      788
Ala Asn Leu Leu Val Leu Leu Thr Val Val Ala Val Val Ala Gly Val
                                     55
                                     60
                                     65

```

```

gcg ctg gga ctg ggg gtg tgc ggg gcc ggg ggt gcg ctg gcg ttg ggc      836
Ala Leu Gly Leu Gly Val Ser Gly Ala Gly Gly Ala Leu Ala Leu Gly
                                     70
                                     75
                                     80

```

```

ccg gag cgc ttg agc gcc ttc gtc ttc ccg ggc gag ctg ctg ctg cgt      884
Pro Glu Arg Leu Ser Ala Phe Val Phe Pro Gly Glu Leu Leu Leu Arg
                                     85
                                     90
                                     95

```

```

ctg ctg cgg atg atc atc ttg ccg ctg gtg gtg tgc agc ttg atc ggc      932
Leu Leu Arg Met Ile Ile Leu Pro Leu Val Val Cys Ser Leu Ile Gly
                                     100
                                     105
                                     110

```

```

ggc gcc gcc agc ctg gac ccc ggc gcg ctc ggc cgt ctg ggc gcc tgg      980
Gly Ala Ala Ser Leu Asp Pro Gly Ala Leu Gly Arg Leu Gly Ala Trp
                                     115
                                     120
                                     125
                                     130

```

```

gcg ctg ctc ttt ttc ctg gtc acc acg ctg ctg gcg tgc gcg ctc gga      1028
Ala Leu Leu Phe Phe Leu Val Thr Thr Leu Leu Ala Ser Ala Leu Gly
                                     135
                                     140
                                     145

```

```

gtg ggc ttg gcg ctg gct ctg cag ccg ggc gcc gcc tcc gcc gcc atc      1076
Val Gly Leu Ala Leu Ala Leu Gln Pro Gly Ala Ala Ser Ala Ala Ile
                                     150
                                     155
                                     160

```

```

aac gcc tcc gtg gga gcc gcg ggc agt gcc gaa aat gcc ccc agc aag      1124
Asn Ala Ser Val Gly Ala Ala Gly Ser Ala Glu Asn Ala Pro Ser Lys
                                     165
                                     170
                                     175

```

```

gag gtg ctc gat tgc ttc ctg gat ctt gcg aga aat atc ttc cct tcc      1172
Glu Val Leu Asp Ser Phe Leu Asp Leu Ala Arg Asn Ile Phe Pro Ser
                                     180
                                     185
                                     190

```

```

aac ctg gtg tca gca gcc ttt cgc tca tac tct acc acc tat gaa gag      1220
Asn Leu Val Ser Ala Ala Phe Arg Ser Tyr Ser Thr Thr Tyr Glu Glu

```

195					200					205					210	
agg Arg	aat Asn	atc Ile	acc Thr	gga Gly 215	acc Thr	agg Arg	gtg Val	aag Lys	gtg Val 220	ccc Pro	gtg Val	ggg Gly	cag Gln	gag Glu 225	gtg Val	1268
gag Glu	ggg Gly	atg Met	aac Asn 230	atc Ile	ctg Leu	ggc Gly	tgt Leu	gta Val 235	gtg Val	ttt Phe	gcc Ala	atc Ile	gtc Val 240	ttt Phe	ggt Gly	1316
gtg Val	gcg Ala	ctg Leu 245	cgg Arg	aag Lys	ctg Leu	ggg Gly	cct Pro 250	gaa Glu	ggg Gly	gag Glu	ctg Leu	ctt Leu 255	atc Ile	cgc Arg	ttc Phe	1364
ttc Phe	aac Asn 260	tcc Ser	ttc Phe	aat Asn	gag Glu	gcc Ala 265	acc Thr	atg Met	gtt Val	ctg Leu	gtc Val 270	tcc Ser	tgg Trp	atc Ile	atg Met	1412
tgg Trp 275	tac Tyr	gcc Ala	cct Pro	gtg Val	ggc Gly 280	atc Ile	atg Met	ttc Phe	ctg Leu	gtg Val 285	gct Ala	ggc Gly	aag Lys	atc Ile	gtg Val 290	1460
gag Glu	atg Met	gag Glu	gat Asp	gtg Val 295	ggt Gly	tta Leu	ctc Leu	ttt Phe	gcc Ala 300	cgc Arg	ctt Leu	ggc Gly	aag Lys	tac Tyr 305	att Ile	1508
ctg Leu	tgc Cys	tgc Cys	ctg Leu 310	ctg Leu	ggt Gly	cac His	gcc Ala	atc Ile 315	cat His	ggg Gly	ctc Leu	ctg Leu	gta Val 320	ctg Leu	ccc Pro	1556
ctc Leu	atc Ile	tac Tyr 325	ttc Phe	ctc Leu	ttc Phe	acc Thr	cgc Arg 330	aaa Lys	aac Asn	ccc Pro	tac Tyr	cgc Arg 335	ttc Phe	ctg Leu	tgg Trp	1604
ggc Gly	atc Ile 340	gtg Val	acg Thr	ccg Pro	ctg Leu	gcc Ala 345	act Thr	gcc Ala	ttt Phe	ggg Gly	acc Thr 350	tct Ser	tcc Ser	agt Ser	tcc Ser	1652
gcc Ala 355	acg Thr	ctg Leu	ccg Pro	ctg Leu	atg Met 360	atg Met	aag Lys	tgc Cys	gtg Val	gag Glu 365	gag Glu	aat Asn	aat Asn	ggc Gly	gtg Val 370	1700
gcc Ala	aag Lys	cac His	atc Ile	agc Ser 375	cgt Arg	ttc Phe	atc Ile	ctg Leu	ccc Pro 380	atc Ile	ggc Gly	gcc Ala	acc Thr	gtc Val 385	aac Asn	1748
atg Met	gac Asp	ggg Gly	gcc Ala 390	gcg Ala	ctc Leu	ttc Phe	cag Gln	tgc Cys 395	gtg Val	gcc Ala	gca Ala	gtg Val	ttc Phe 400	att Ile	gca Ala	1796
cag Gln	ctc Leu	agc Ser 405	cag Gln	cag Gln	tcc Ser	ttg Leu	gac Asp 410	ttc Phe	gta Val	aag Lys	atc Ile	atc Ile 415	acc Thr	atc Ile	ctg Leu	1844
gtc Val	acg Thr 420	gcc Ala	aca Thr	gcg Ala	tcc Ser	agc Ser 425	gtg Val	ggg Gly	gca Ala	gcg Ala	ggc Gly 430	atc Ile	cct Pro	gct Ala	gga Gly	1892
ggt Gly 435	gtc Val	ctc Leu	act Thr	ctg Leu	gcc Ala 440	atc Ile	atc Ile	ctc Leu	gaa Glu	gca Ala 445	gtc Val	aac Asn	ctc Leu	ccg Pro	gtc Val 450	1940
gac Asp	cat His	atc Ile	tcc Ser	ttg Leu 455	atc Ile	ctg Leu	gct Ala	gtg Val	gac Asp 460	tgg Trp	cta Leu	gtc Val	gac Asp	cgg Arg 465	tcc Ser	1988
tgt Cys	acc Thr	gtc Val	ctc Leu 470	aat Asn	gta Val	gaa Glu	ggt Gly	gac Asp 475	gct Ala	ctg Leu	ggg Gly	gca Ala	gga Gly 480	ctc Leu	ctc Leu	2036
caa Gln	aat Asn	tat Tyr 485	gtg Val	gac Asp	cgt Arg	acg Thr	gag Glu 490	tcg Ser	aga Arg	agc Ser	aca Thr	gag Glu 495	cct Pro	gag Glu	ttg Leu	2084
ata Ile	caa Gln 500	gtg Val	aag Lys	agt Ser	gag Glu	ctg Leu 505	ccc Pro	ctg Leu	gat Asp	ccg Pro	ctg Leu 510	cca Pro	gtc Val	ccc Pro	act Thr	2132
gag Glu	gaa Glu	gga Gly	aac Asn	ccc Pro	ctc Leu	ctc Leu	aaa Lys	cac His	tat Tyr	cgg Arg	ggg Gly	ccc Pro	gca Ala	ggg Gly	gat Asp	2180

515                      520                      525                      530

gcc acg gtc gcc tct gag aag gaa tca gtc atg taa accccgggag 2226  
 Ala Thr Val Ala Ser Glu Lys Glu Ser Val Met

535                      540

ggaccttccc tgccctgctg ggggtgctct ttggacactg gattatgagg aatggataaa 2286  
 tggatgagct agggctctgg ggggtctgcct gcacactctg gggagccagg ggccccagca 2346  
 ccctccagga caggagatct gggatgcctg gctgctggag tacatgtgtt cacaaggggtt 2406  
 actcctcaaa acccccagtt ctactcatg tccccaaactc aaggctagaa aacagcaaga 2466  
 tggagaaata atgttctgct gcgtccccac cgtgacctgc ctggcctccc ctgtctcagg 2526  
 gagcagggtca caggtcacca tggggaattc tagccccac tggggggatg ttacaacacc 2586  
 atgctggtta ttttggcggc tgtagttgtg gggggatgtg tgtgtgcacg tgtgtgtgtg 2646  
 tgtgtgtgtg tgtgtgtgtg tgtgttctgt gacctctgt ccccatggta cgtcccaccc 2706  
 tgtccccaga tcccctattc cctccacaat aacagaaaca ctcccaggga ctctggggag 2766  
 aggctgagga caataacctg ctgtcactcc agaggacatt ttttttagca ataaaattga 2826  
 gtgtcaacta tttaaaaaaa aaaaaaaaaa 2856

<210> 68  
 <211> 541  
 <212> PRT  
 <213> Homo sapiens

<400> 68

Met Val Ala Asp Pro Pro Arg Asp Ser Lys Gly Leu Ala Ala Ala Glu  
 1                      5                      10                      15

Pro Thr Ala Asn Gly Gly Leu Ala Leu Ala Ser Ile Glu Asp Gln Gly  
 20                      25                      30

Ala Ala Ala Gly Gly Tyr Cys Gly Ser Arg Asp Gln Val Arg Arg Cys  
 35                      40                      45

Leu Arg Ala Asn Leu Leu Val Leu Leu Thr Val Val Ala Val Val Ala  
 50                      55                      60

Gly Val Ala Leu Gly Leu Gly Val Ser Gly Ala Gly Gly Ala Leu Ala  
 65                      70                      75                      80

Leu Gly Pro Glu Arg Leu Ser Ala Phe Val Phe Pro Gly Glu Leu Leu  
 85                      90                      95

Leu Arg Leu Leu Arg Met Ile Ile Leu Pro Leu Val Val Cys Ser Leu  
 100                      105                      110

Ile Gly Gly Ala Ala Ser Leu Asp Pro Gly Ala Leu Gly Arg Leu Gly  
 115                      120                      125

Ala Trp Ala Leu Leu Phe Phe Leu Val Thr Thr Leu Leu Ala Ser Ala  
 130                      135                      140

Leu Gly Val Gly Leu Ala Leu Ala Leu Gln Pro Gly Ala Ala Ser Ala  
 145                      150                      155                      160

Ala Ile Asn Ala Ser Val Gly Ala Ala Gly Ser Ala Glu Asn Ala Pro  
 165                      170                      175

Ser Lys Glu Val<sub>180</sub> Leu Asp Ser Phe<sub>185</sub> Leu Asp Leu Ala Arg Asn<sub>190</sub> Ile Phe  
 Pro Ser Asn<sub>195</sub> Leu Val Ser Ala<sub>200</sub> Ala Phe Arg Ser Tyr<sub>205</sub> Ser Thr Thr Tyr  
 Glu<sub>210</sub> Glu Arg Asn Ile Thr<sub>215</sub> Gly Thr Arg Val Lys<sub>220</sub> Val Pro Val Gly Gln  
 Glu<sub>225</sub> Val Glu Gly Met<sub>230</sub> Asn Ile Leu Gly Leu<sub>235</sub> Val Val Phe Ala Ile<sub>240</sub> Val  
 Phe Gly Val Ala<sub>245</sub> Leu Arg Lys Leu Gly<sub>250</sub> Pro Glu Gly Glu Leu<sub>255</sub> Leu Ile  
 Arg Phe Phe<sub>260</sub> Asn Ser Phe Asn Glu<sub>265</sub> Ala Thr Met Val Leu<sub>270</sub> Val Ser Trp  
 Ile Met Trp<sub>275</sub> Tyr Ala Pro Val<sub>280</sub> Gly Ile Met Phe Leu<sub>285</sub> Val Ala Gly Lys  
 Ile<sub>290</sub> Val Glu Met Glu Asp<sub>295</sub> Val Gly Leu Leu Phe<sub>300</sub> Ala Arg Leu Gly Lys  
 Tyr<sub>305</sub> Ile Leu Cys Cys<sub>310</sub> Leu Leu Gly His Ala<sub>315</sub> Ile His Gly Leu Leu<sub>320</sub> Val  
 Leu Pro Leu Ile<sub>325</sub> Tyr Phe Leu Phe Thr<sub>330</sub> Arg Lys Asn Pro Tyr<sub>335</sub> Arg Phe  
 Leu Trp Gly<sub>340</sub> Ile Val Thr Pro Leu<sub>345</sub> Ala Thr Ala Phe Gly<sub>350</sub> Thr Ser Ser  
 Ser Ser<sub>355</sub> Ala Thr Leu Pro Leu<sub>360</sub> Met Met Lys Cys Val<sub>365</sub> Glu Glu Asn Asn  
 Gly<sub>370</sub> Val Ala Lys His Ile<sub>375</sub> Ser Arg Phe Ile Leu<sub>380</sub> Pro Ile Gly Ala Thr  
 Val<sub>385</sub> Asn Met Asp Gly<sub>390</sub> Ala Ala Leu Phe Gln<sub>395</sub> Cys Val Ala Ala Val<sub>400</sub> Phe  
 Ile Ala Gln Leu<sub>405</sub> Ser Gln Gln Ser Leu<sub>410</sub> Asp Phe Val Lys Ile<sub>415</sub> Ile Thr  
 Ile Leu Val<sub>420</sub> Thr Ala Thr Ala Ser<sub>425</sub> Ser Val Gly Ala Ala<sub>430</sub> Gly Ile Pro  
 Ala Gly<sub>435</sub> Gly Val Leu Thr Leu<sub>440</sub> Ala Ile Ile Leu Glu<sub>445</sub> Ala Val Asn Leu  
 Pro<sub>450</sub> Val Asp His Ile Ser<sub>455</sub> Leu Ile Leu Ala Val<sub>460</sub> Asp Trp Leu Val Asp  
 Arg<sub>465</sub> Ser Cys Thr Val<sub>470</sub> Leu Asn Val Glu Gly<sub>475</sub> Asp Ala Leu Gly Ala<sub>480</sub> Gly  
 Leu Leu Gln Asn<sub>485</sub> Tyr Val Asp Arg Thr<sub>490</sub> Glu Ser Arg Ser Thr<sub>495</sub> Glu Pro



Glu Leu Ile Gln Val Lys Ser Glu Leu Pro Leu Asp Pro Leu Pro Val  
500 505 510

Pro Thr Glu Glu Gly Asn Pro Leu Leu Lys His Tyr Arg Gly Pro Ala  
515 520 525

Gly Asp Ala Thr Val Ala Ser Glu Lys Glu Ser Val Met  
530 535 540

<210> 69  
<211> 2445  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (467)..(1441)  
<223>

<400> 69  
aggagagtca ggccaatggg gccgcagttc tttctttttt ttttctttat tcttattttt 60  
ggagacaggg tctcgtctg ttgccaggc tggagtgcgg tgggtgcgatc acggttccat 120  
gcagcccccg acctcccggt ctcaggtgat tctccgcct cagcaccgcg agcagctagg 180  
accacaggcg cgagccactg cgtccggccg gcgggactta tttgtcaggc ggggattggg 240  
ttccgccagc ctaaaggagg gggtaagcgc cagaatatga atcgccggga agctgggaga 300  
aagctccggg aaaccctgag cagccagggt gcctgctccg cccgctcccg ctcccgatct 360  
ctgattgctc ctaactgacg tcaactcccg tctgtccccg cccactcggt gctgccattg 420  
gcagtcgggtc gtgggtctga gagtcaactg agctaccaga agcatc atg ggg ccc 475  
Met Gly Pro  
1  
tgg gga gag cca gag ctc ctg gtg tgg cgc ccc gag gcg gta gct tca 523  
Trp Gly Glu Pro Glu Leu Leu Val Trp Arg Pro Glu Ala Val Ala Ser  
5 10 15  
gag cct cca gtg cct gtg ggg ctg gag gtg aag ttg ggg gcc ctg gtg 571  
Glu Pro Pro Val Pro Val Gly Leu Glu Val Lys 30 Leu Gly Ala Leu Val 35  
20  
ctg ctg ctg gtg ctc acc ctc ctc tgc agc ctg gtg ccc atc tgt gtg 619  
Leu Leu Leu Val Leu Thr Leu Leu Cys Ser Leu Val Pro Ile Cys Val 50  
40  
ctg cgc cgg cca gga gct aac cat gaa ggc tca gct tcc cgc cag aaa 667  
Leu Arg Arg Pro Gly Ala Asn His Glu Gly Ser Ala Ser Arg Gln Lys 55 60 65  
gcc ctg agc cta gta agc tgt ttc gcg ggg ggc gtc ttt ttg gcc act 715  
Ala Leu Ser 70 Leu Val Ser Cys Phe Ala Gly Gly Val Phe 80 Leu Ala Thr  
75  
tgt ctc ctg gac ctg ctg cct gac tac ctg gct gcc ata gat gag gcc 763  
Cys Leu 85 Leu Asp Leu Leu Pro 90 Asp Tyr Leu Ala Ala Ile Asp Glu Ala  
95  
ctg gca gcc ttg cac gtg acg ctc cag ttc cca ctg caa gag ttc atc 811  
Leu Ala Ala Leu His Val Thr Leu Gln Phe Pro Leu Gln Glu Phe Ile 100 105 110 115  
ctg gcc atg ggc ttc ttc ctg gtc ctg gtg atg gag cag atc aca ctg 859  
Leu Ala Met Gly Phe 120 Phe Leu Val Leu Val Met Glu Gln Ile Thr Leu 125 130  
gct tac aag gag cag tca ggg ccg tca cct ctg gag gaa aca agg gct 907  
Ala Tyr Lys 135 Glu Gln Ser Gly Pro 140 Ser Pro Leu Glu Glu Thr Arg Ala 145  
ctg ctg gga aca gtg aat ggt ggg ccg cag cat tgg cat gat ggg cca 955  
Leu Leu Gly Thr Val Asn Gly Gly Pro Gln His Trp His Asp Gly Pro 150 155 160

ggg gtc cca cag gcg agt gga gcc cca gca acc ccc tca gcc ttg cgt Gly Val Pro Gln Ala Ser Gly Ala Pro Ala Thr Pro Ser Ala Leu Arg	1003
gcc tgt gta ctg gtg ttc tcc ctg gcc ctc cac tcc gtg ttc gag ggg Ala Cys Val Leu Val Phe Ser Leu Ala Leu His Ser Val Phe Glu Gly	1051
ctg gcg gta ggg ctg cag cga gac cgg gct cgg gcc atg gag ctg tgc Leu Ala Val Gly Leu Gln Arg Asp Arg Ala Met Glu Leu Cys	1099
ctg gct ttg ctg ctc cac aag gcc atc ctg gct gtc agc ctg tcc ctg Leu Ala Leu Leu Leu His Lys Gly Ile Leu Ala Val Ser Leu Ser Leu	1147
cgg ctg ttg cag agc cac ctt agg gca cag gtg gtg gct ggc tgt ggg Arg Leu Leu Gln Ser His Leu Arg Ala Gln Val Val Ala Gly Cys Gly	1195
atc ctc ttc tca tgc atg aca cct cta ggc atc ggg ctg ggt gca gct Ile Leu Phe Ser Cys Met Thr Pro Leu Gly Ile Gly Leu Gly Ala Ala	1243
ctg gca gag tgc gca gga cct ctg cac cag ctg gcc cag tct gtg cta Leu Ala Glu Ser Ala Gly Pro Leu His Gln Leu Ala Gln Ser Val Leu	1291
gag ggc atg gca gct ggc acc ttt ctc tat atc acc ttt ctg gaa atc Glu Gly Met Ala Ala Gly Thr Phe Leu Tyr Ile Thr Phe Leu Glu Ile	1339
ctg ccc cag gag ctg gcc agt tct gag caa agg atc ctc aag gtc att Leu Pro Gln Glu Leu Ala Ser Ser Glu Gln Arg Ile Leu Lys Val Ile	1387
ctg ctc cta gca ggc ttt gcc ctg ctc act ggc ctg ctc ttc atc caa Leu Leu Ala Glu Phe Ala Leu Leu Thr Gly Leu Leu Phe Ile Gln	1435
atc tag ggggcttcaa gagaggggca ggggagattg atgatcaggt gcccctgttc Ile	1491
tcccttcctt cccccagttg tggggaatag gaaggaaagg ggaagggaaa tactgaggac	1551
caaaaagtgc tctgggagct aaagatagag cctttggggc tatctgacta atgagagggg	1611
agtgggcaga caagaggctg gccccagttc caaggaacaa gagatggtca agtcgctaga	1671
gacatatcag gggacattag gattggggaa gacacttgac tgctagaatc agagggttga	1731
cactatacat aaggacaggc tcacatggga ggctggaggt gggtagccag ctgctgtgga	1791
acgggtatgg acaggtcata aacctagagt cagtgtcctg ttggtcctag cccatttcag	1851
caccctgcc a ttggagtgg acccctccta ctcttcttag cgcctaccct catacctatc	1911
tccctcctcc catctcctag gggactggcg ccaaattggc tctccctgcc aatttttgga	1971
tcttctctgg cctctccagt cctgcttact cctctatctt taaagtgcc aacaaatccc	2031
cttctctctt ctcaaagcac agtaatgtgg cactgagccc taccagcac ctgagtgaag	2091
ggggcctgct tgctctttat tttggtccc gatcctgggg tggggcagaa atattttctg	2151
ggctggggta ggaggaaggt tgttcagacc atctactgct gctgtaccct aggaatatgg	2211
ggacatggac atggtgtccc atgcccagat gataaacact gagctgccaa aacatttttt	2271
taaatacacc cgaggagccc aagggggaag ggcaatgcct acccccagcg ttattttttg	2331
ggagggaggg ctgtgcatag ggacatatc tttagaatct attttattaa ctgacctgtt	2391
ttgggacctg ttacccaaat aaaagatgtt tctagaaaaa aaaaaaaaaa aaaa	2445

<210> 70  
 <211> 324  
 <212> PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 70

Met Gly Pro Trp Gly Glu Pro Glu Leu Leu Val Trp Arg Pro Glu Ala  
 1 5 10 15  
 Val Ala Ser Glu Pro Pro Val Pro Val Gly Leu Glu Val Lys Leu Gly  
 20 25 30  
 Ala Leu Val Leu Leu Leu Val Leu Thr Leu Leu Cys Ser Leu Val Pro  
 35 40 45  
 Ile Cys Val Leu Arg Arg Pro Gly Ala Asn His Glu Gly Ser Ala Ser  
 50 55 60  
 Arg Gln Lys Ala Leu Ser Leu Val Ser Cys Phe Ala Gly Gly Val Phe  
 65 70 75 80  
 Leu Ala Thr Cys Leu Leu Asp Leu Leu Pro Asp Tyr Leu Ala Ala Ile  
 85 90 95  
 Asp Glu Ala Leu Ala Ala Leu His Val Thr Leu Gln Phe Pro Leu Gln  
 100 105 110  
 Glu Phe Ile Leu Ala Met Gly Phe Phe Leu Val Leu Val Met Glu Gln  
 115 120 125  
 Ile Thr Leu Ala Tyr Lys Glu Gln Ser Gly Pro Ser Pro Leu Glu Glu  
 130 135 140  
 Thr Arg Ala Leu Leu Gly Thr Val Asn Gly Gly Pro Gln His Trp His  
 145 150 155 160  
 Asp Gly Pro Gly Val Pro Gln Ala Ser Gly Ala Pro Ala Thr Pro Ser  
 165 170 175  
 Ala Leu Arg Ala Cys Val Leu Val Phe Ser Leu Ala Leu His Ser Val  
 180 185 190  
 Phe Glu Gly Leu Ala Val Gly Leu Gln Arg Asp Arg Ala Arg Ala Met  
 195 200 205  
 Glu Leu Cys Leu Ala Leu Leu Leu His Lys Gly Ile Leu Ala Val Ser  
 210 215 220  
 Leu Ser Leu Arg Leu Leu Gln Ser His Leu Arg Ala Gln Val Val Ala  
 225 230 235 240  
 Gly Cys Gly Ile Leu Phe Ser Cys Met Thr Pro Leu Gly Ile Gly Leu  
 245 250 255  
 Gly Ala Ala Leu Ala Glu Ser Ala Gly Pro Leu His Gln Leu Ala Gln  
 260 265 270  
 Ser Val Leu Glu Gly Met Ala Ala Gly Thr Phe Leu Tyr Ile Thr Phe  
 275 280 285  
 Leu Glu Ile Leu Pro Gln Glu Leu Ala Ser Ser Glu Gln Arg Ile Leu  
 290 295 300

Lys Val Ile Leu Leu Leu Ala Gly Phe Ala Leu Leu Thr Gly Leu Leu  
 305 310 315 320

Phe Ile Gln Ile

<210> 71  
 <211> 1544  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (301)..(1059)  
 <223>

<220>  
 <221> misc\_feature  
 <222> (1358)..(1358)  
 <223> n = any nucleotide

<220>  
 <221> misc\_feature  
 <222> (1358)..(1358)  
 <223> n = a, t, c, or g

<400> 71  
 gcacgagttg ggaggtgtag cgcggctctg aacgcgctga gggccgttga gtgtcgcagg 60  
 cggcgagggc gcgagtgagg agcagaccca ggcatcgcgc gccgagaagg ccgggcgtcc 120  
 ccacactgaa ggtccgga aa ggcgacttcc gggggccttg gcacctggcg gaccctcccg 180  
 gagcgtcggc acctgaacgc gaggcgctcc attgcgcgtg cgcgttgagg ggcttccgcg 240  
 acctgatcgc gagaccccaa cggctggtgg cgtcgcctgc gcgtctcggc tgagctggcc 300  
 atg gcg cag ctg tgc ggg ctg agg cgg agc cgg gcg ttt ctc gcc ctg 348  
 Met Ala Gln Leu Cys Gly Leu Arg Arg Ser Arg Ala Phe Leu Ala Leu  
 1 5 10 15  
 ctg gga tcg ctg ctc ctc tct ggg gtc ctg gcg gcc gac cga gaa cgc 396  
 Leu Gly Ser Leu Leu Ser Gly Val Leu Ala Ala Asp Arg Glu Arg  
 20 25 30  
 agc atc cac gac ttc tgc ctg gtg tcg aag gtg gtg ggc aga tgc cgg 444  
 Ser Ile His Asp Phe Cys Leu Val Ser Lys Val Val Gly Arg Cys Arg  
 35 40 45  
 gcc tcc atg cct agg tgg tgg tac aat gtc act gac gga tcc tgc cag 492  
 Ala Ser Met Pro Arg Trp Trp Tyr Asn Val Thr Asp Gly Ser Cys Gln  
 50 55 60  
 ctg ttt gtg tat ggg ggc tgt gac gga aac agc aat aat tac ctg acc 540  
 Leu Phe Val Tyr Gly Gly Cys Asp Gly Asn Ser Asn Asn Tyr Leu Thr  
 65 70 75 80  
 aag gag gag tgc ctc aag aaa tgt gcc act gtc aca gag aat gcc acg 588  
 Lys Glu Glu Cys Leu Lys Lys Cys Ala Thr Val Thr Glu Asn Ala Thr  
 85 90 95  
 ggt gac ctg gcc acc agc agg aat gca gcg gat tcc tct gtc cca agt 636  
 Gly Asp Leu Ala Thr Ser Arg Asn Ala Ala Asp Ser Ser Val Pro Ser  
 100 105 110  
 gct ccc aga agg cag gat tct gaa gac cac tcc agc gat atg ttc aac 684  
 Ala Pro Arg Arg Gln Asp Ser Glu Asp His Ser Ser Asp Met Phe Asn  
 115 120 125  
 tat gaa gaa tac tgc acc gcc aac gca gtc act ggg cct tgc cgt gca 732  
 Tyr Glu Glu Tyr Cys Thr Ala Asn Ala Val Thr Gly Pro Cys Arg Ala  
 130 135 140  
 tcc ttc cca cgc tgg tac ttt gac gtg gag agg aac tcc tgc aat aac 780  
 Ser Phe Pro Arg Trp Tyr Phe Asp Val Glu Arg Asn Ser Cys Asn Asn  
 145 150 155 160

ttc atc tat gga ggc tgc cgg ggc aat aag aac agc tac cgc tct gag 828  
 Phe Ile Tyr Gly Gly Cys Arg Gly Asn Lys Asn Ser Tyr Arg Ser Ser Glu  
 165 170 175  
 gag gcc tgc atg ctc cgc tgc ttc cgc cag cag gag aat cct ccc ctg 876  
 Glu Ala Cys Met Leu Arg Cys Phe Arg Gln Gln Glu Asn Pro Pro Leu  
 180 185 190  
 ccc ctt ggc tca aag gtg gtg gtt ctg gcg ggg ctg ttc gtg atg gtg 924  
 Pro Leu Gly Ser Lys Val Val Val Leu Ala Gly Leu Phe Val Met Val  
 195 200 205  
 ttg atc ctc ttc ctg gga gcc tcc atg gtc tac ctg atc cgg gtg gca 972  
 Leu Ile Leu Phe Leu Gly Ala Ser Met Val Tyr Leu Ile Arg Val Ala  
 210 215 220  
 cgg agg aac cag gag cgt gcc ctg cgc acc gtc tgg agc tcc gga gat 1020  
 Arg Arg Asn Gln Glu Arg Ala Leu Arg Thr Val Trp Ser Ser Gly Asp  
 225 230 235 240  
 gac aag gag cag ctg gtg aag aac aca tat gtc ctg tga ccgccctgtc 1069  
 Asp Lys Glu Gln Leu Val Lys Asn Thr Tyr Val Leu  
 245 250  
 gccaaagagga ctggggaagg gaggggagac tatgtgtgag ctttttttaa atagagggat 1129  
 tgactcggat ttgagtgatc attagggctg aggtctgttt ctctgggagg taggacggct 1189  
 gcttcctggt ctggcagga tgggtttgct ttggaaatcc tctaggaggc tcctcctgc 1249  
 atggcctgca gtctggcagc agccccgagt tgtttcctcg ctgacgatt tctttcctcc 1309  
 aggtagagtt ttctttgctt atgttgaatt ccattgcctc cttttctcna tcacagaagt 1369  
 gatgttgga tcttttcttt tgtttgtctg atttatggtt tttttaagta taaacaaaag 1429  
 ttttttatta gcattctgaa agaaggaaag taaaatgtac aagtttaata aaaagggggc 1489  
 ttccccttta gaataaattt ccagcatggt gctttcaaaa aaaaaaaaaa aaaaa 1544

<210> 72  
 <211> 252  
 <212> PRT  
 <213> Homo sapiens

<400> 72

Met Ala Gln Leu Cys Gly Leu Arg Arg Ser Arg Ala Phe Leu Ala Leu  
 1 5 10 15  
 Leu Gly Ser Leu Leu Leu Ser Gly Val Leu Ala Ala Asp Arg Glu Arg  
 20 25 30  
 Ser Ile His Asp Phe Cys Leu Val Ser Lys Val Val Gly Arg Cys Arg  
 35 40 45  
 Ala Ser Met Pro Arg Trp Trp Tyr Asn Val Thr Asp Gly Ser Cys Gln  
 50 55 60  
 Leu Phe Val Tyr Gly Gly Cys Asp Gly Asn Ser Asn Asn Tyr Leu Thr  
 65 70 75 80  
 Lys Glu Glu Cys Leu Lys Lys Cys Ala Thr Val Thr Glu Asn Ala Thr  
 85 90 95  
 Gly Asp Leu Ala Thr Ser Arg Asn Ala Ala Asp Ser Ser Val Pro Ser  
 100 105 110  
 Ala Pro Arg Arg Gln Asp Ser Glu Asp His Ser Ser Asp Met Phe Asn  
 115 120 125

Tyr Glu Glu Tyr Cys Thr Ala Asn Ala Val Thr Gly Pro Cys Arg Ala  
 130 135 140  
 Ser Phe Pro Arg Trp Tyr Phe Asp Val Glu Arg Asn Ser Cys Asn Asn  
 145 150 155 160  
 Phe Ile Tyr Gly Gly Cys Arg Gly Asn Lys Asn Ser Tyr Arg Ser Glu  
 165 170 175  
 Glu Ala Cys Met Leu Arg Cys Phe Arg Gln Gln Glu Asn Pro Pro Leu  
 180 185 190  
 Pro Leu Gly Ser Lys Val Val Val Leu Ala Gly Leu Phe Val Met Val  
 195 200 205  
 Leu Ile Leu Phe Leu Gly Ala Ser Met Val Tyr Leu Ile Arg Val Ala  
 210 215 220  
 Arg Arg Asn Gln Glu Arg Ala Leu Arg Thr Val Trp Ser Ser Gly Asp  
 225 230 235 240  
 Asp Lys Glu Gln Leu Val Lys Asn Thr Tyr Val Leu  
 245 250

<210> 73  
 <211> 2380  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (135)..(1043)  
 <223>

<400> 73  
 gaggaggagg gaaaaggcga gcaaaaagga agagtgggag gaggagggga agcggcgaag 60  
 gaggaagagg aggaggagga agaggggagc acaaaggatc caggtctccc gacgggaggt 120  
 taataccaag aacc atg tgt gcc gag cgg ctg ggc cag ttc atg acc ctg 170  
 Met Cys Ala Glu Arg Leu Gly Gln Phe Met Thr Leu 10  
 gct ttg gtg ttg gcc acc ttt gac ccg gcg cgg ggg acc gac gcc acc 218  
 Ala Leu Val Leu Ala Thr Phe Asp Pro Ala Arg Gly Thr Asp Ala Thr 15 20 25  
 aac cca ccc gag ggt ccc caa gac agg agc tcc cag cag aaa ggc cgc 266  
 Asn Pro Pro Glu Gly Pro Gln Asp Arg Ser Ser Gln Gln Lys Gly Arg 30 35 40  
 ctg tcc ctg cag aat aca gcg gag atc cag cac tgt ttg gtc aac gct 314  
 Leu Ser Leu Gln Asn Thr Ala Glu Ile Gln His Cys Leu Val Asn Ala 45 50 55 60  
 ggc gat gtg ggg tgt gcc gtg ttt gaa tgt ttc gag aac aac tct tgt 362  
 Gly Asp Val Gly Cys Gly Val Phe Glu Cys Phe Glu Asn Asn Ser Cys 65 70 75  
 gag att cgg ggc tta cat ggg att tgc atg act ttt ctg cac aac gct 410  
 Glu Ile Arg Gly Leu His Gly Ile Cys Met Thr Phe Leu His Asn Ala 80 85 90  
 gga aaa ttt gat gcc cag gcc aag tca ttc atc aaa gac gcc ttg aaa 458  
 Gly Lys Phe Asp Ala Gln Gly Lys Ser Phe Ile Lys Asp Ala Leu Lys 95 100 105  
 tgt aag gcc cac gct ctg cgg cac agg ttc ggc tgc ata agc cgg aag 506  
 Cys Lys Ala His Ala Leu Arg His Arg Phe Gly Cys Ile Ser Arg Lys 110 115 120  
 tgc ccg gcc atc agg gaa atg gtg tcc cag ttg cag cgg gaa tgc tac 554

Cys 125	Pro	Ala	Ile	Arg	Glu 130	Met	Val	Ser	Gln	Leu 135	Gln	Arg	Glu	Cys	Tyr 140	
ctc Leu	aag Lys	cac His	gac Asp	ctg Leu 145	tgc Cys	gcg Ala	gct Ala	gcc Ala	cag Gln 150	gag Glu	aac Asn	acc Thr	cgg Arg	gtg Val 155	ata Ile	602
gtg Val	gag Glu	atg Met	atc Ile 160	cat His	ttc Phe	aag Lys	gac Asp	ttg Leu 165	ctg Leu	ctg Leu	cac His	gaa Glu	ccc Pro 170	tac Tyr	gtg Val	650
gac Asp	ctc Leu	gtg Val 175	aac Asn	ttg Leu	ctg Leu	ctg Leu	acc Thr 180	tgt Cys	ggg Gly	gag Glu	gag Glu	gtg Val 185	aag Lys	gag Glu	gcc Ala	698
atc Ile	acc Thr 190	cac His	agc Ser	gtg Val	cag Gln	gtt Val 195	cag Gln	tgt Cys	gag Glu	cag Gln	aac Asn 200	tgg Trp	gga Gly	agc Ser	ctg Leu	746
tgc Cys 205	tcc Ser	atc Ile	ttg Leu	agc Ser	ttc Phe 210	tgc Cys	acc Thr	tcg Ser	gcc Ala	atc Ile 215	cag Gln	aag Lys	cct Pro	ccc Pro	acg Thr 220	794
gcg Ala	ccc Pro	ccc Pro	gag Glu	cgc Arg 225	cag Gln	ccc Pro	cag Gln	gtg Val	gac Asp 230	aga Arg	acc Thr	aag Lys	ctc Leu	tcc Ser 235	agg Arg	842
gcc Ala	cac His	cac His	ggg Gly 240	gaa Glu	gca Ala	gga Gly	cat His	cac His 245	ctc Leu	cca Pro	gag Glu	ccc Pro	agc Ser 250	agt Ser	agg Arg	890
gag Glu	act Thr	ggc Gly 255	cga Arg	ggt Gly	gcc Ala	aag Lys	ggt Gly 260	gag Glu	cga Arg	ggt Gly	agc Ser	aag Lys 265	agc Ser	cac His	cca Pro	938
aac Asn	gcc Ala 270	cat His	gcc Ala	cga Arg	ggc Gly	aga Arg 275	gtc Val	ggg Gly	ggc Gly	ctt Leu	ggg Gly 280	gct Ala	cag Gln	gga Gly	cct Pro	986
tcc Ser 285	gga Gly	agc Ser	agc Ser	gag Glu	tgg Trp 290	gaa Glu	gac Asp	gaa Glu	cag Gln	tct Ser 295	gag Glu	tat Tyr	tct Ser	gat Asp	atc Ile 300	1034
cgg Arg	agg Arg	tga	aatgaaaggc	ctggccacga	aatctttcct	ccacgccgtc										1083
cattttctta	tctatggaca	ttccaaaaca	tttaccatta	gagagggggg	atgtcacacg											1143
caggattctg	tggggactgt	ggacttcac	gaggtgtgtg	ttcgcggaac	ggacagggtga											1203
gatggagacc	cctggggccg	tgggggtctca	gggggtgcctg	gtgaattctg	cacttacacg											1263
tactcaaggg	agcgcgccc	cggttatcctc	gtacctttgt	cttctttcca	tctgtggagt											1323
cagtgggtgt	cgcccgctct	gttggtggggg	aggtgaacca	gggaggggca	gggcaaggca											1383
gggccccag	agctgggcca	cacagtgggt	gctgggcctc	gccccgaagc	ttctggtgca											1443
gcagcctctg	gtgctgtctc	cgcggaagtc	agggcggtg	gattccagga	caggagtga											1503
tgtaaaaata	aatatcgctt	agaatgcagg	agaaggggtg	agaggaggca	ggggccgagg											1563
gggtgcttgg	tgccaaactg	aaattcagtt	tcttgtgtgg	ggccttgagg	ttcagagctc											1623
ttggcgaggg	tggagggagg	agtgtcattt	ctatgtgtaa	tttctgagcc	attgtactgt											1683
ctgggctggg	ggggacactg	tccaaggag	tggccctat	gagtttatat	tttaaccact											1743
gcttcaaate	tcgatttcac	tttttttatt	tatccagtta	tatctacata	tctgtcatct											1803
aaataaatgg	ctttcaaaca	aagcaactgg	gtcattaaaa	ccagctcaaa	gggggtttta											1863
aaaaaaaaa	accagcccat	cctttgaggc	tgatttttct	tttttttaag	ttctatttta											1923
aaagctatca	aacagcgaca	tagccataca	tctgactgcc	tgacatggac	tcctgcccac											1983
ttgggggaaa	ccttataccc	agaggaaaat	acacacctgg	ggagtacatt	tgacaaattt											2043
cccttaggat	ttcgttatct	caccttgacc	ctcagccaag	attggtaaag	ctgcgtcctg											2103

gcgattccag gagaccacgc tggaaacctg gcttctccat gtgaggggat gggaaaggaa 2163  
 agaagagaat gaagactact tagtaattcc catcaggaaa tgctgacctt ttacataaaa 2223  
 tcaaggagac tgctgaaaat ctctaaggga caggattttc cagatcctaa ttggaaattt 2283  
 agcaataagg agaggagtcc aaggggacaa ataaaggcag agagagagag agagagaggg 2343  
 agaggaagaa aagagagaga gaaaagagcc tcgtgcc 2380

<210> 74  
 <211> 302  
 <212> PRT  
 <213> Homo sapiens

<400> 74

Met Cys Ala Glu Arg Leu Gly Gln Phe Met Thr Leu Ala Leu Val Leu  
 1 5 10 15

Ala Thr Phe Asp Pro Ala Arg Gly Thr Asp Ala Thr Asn Pro Pro Glu  
 20 25 30

Gly Pro Gln Asp Arg Ser Ser Gln Gln Lys Gly Arg Leu Ser Leu Gln  
 35 40 45

Asn Thr Ala Glu Ile Gln His Cys Leu Val Asn Ala Gly Asp Val Gly  
 50 55 60

Cys Gly Val Phe Glu Cys Phe Glu Asn Asn Ser Cys Glu Ile Arg Gly  
 65 70 75 80

Leu His Gly Ile Cys Met Thr Phe Leu His Asn Ala Gly Lys Phe Asp  
 85 90 95

Ala Gln Gly Lys Ser Phe Ile Lys Asp Ala Leu Lys Cys Lys Ala His  
 100 105 110

Ala Leu Arg His Arg Phe Gly Cys Ile Ser Arg Lys Cys Pro Ala Ile  
 115 120 125

Arg Glu Met Val Ser Gln Leu Gln Arg Glu Cys Tyr Leu Lys His Asp  
 130 135 140

Leu Cys Ala Ala Ala Gln Glu Asn Thr Arg Val Ile Val Glu Met Ile  
 145 150 155 160

His Phe Lys Asp Leu Leu Leu His Glu Pro Tyr Val Asp Leu Val Asn  
 165 170 175

Leu Leu Leu Thr Cys Gly Glu Glu Val Lys Glu Ala Ile Thr His Ser  
 180 185 190

Val Gln Val Gln Cys Glu Gln Asn Trp Gly Ser Leu Cys Ser Ile Leu  
 195 200 205

Ser Phe Cys Thr Ser Ala Ile Gln Lys Pro Pro Thr Ala Pro Pro Glu  
 210 215 220

Arg Gln Pro Gln Val Asp Arg Thr Lys Leu Ser Arg Ala His His Gly  
 225 230 235 240

Glu Ala Gly His His Leu Pro Glu Pro Ser Ser Arg Glu Thr Gly Arg  
 245 250 255



Gly Ala Lys Gly Glu Arg Gly Ser Lys Ser His Pro Asn Ala His Ala  
260 265 270

Arg Gly Arg Val Gly Gly Leu Gly Ala Gln Gly Pro Ser Gly Ser Ser  
275 280 285

Glu Trp Glu Asp Glu Gln Ser Glu Tyr Ser Asp Ile Arg Arg  
290 295 300

<210> 75  
<211> 3662  
<212> DNA  
<213> Homo sapiens

<220>  
<221> CDS  
<222> (434)..(2401)  
<223>

<400> 75  
gccaccacgt gtgtccctgc gcccgggtggc caccgactca gtccctcgcc gaccagtctg 60  
ggcagcggag gaggggtggtt ggcagtggct ggaagcttcg ctatgggaag ttgttccttt 120  
gctctctcgc gccagtcct cctccctggg tctcctcagc cgctgtcggg ggagagcacc 180  
cggagacgcg ggctgcagtc gcggcggctt ctccccgcct gggcggccgc gccgctgggc 240  
aggtgctgag cgcccctaga gcctcccttg ccgcctccct cctctgcccg gccgcagcag 300  
tgccatggg gtgttgagg tagatgggct cccggcccgg gaggcggcgg tggatgcggc 360  
gctgggcaga agcagccgcc gattccagct gcccgcgcg cccggggcgc ccctgcgagt 420  
ccccggttca gcc atg ggg acc tct ccg agc agc agc acc gcc ctc gcc 469  
1 Met Gly Thr Ser 5 Pro Ser Ser Ser Thr 10 Ala Leu Ala  
tcc tgc agc cgc atc gcc cgc cga gcc aca gcc acg atg atc gcg ggc 517  
Ser Cys Ser Arg Ile Ala Arg Arg Ala Thr Ala Thr Met Ile Ala Gly 15 20 25  
tcc ctt ctc ctg ctt gga ttc ctt agc acc acc aca gct cag cca gaa 565  
Ser Leu Leu Leu Leu Gly Phe Leu Ser Thr Thr Thr Ala Gln Pro Glu 30 35 40  
cag aag gcc tcg aat ctc att ggc aca tac cgc cat gtt gac cgt gcc 613  
Gln Lys Ala Ser Asn Leu Ile Gly Thr Tyr Arg His Val Asp Arg Ala 45 50 55 60  
acc ggc cag gtg cta acc tgt gac aag tgt cca gca gga acc tat gtc 661  
Thr Gly Gln Val Leu Thr Cys Asp Lys Cys Pro Ala Gly Thr Tyr Val 65 70 75  
tct gag cat tgt acc aac aca agc ctg cgc gtc tgc agc agt tgc cct 709  
Ser Glu His Cys Thr Asn Thr Ser Leu Arg Val Cys Ser Ser Cys Pro 80 85 90  
gtg ggg acc ttt acc agg cat gag aat ggc ata gag aaa tgc cat gac 757  
Val Gly Thr Phe Thr Arg His Glu Asn Gly Ile Glu Lys Cys His Asp 95 100 105  
tgt agt cag cca tgc cca tgg cca atg att gag aaa tta cct tgt gct 805  
Cys Ser 110 Gln Pro Cys Pro Trp 115 Pro Met Ile Glu Lys 120 Leu Pro Cys Ala  
gcc ttg act gac cga gaa tgc act tgc cca cct ggc atg ttc cag tct 853  
Ala Leu Thr Asp Arg Glu 130 Cys Thr Cys Pro 135 Gly Met Phe Gln Ser 140  
aac gct acc tgt gcc ccc cat acg gtg tgt cct gtg ggt tgg ggt gtg 901  
Asn Ala Thr Cys Ala Pro His Thr Val Cys Pro Val Gly Trp Gly Val 145 150 155  
cgg aag aaa ggg aca gag act gag gat gtg cgg tgt aag cag tgt gct 949  
Arg Lys Lys Gly Thr Glu Thr Glu Asp Val Arg Cys Lys Gln Cys Ala

Page 157

480						485						490						
aag Lys	att Ile	cgt Arg 495	ggg Gly	ctg Leu	atg Met	gaa Glu	gac Asp 500	acc Thr	acc Thr	cag Gln	ctg Leu	gaa Glu 505	act Thr	gac Asp	aaa Lys	1957		
cta Leu	gct Ala 510	ctc Leu	ccg Pro	atg Met	agc Ser	ccc Pro 515	agc Ser	ccg Pro	ctt Leu	agc Ser	ccg Pro 520	agc Ser	ccc Pro	atc Ile	ccc Pro	2005		
agc Ser 525	ccc Pro	aac Asn	gcg Ala	aaa Lys	ctt Leu 530	gag Glu	aat Asn	tcc Ser	gct Ala	ctc Leu 535	ctg Leu	acg Thr	gtg Val	gag Glu	cct Pro 540	2053		
tcc Ser	cca Pro	cag Gln	gac Asp	aag Lys 545	aac Asn	aag Lys	ggc Gly	ttc Phe	ttc Phe 550	gtg Val	gat Asp	gag Glu	tcg Ser	gag Glu 555	ccc Pro	2101		
ctt Leu	ctc Leu	cg Arg	tgt Cys 560	gac Asp	tct Ser	aca Thr	tcc Ser	agc Ser 565	ggc Gly	tcc Ser	tcc Ser	gcg Ala	ctg Leu 570	agc Ser	agg Arg	2149		
aac Asn	ggt Gly	tcc Ser 575	ttt Phe	att Ile	acc Thr	aaa Lys	gaa Glu 580	aag Lys	aag Lys	gac Asp	aca Thr	gtg Val 585	ttg Leu	cgg Arg	cag Gln	2197		
gta Val	cg Arg 590	ctg Leu	gac Asp	ccc Pro	tgt Cys	gac Asp 595	ttg Leu	cag Gln	cct Pro	atc Ile	ttt Phe 600	gat Asp	gac Asp	atg Met	ctc Leu	2245		
cac His 605	ttt Phe	cta Leu	aat Asn	cct Pro	gag Glu 610	gag Glu	ctg Leu	cgg Arg	gtg Val	att Ile 615	gaa Glu	gag Glu	att Ile	ccc Pro	cag Gln 620	2293		
gct Ala	gag Glu	gac Asp	aaa Lys	cta Leu 625	gac Asp	cgg Arg	cta Leu	ttc Phe	gaa Glu 630	att Ile	att Ile	gga Gly	gtc Val	aag Lys 635	agc Ser	2341		
cag Gln	gaa Glu	gcc Ala	agc Ser 640	cag Gln	acc Thr	ctc Leu	ctg Leu	gac Asp 645	tct Ser	gtt Val	tat Tyr	agc Ser	cat His 650	ctt Leu	cct Pro	2389		
gac Asp	ctg Leu	ctg Leu 655	tag	aacataggga tactgcattc tggaattac tcaatttagt												2441		
ggcaggggtgg ttttttaatt ttcttctggt tctgattttt gttgtttggg gtgtgtgtgt																	2501	
gtgtttgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt ttaacagaga atatggccag																	2561	
tgcttgagtt ctttctcctt ctctctctct cttttttttt taaataactc ttctgggaag																	2621	
ttggtttata agcctttgcc aggtgtaact gttgtgaaat acccaccact aaagtttttt																	2681	
aagttccata ttttctccat ttgtccttct tatgtatttt caagattatt ctgtgcactt																	2741	
taaatttact taacttacca taaatgcagt gtgacttttc ccacacactg gattgtgagg																	2801	
ctcttaactt cttaaaagta taatggcatc ttgtgaatcc tataagcagt ctttatgtct																	2861	
cttaacattc acacctactt tttaaaaaca aatattatta ctatttttat tattgtttgt																	2921	
cctttataaa ttttcttaaa gattaagaaa atttaagacc ccattgagtt actgtaatgc																	2981	
aattcaactt tgagttatct tttaaatatg tcttgatatag ttcatattca tggctgaaac																	3041	
ttgaccacac tattgctgat tgtatggttt tcacctggac accgtgtaga atgcttgatt																	3101	
acttgtaact ttcttatgct aatatgctct gggctggaga aatgaaatcc tcaagccatc																	3161	
aggatttgct atttaagtgg cttgacaact gggccaccaa agaacttgaa cttcaccttt																	3221	
taggatttga gctgttctgg aacacattgc tgcactttgg aaagtcaaaa tcaagtcca																	3281	
gtggcgccct ttccatagag aatttgccca gctttgcttt aaaagatgtc ttgtttttta																	3341	
tatacacata atcaataggt ccaatctgct ctcaaggcct tggtcctggt gggattcctt																	3401	
caccaattac tttaattaaa aatggctgca actgtaagaa cccttgctctg atatatttgc																	3461	

aactatgctc ccatttaca atgtaccttc taatgctcag ttgccagggt ccaatgcaaa 3521  
 ggtggcgtag actccctttg tgtgggtggg gtttgtgggt agtggtgaag gaccgatatc 3581  
 agaaaaatgc cttcaagtgt actaatitat taataaacat taggtgtttg ttaaaaaaaa 3641  
 aaaaaaaaaa aaaaaaaaaa a 3662

<210> 76  
 <211> 655  
 <212> PRT  
 <213> Homo sapiens

<400> 76

Met Gly Thr Ser Pro Ser Ser Ser Thr Ala Leu Ala Ser Cys Ser Arg  
 1 5 10  
 Ile Ala Arg Arg Ala Thr Ala Thr Met Ile Ala Gly Ser Leu Leu Leu  
 20 25 30  
 Leu Gly Phe Leu Ser Thr Thr Thr Ala Gln Pro Glu Gln Lys Ala Ser  
 35 40 45  
 Asn Leu Ile Gly Thr Tyr Arg His Val Asp Arg Ala Thr Gly Gln Val  
 50 55 60  
 Leu Thr Cys Asp Lys Cys Pro Ala Gly Thr Tyr Val Ser Glu His Cys  
 65 70 75 80  
 Thr Asn Thr Ser Leu Arg Val Cys Ser Ser Cys Pro Val Gly Thr Phe  
 85 90 95  
 Thr Arg His Glu Asn Gly Ile Glu Lys Cys His Asp Cys Ser Gln Pro  
 100 105 110  
 Cys Pro Trp Pro Met Ile Glu Lys Leu Pro Cys Ala Ala Leu Thr Asp  
 115 120 125  
 Arg Glu Cys Thr Cys Pro Pro Gly Met Phe Gln Ser Asn Ala Thr Cys  
 130 135 140  
 Ala Pro His Thr Val Cys Pro Val Gly Trp Gly Val Arg Lys Lys Gly  
 145 150 155 160  
 Thr Glu Thr Glu Asp Val Arg Cys Lys Gln Cys Ala Arg Gly Thr Phe  
 165 170 175  
 Ser Asp Val Pro Ser Ser Val Met Lys Cys Lys Ala Tyr Thr Asp Cys  
 180 185 190  
 Leu Ser Gln Asn Leu Val Val Ile Lys Pro Gly Thr Lys Glu Thr Asp  
 195 200 205  
 Asn Val Cys Gly Thr Leu Pro Ser Phe Ser Ser Ser Thr Ser Pro Ser  
 210 215 220  
 Pro Gly Thr Ala Ile Phe Pro Arg Pro Glu His Met Glu Thr His Glu  
 225 230 235 240  
 Val Pro Ser Ser Thr Tyr Val Pro Lys Gly Met Asn Ser Thr Glu Ser  
 245 250 255

Asn Ser Ser Ala Ser Val Arg Pro Lys Val Leu Ser Ser Ile Gln Glu  
 260 265 270  
 Gly Thr Val Pro Asp Asn Thr Ser Ser Ala Arg Gly Lys Glu Asp Val  
 275 280 285  
 Asn Lys Thr Leu Pro Asn Leu Gln Val Val Asn His Gln Gln Gly Pro  
 290 295 300  
 His His Arg His Ile Leu Lys Leu Leu Pro Ser Met Glu Ala Thr Gly  
 305 310 315 320  
 Gly Glu Lys Ser Ser Thr Pro Ile Lys Gly Pro Lys Arg Gly His Pro  
 325 330 335  
 Arg Gln Asn Leu His Lys His Phe Asp Ile Asn Glu His Leu Pro Trp  
 340 345 350  
 Met Ile Val Leu Phe Leu Leu Leu Val Leu Val Val Ile Val Val Cys  
 355 360 365  
 Ser Ile Arg Lys Ser Ser Arg Thr Leu Lys Lys Gly Pro Arg Gln Asp  
 370 375 380  
 Pro Ser Ala Ile Val Glu Lys Ala Gly Leu Lys Lys Ser Met Thr Pro  
 385 390 395 400  
 Thr Gln Asn Arg Glu Lys Trp Ile Tyr Tyr Cys Asn Gly His Gly Ile  
 405 410 415  
 Asp Ile Leu Lys Leu Val Ala Ala Gln Val Gly Ser Gln Trp Lys Asp  
 420 425 430  
 Ile Tyr Gln Phe Leu Cys Asn Ala Ser Glu Arg Glu Val Ala Ala Phe  
 435 440 445  
 Ser Asn Gly Tyr Thr Ala Asp His Glu Arg Ala Tyr Ala Ala Leu Gln  
 450 455 460  
 His Trp Thr Ile Arg Gly Pro Glu Ala Ser Leu Ala Gln Leu Ile Ser  
 465 470 475 480  
 Ala Leu Arg Gln His Arg Arg Asn Asp Val Val Glu Lys Ile Arg Gly  
 485 490 495  
 Leu Met Glu Asp Thr Thr Gln Leu Glu Thr Asp Lys Leu Ala Leu Pro  
 500 505 510  
 Met Ser Pro Ser Pro Leu Ser Pro Ser Pro Ile Pro Ser Pro Asn Ala  
 515 520 525  
 Lys Leu Glu Asn Ser Ala Leu Leu Thr Val Glu Pro Ser Pro Gln Asp  
 530 535 540  
 Lys Asn Lys Gly Phe Phe Val Asp Glu Ser Glu Pro Leu Leu Arg Cys  
 545 550 555 560  
 Asp Ser Thr Ser Ser Gly Ser Ser Ala Leu Ser Arg Asn Gly Ser Phe  
 565 570 575

Ile Thr Lys Glu Lys Lys Asp Thr Val Leu Arg Gln Val Arg Leu Asp  
 580 585 590

Pro Cys Asp Leu Gln Pro Ile Phe Asp Asp Met Leu His Phe Leu Asn  
 595 600 605

Pro Glu Glu Leu Arg Val Ile Glu Glu Ile Pro Gln Ala Glu Asp Lys  
 610 615 620

Leu Asp Arg Leu Phe Glu Ile Ile Gly Val Lys Ser Gln Glu Ala Ser  
 625 630 635 640

Gln Thr Leu Leu Asp Ser Val Tyr Ser His Leu Pro Asp Leu Leu  
 645 650 655

<210> 77  
 <211> 2780  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (106)..(2517)  
 <223>

<400> 77  
 gtgggcggac cgcgcggtg gaggtgtgag gatccgaacc caggggtggg ggggtggaggc 60  
 ggctcctgcg atcgaagggg acttgagact caccggccgc acgcc atg agg gcc ctg 117  
 Met Arg Ala Leu  
 1

tgg gtg ctg ggc ctc tgc tgc gtc ctg ctg acc ttc ggg tcg gtc aga 165  
 Trp Val Leu Gly Leu Cys Cys Val Leu Leu Thr Phe Gly Ser Val Arg  
 5 10 15 20

gct gac gat gaa gtt gat gtg gat ggt aca gta gaa gag gat ctg ggt 213  
 Ala Asp Asp Glu Val Asp Val Asp Gly Thr Val Glu Glu Asp Leu Gly  
 25 30 35

aaa agt aga gaa gga tca agg acg gat gat gaa gta gta cag aga gag 261  
 Lys Ser Arg Glu Gly Ser Arg Thr Asp Asp Glu Val Val Gln Arg Glu  
 40 45 50

gaa gaa gct att cag ttg gat gga tta aat gca tca caa ata aga gaa 309  
 Glu Glu Ala Ile Gln Leu Asp Gly Leu Asn Ala Ser Gln Ile Arg Glu  
 55 60 65

ctt aga gag aag tcg gaa aag ttt gcc ttc caa gcc gaa gtt aac aga 357  
 Leu Arg Glu Lys Ser Glu Lys Phe Ala Phe Gln Ala Glu Val Asn Arg  
 70 75 80

atg atg aaa ctt atc atc aat tca ttg tat aaa aat aaa gag att ttc 405  
 Met Met Lys Leu Ile Ile Asn Ser Leu Tyr Lys Asn Lys Glu Ile Phe  
 85 90 95 100

ctg aga gaa ctg att tca aat gct tct gat gct tta gat aag ata agg 453  
 Leu Arg Glu Leu Ile Ser Asn Ala Ser Asp Ala Leu Asp Lys Ile Arg  
 105 110 115

cta ata tca ctg act gat gaa aat gct ctt tct gga aat gag gaa cta 501  
 Leu Ile Ser Leu Thr Asp Glu Asn Ala Leu Ser Gly Asn Glu Glu Leu  
 120 125 130

aca gtc aaa att aag tgt gat aag gag aag aac ctg ctg cat gtc aca 549  
 Thr Val Lys Ile Lys Cys Asp Lys Glu Lys Asn Leu Leu His Val Thr  
 135 140 145

gac acc ggt gta gga atg acc aga gaa gag ttg gtt aaa aac ctt ggt 597  
 Asp Thr Lys Val Gly Met Thr Arg Glu Glu Leu Val Lys Asn Leu Gly  
 150 155 160

acc ata gcc aaa tct ggg aca agc gag ttt tta aac aaa atg act gaa 645  
 Thr Ile Ala Lys Ser Gly Thr Ser Glu Phe Leu Asn Lys Met Thr Glu  
 165 170 175 180

gca Ala	cag Gln	gaa Glu	gat Asp	ggc Gly 185	cag Gln	tca Ser	act Thr	tct Ser	gaa Glu 190	ttg Leu	att Ile	ggc Gly	cag Gln	ttt Phe 195	ggt Gly	693
gtc Val	ggt Gly	ttc Phe	tat Tyr 200	tcc Ser	gcc Ala	ttc Phe	ctt Leu	gta Val 205	gca Ala	gat Asp	aag Lys	gtt Val	att Ile 210	gtc Val	act Thr	741
tca Ser	aaa Lys	cac His 215	aac Asn	aac Asn	gat Asp	acc Thr	cag Gln 220	cac His	atc Ile	tgg Trp	gag Glu	tct Ser 225	gac Asp	tcc Ser	aat Asn	789
gaa Glu	ttt Phe 230	tct Ser	gta Val	att Ile	gct Ala	gac Asp 235	cca Pro	aga Arg	gga Gly	aac Asn	act Thr 240	cta Leu	gga Gly	cgg Arg	gga Gly	837
acg Thr 245	aca Thr	att Ile	acc Thr	ctt Leu	gtc Val 250	tta Leu	aaa Lys	gaa Glu	gaa Glu	gca Ala 255	tct Ser	gat Asp	tac Tyr	ctt Leu	gaa Glu 260	885
ttg Leu	gat Asp	aca Thr	att Ile	aaa Lys 265	aat Asn	ctc Leu	gtc Val	aaa Lys 270	taa Tyr	tca Ser	cag Gln	ttc Phe	ata Ile 275	aac Asn	933	
ttt Phe	cct Pro	att Ile	tat Tyr 280	gta Val	tgg Trp	agc Ser	agc Ser	aag Lys 285	act Thr	gaa Glu	act Thr	gtt Val	gag Glu 290	gag Glu	ccc Pro	981
atg Met	gag Glu	gaa Glu 295	gaa Glu	gaa Glu	gca Ala	gcc Ala	aaa Lys 300	gaa Glu	gag Glu	aaa Lys	gaa Glu	gaa Glu 305	tct Ser	gat Asp	gat Asp	1029
gaa Glu	gct Ala 310	gca Ala	gta Val	gag Glu	gaa Glu	gaa Glu 315	gaa Glu	gaa Glu	gaa Glu	aag Lys	aaa Lys 320	cca Pro	aag Lys	act Thr	aaa Lys	1077
aaa Lys 325	gtt Val	gaa Glu	aaa Lys	act Thr	gtc Val 330	tgg Trp	gac Asp	tgg Trp	gaa Glu	ctt Leu 335	atg Met	aat Asn	gat Asp	atc Ile	aaa Lys 340	1125
cca Pro	ata Ile	tgg Trp	cag Gln	aga Arg 345	cca Pro	tca Ser	aaa Lys	gaa Glu	gta Val 350	gaa Glu	gaa Glu	gat Asp	gaa Glu	tac Tyr 355	aaa Lys	1173
gct Ala	ttc Phe	tac Tyr	aaa Lys 360	tca Ser	ttt Phe	tca Ser	aag Lys	gaa Glu 365	agt Ser	gat Asp	gac Asp	ccc Pro	atg Met 370	gct Ala	tat Tyr	1221
att Ile	cac His	ttt Phe 375	act Thr	gct Ala	gaa Glu	ggg Gly	gaa Glu 380	gtt Val	acc Thr	ttc Phe	aaa Lys	tca Ser 385	att Ile	tta Leu	ttt Phe	1269
gta Val	ccc Pro 390	aca Thr	tct Ser	gct Ala	cca Pro	cgt Arg 395	ggt Gly	ctg Leu	ttt Phe	gac Asp	gaa Glu 400	tat Tyr	gga Gly	tct Ser	aaa Lys	1317
aag Lys 405	agc Ser	gat Asp	tac Tyr	att Ile	aag Lys 410	ctc Leu	tat Tyr	gtg Val	cgc Arg	cgt Arg 415	gta Val	ttc Phe	atc Ile	aca Thr	gac Asp 420	1365
gac Asp	ttc Phe	cat His	gat Asp	atg Met 425	atg Met	cct Pro	aaa Lys	tac Tyr	ctc Leu 430	aat Asn	ttt Phe	gtc Val	aag Lys	ggt Gly 435	gtg Val	1413
gtg Val	gac Asp	tca Ser	gat Asp 440	gat Asp	ctc Leu	ccc Pro	ttg Leu	aat Asn 445	gtt Val	tcc Ser	cgc Arg	gag Glu	act Thr 450	ctt Leu	cag Gln	1461
caa Gln	cat His	aaa Lys 455	ctg Leu	ctt Leu	aag Lys	gtg Val	att Ile 460	agg Arg	aag Lys	aag Lys	ctt Leu	gtt Val 465	cgt Arg	aaa Lys	acg Thr	1509
ctg Leu	gac Asp 470	atg Met	atc Ile	aag Lys	aag Lys	att Ile 475	gct Ala	gat Asp	gat Asp	aaa Lys	tac Tyr 480	aat Asn	gat Asp	act Thr	ttt Phe	1557
tgg Trp 485	aaa Lys	gaa Glu	ttt Phe	ggt Gly	acc Thr 490	aac Asn	atc Ile	aag Lys	ctt Leu	ggt Gly 495	gtg Val	att Ile	gaa Glu	gac Asp	cac His 500	1605

tgc	aat	cga	aca	cgt	ctt	gct	aaa	ctt	ctt	agg	ttc	cag	tct	tct	cat	1653
Ser	Asn	Arg	Thr	Arg	Leu	Ala	Lys	Leu	Leu	Arg	Phe	Gln	Ser	Ser	His	
				505					510					515		
cat	cca	act	gac	att	act	agc	cta	gac	cag	tat	gtg	gaa	aga	atg	aag	1701
His	Pro	Thr	Asp	Ile	Thr	Ser	Leu	Asp	Gln	Tyr	Val	Glu	Arg	Met	Lys	
			520					525					530			
gaa	aaa	caa	gac	aaa	atc	tac	ttc	atg	gct	ggg	tcc	agc	aga	aaa	gag	1749
Glu	Lys	Gln	Asp	Lys	Ile	Tyr	Phe	Met	Ala	Gly	Ser	Ser	Arg	Lys	Glu	
		535					540					545				
gct	gaa	tct	tct	cca	ttt	gtt	gag	cga	ctt	ctg	aaa	aag	ggc	tat	gaa	1797
Ala	Glu	Ser	Ser	Pro	Phe	Val	Glu	Arg	Leu	Leu	Lys	Lys	Gly	Tyr	Glu	
	550					555					560					
gtt	att	tac	ctc	aca	gaa	cct	gtg	gat	gaa	tac	tgt	att	cag	gcc	ctt	1845
Val	Ile	Tyr	Leu	Thr	Glu	Pro	Val	Asp	Glu	Tyr	Cys	Ile	Gln	Ala	Leu	
565					570					575					580	
ccc	gaa	ttt	gat	ggg	aag	agg	ttc	cag	aat	gtt	gcc	aag	gaa	gga	gtg	1893
Pro	Glu	Phe	Asp	Gly	Lys	Arg	Phe	Gln	Asn	Val	Ala	Lys	Glu	Gly	Val	
				585					590					595		
aag	ttc	gat	gaa	agt	gag	aaa	act	aag	gag	agt	cgt	gaa	gca	gtt	gag	1941
Lys	Phe	Asp	Glu	Ser	Glu	Lys	Thr	Lys	Glu	Ser	Arg	Glu	Ala	Val	Glu	
			600					605					610			
aaa	gaa	ttt	gag	cct	ctg	ctg	aat	tgg	atg	aaa	gat	aaa	gcc	ctt	aag	1989
Lys	Glu	Phe	Glu	Pro	Leu	Leu	Asn	Trp	Met	Lys	Asp	Lys	Ala	Leu	Lys	
		615					620					625				
gac	aag	att	gaa	aag	gct	gtg	gtg	tct	cag	cgc	ctg	aca	gaa	tct	ccg	2037
Asp	Lys	Ile	Glu	Lys	Ala	Val	Val	Ser	Gln	Arg	Leu	Thr	Glu	Ser	Pro	
	630					635					640					
tgt	gct	ttg	gtg	gcc	agc	cag	tac	gga	tgg	tct	ggc	aac	atg	gag	aga	2085
Cys	Ala	Leu	Val	Ala	Ser	Gln	Tyr	Gly	Trp	Ser	Gly	Asn	Met	Glu	Arg	
645					650					655					660	
atc	atg	aaa	gca	caa	gcg	tac	caa	acg	ggc	aag	gac	atc	tct	aca	aat	2133
Ile	Met	Lys	Ala	Gln	Ala	Tyr	Gln	Thr	Gly	Lys	Asp	Ile	Ser	Thr	Asn	
				665					670					675		
tac	tat	gcg	agt	cag	aag	aaa	aca	ttt	gaa	att	aat	ccc	aga	cac	ccg	2181
Tyr	Tyr	Ala	Ser	Gln	Lys	Lys	Thr	Phe	Glu	Ile	Asn	Pro	Arg	His	Pro	
			680					685					690			
ctg	atc	aga	gac	atg	ctt	cga	cga	att	aag	gaa	gat	gaa	gat	gat	aaa	2229
Leu	Ile	Arg	Asp	Met	Leu	Arg	Arg	Ile	Lys	Glu	Asp	Glu	Asp	Asp	Lys	
		695				700						705				
aca	gtt	ttg	gat	ctt	gct	gtg	gtt	ttg	ttt	gaa	aca	gca	acg	ctt	cgg	2277
Thr	Val	Leu	Asp	Leu	Ala	Val	Val	Leu	Phe	Glu	Thr	Ala	Thr	Leu	Arg	
	710					715					720					
tca	ggg	tat	ctt	tta	cca	gac	act	aaa	gca	tat	gga	gat	aga	ata	gaa	2325
Ser	Gly	Tyr	Leu	Leu	Pro	Asp	Thr	Lys	Ala	Tyr	Gly	Asp	Arg	Ile	Glu	
725					730					735					740	
aga	atg	ctt	cgc	ctc	agt	ttg	aac	att	gac	cct	gat	gca	aag	gtg	gaa	2373
Arg	Met	Leu	Arg	Leu	Ser	Leu	Asn	Ile	Asp	Pro	Asp	Ala	Lys	Val	Glu	
				745					750					755		
gaa	gag	ccc	gaa	gaa	gaa	cct	gaa	gag	aca	gca	gaa	gac	aca	aca	gaa	2421
Glu	Glu	Pro	Glu	Glu	Glu	Pro	Glu	Glu	Thr	Ala	Glu	Asp	Thr	Thr	Glu	
			760					765					770			
gac	aca	gag	caa	gac	gaa	gat	gaa	gaa	atg	gat	gtg	gga	aca	gat	gaa	2469
Asp	Thr	Glu	Gln	Asp	Glu	Asp	Glu	Glu	Met	Asp	Val	Gly	Thr	Asp	Glu	
		775					780					785				
gaa	gaa	gaa	aca	gca	aag	gaa	tct	aca	gct	gaa	aaa	gat	gaa	ttg	taa	2517
Glu	Glu	Glu	Thr	Ala	Lys	Glu	Ser	Thr	Ala	Glu	Lys	Asp	Glu	Leu		
	790					795					800					
attatactct	caccatttgg	atcctgtgtg	gagaggggaat	gtgaaattta	catcatttct											2577
ttttgggaga	gacttgtttt	ggatgcccc	taatccccctt	ctcccctgca	ctgtaaaatg											2637



tgggattatg ggtcacagga aaaagtgggt tttttagttg aatttttttt aacattcctc 2697  
 atgaatgtaa atttgtacta ttttaactgac tattcttgat gtaaaatctt gtcattgtga 2757  
 taaaaataaa aaagatccca aat 2780

<210> 78  
 <211> 803  
 <212> PRT  
 <213> Homo sapiens

<400> 78

Met Arg Ala Leu Trp Val Leu Gly Leu Cys Cys Val Leu Leu Thr Phe  
 1 5 10 15  
 Gly Ser Val Arg Ala Asp Asp Glu Val Asp Val Asp Gly Thr Val Glu  
 20 25 30  
 Glu Asp Leu Gly Lys Ser Arg Glu Gly Ser Arg Thr Asp Asp Glu Val  
 35 40 45  
 Val Gln Arg Glu Glu Glu Ala Ile Gln Leu Asp Gly Leu Asn Ala Ser  
 50 55 60  
 Gln Ile Arg Glu Leu Arg Glu Lys Ser Glu Lys Phe Ala Phe Gln Ala  
 65 70 75 80  
 Glu Val Asn Arg Met Met Lys Leu Ile Ile Asn Ser Leu Tyr Lys Asn  
 85 90 95  
 Lys Glu Ile Phe Leu Arg Glu Leu Ile Ser Asn Ala Ser Asp Ala Leu  
 100 105 110  
 Asp Lys Ile Arg Leu Ile Ser Leu Thr Asp Glu Asn Ala Leu Ser Gly  
 115 120 125  
 Asn Glu Glu Leu Thr Val Lys Ile Lys Cys Asp Lys Glu Lys Asn Leu  
 130 135 140  
 Leu His Val Thr Asp Thr Gly Val Gly Met Thr Arg Glu Glu Leu Val  
 145 150 155 160  
 Lys Asn Leu Gly Thr Ile Ala Lys Ser Gly Thr Ser Glu Phe Leu Asn  
 165 170 175  
 Lys Met Thr Glu Ala Gln Glu Asp Gly Gln Ser Thr Ser Glu Leu Ile  
 180 185 190  
 Gly Gln Phe Gly Val Gly Phe Tyr Ser Ala Phe Leu Val Ala Asp Lys  
 195 200 205  
 Val Ile Val Thr Ser Lys His Asn Asn Asp Thr Gln His Ile Trp Glu  
 210 215 220  
 Ser Asp Ser Asn Glu Phe Ser Val Ile Ala Asp Pro Arg Gly Asn Thr  
 225 230 235 240  
 Leu Gly Arg Gly Thr Thr Ile Thr Leu Val Leu Lys Glu Glu Ala Ser  
 245 250 255  
 Asp Tyr Leu Glu Leu Asp Thr Ile Lys Asn Leu Val Lys Lys Tyr Ser  
 260 265 270

Gln Phe Ile Asn Phe Pro Ile Tyr Val Trp Ser Ser Lys Thr Glu Thr  
 275 280 285  
 Val Glu Glu Pro Met Glu Glu Glu Glu Ala Ala Lys Glu Glu Lys Glu  
 290 295 300  
 Glu Ser Asp Asp Glu Ala Ala Val Glu Glu Glu Glu Glu Lys Lys  
 305 310 315 320  
 Pro Lys Thr Lys Lys Val Glu Lys Thr Val Trp Asp Trp Glu Leu Met  
 325 330 335  
 Asn Asp Ile Lys Pro Ile Trp Gln Arg Pro Ser Lys Glu Val Glu Glu  
 340 345 350  
 Asp Glu Tyr Lys Ala Phe Tyr Lys Ser Phe Ser Lys Glu Ser Asp Asp  
 355 360 365  
 Pro Met Ala Tyr Ile His Phe Thr Ala Glu Gly Glu Val Thr Phe Lys  
 370 375 380  
 Ser Ile Leu Phe Val Pro Thr Ser Ala Pro Arg Gly Leu Phe Asp Glu  
 385 390 395 400  
 Tyr Gly Ser Lys Lys Ser Asp Tyr Ile Lys Leu Tyr Val Arg Arg Val  
 405 410 415  
 Phe Ile Thr Asp Asp Phe His Asp Met Met Pro Lys Tyr Leu Asn Phe  
 420 425 430  
 Val Lys Gly Val Val Asp Ser Asp Asp Leu Pro Leu Asn Val Ser Arg  
 435 440 445  
 Glu Thr Leu Gln Gln His Lys Leu Leu Lys Val Ile Arg Lys Lys Leu  
 450 455 460  
 Val Arg Lys Thr Leu Asp Met Ile Lys Lys Ile Ala Asp Asp Lys Tyr  
 465 470 475 480  
 Asn Asp Thr Phe Trp Lys Glu Phe Gly Thr Asn Ile Lys Leu Gly Val  
 485 490 495  
 Ile Glu Asp His Ser Asn Arg Thr Arg Leu Ala Lys Leu Leu Arg Phe  
 500 505 510  
 Gln Ser Ser His His Pro Thr Asp Ile Thr Ser Leu Asp Gln Tyr Val  
 515 520 525  
 Glu Arg Met Lys Glu Lys Gln Asp Lys Ile Tyr Phe Met Ala Gly Ser  
 530 535 540  
 Ser Arg Lys Glu Ala Glu Ser Ser Pro Phe Val Glu Arg Leu Leu Lys  
 545 550 555 560  
 Lys Gly Tyr Glu Val Ile Tyr Leu Thr Glu Pro Val Asp Glu Tyr Cys  
 565 570 575  
 Ile Gln Ala Leu Pro Glu Phe Asp Gly Lys Arg Phe Gln Asn Val Ala  
 580 585 590

Lys Glu Gly Val Lys Phe Asp Glu Ser Glu Lys Thr Lys Glu Ser Arg  
 595 600 605  
 Glu Ala Val Glu Lys Glu Phe Glu Pro Leu Leu Asn Trp Met Lys Asp  
 610 615 620  
 Lys Ala Leu Lys Asp Lys Ile Glu Lys Ala Val Val Ser Gln Arg Leu  
 625 630 635 640  
 Thr Glu Ser Pro Cys Ala Leu Val Ala Ser Gln Tyr Gly Trp Ser Gly  
 645 650 655  
 Asn Met Glu Arg Ile Met Lys Ala Gln Ala Tyr Gln Thr Gly Lys Asp  
 660 665 670  
 Ile Ser Thr Asn Tyr Tyr Ala Ser Gln Lys Lys Thr Phe Glu Ile Asn  
 675 680 685  
 Pro Arg His Pro Leu Ile Arg Asp Met Leu Arg Arg Ile Lys Glu Asp  
 690 695 700  
 Glu Asp Asp Lys Thr Val Leu Asp Leu Ala Val Val Leu Phe Glu Thr  
 705 710 715 720  
 Ala Thr Leu Arg Ser Gly Tyr Leu Leu Pro Asp Thr Lys Ala Tyr Gly  
 725 730 735  
 Asp Arg Ile Glu Arg Met Leu Arg Leu Ser Leu Asn Ile Asp Pro Asp  
 740 745 750  
 Ala Lys Val Glu Glu Glu Pro Glu Glu Glu Pro Glu Glu Thr Ala Glu  
 755 760 765  
 Asp Thr Thr Glu Asp Thr Glu Gln Asp Glu Asp Glu Glu Met Asp Val  
 770 775 780  
 Gly Thr Asp Glu Glu Glu Glu Thr Ala Lys Glu Ser Thr Ala Glu Lys  
 785 790 795 800  
 Asp Glu Leu

<210> 79  
 <211> 4061  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> CDS  
 <222> (73)..(3717)  
 <223>

<400> 79  
 ggtctggaag cagagccggc ggagggagcg ccggggccct gggctgcagg aggttgccgc 60  
 ggccgcggca gc atg gtg gtg ccg gag aag gag cag agc tgg atc ccc aag 111  
 1 5 10  
 atc ttc aag aag aag acc tgc acg acg ttc ata gtt gac tcc aca gat 159  
 Ile Phe Lys Lys Lys Thr Cys Thr Thr Phe Ile Val Asp Ser Thr Asp 25  
 15 20  
 ccg gga ggg acc ttg tgc cag tgt ggg cgc ccc cgg acc gcc cac ccc 207  
 Pro Gly Gly Thr Leu Cys Gln Cys Gly Arg Pro Arg Thr Ala His Pro 35 40 45  
 30

gca Ala	gtg Val	gcc Ala	atg Met	gag Glu 50	gat Asp	gcc Ala	ttc Phe	ggg Gly	gca Ala 55	gcc Ala	gtg Val	gtg Val	acc Thr	gtg Val 60	tgg Trp	255
gac Asp	agc Ser	gat Asp	gca Ala 65	cac His	acc Thr	acg Thr	gag Glu	aag Lys 70	ccc Pro	acc Thr	gat Asp	gcc Ala	tac Tyr 75	gga Gly	gag Glu	303
ctg Leu	gac Asp	ttc Phe 80	acg Thr	ggg Gly	gcc Ala	ggc Gly	cgc Arg 85	aag Lys	cac His	agc Ser	aat Asn	ttc Phe 90	ctc Leu	cgg Arg	ctc Leu	351
tct Ser	gac Asp 95	cga Arg	acg Thr	gat Asp	cca Pro	gct Ala 100	gca Ala	gtt Val	tat Tyr	agt Ser	ctg Leu 105	gtc Val	aca Thr	cgc Arg	aca Thr	399
tgg Trp 110	ggc Gly	ttc Phe	cgt Arg	gcc Ala	ccg Pro 115	aac Asn	ctg Leu	gtg Val	gtg Val	tca Ser 120	gtg Val	ctg Leu	ggg Gly	gga Gly	tcg Ser 125	447
ggg Gly	ggc Gly	ccc Pro	gtc Val	ctc Leu 130	cag Gln	acc Thr	tgg Trp	ctg Leu	cag Gln 135	gac Asp	ctg Leu	ctg Leu	cgt Arg	cgt Arg 140	ggg Gly	495
ctg Leu	gtg Val	cgg Arg	gct Ala 145	gcc Ala	cag Gln	agc Ser	aca Thr	gga Gly 150	gcc Ala	tgg Trp	att Ile	gtc Val	act Thr 155	ggg Gly	ggt Gly	543
ctg Leu	cac His	acg Thr 160	ggc Gly	atc Ile	ggc Gly	cgg Arg	cat His 165	gtt Val	ggt Gly	gtg Val	gct Ala	gta Val 170	cgg Arg	gac Asp	cat His	591
cag Gln	atg Met 175	gcc Ala	agc Ser	act Thr	ggg Gly	ggc Gly 180	acc Thr	aag Lys	gtg Val	gtg Val	gcc Ala 185	atg Met	ggt Gly	gtg Val	gcc Ala	639
ccc Pro 190	tgg Trp	ggt Gly	gtg Val	gtc Val	cgg Arg 195	aat Asn	aga Arg	gac Asp	acc Thr	ctc Leu 200	atc Ile	aac Asn	ccc Pro	aag Lys	ggc Gly 205	687
tcg Ser	ttc Phe	cct Pro	gcg Ala	agg Arg 210	tac Tyr	cgg Arg	tgg Trp	cgc Arg	ggt Gly 215	gac Asp	ccg Pro	gag Glu	gac Asp	ggg Gly 220	gtc Val	735
cag Gln	ttt Phe	ccc Pro	ctg Leu 225	gac Asp	tac Tyr	aac Asn	tac Tyr	tcg Ser 230	gcc Ala	ttc Phe	ttc Phe	ctg Leu	gtg Val 235	gac Asp	gac Asp	783
ggc Gly	aca Thr	cac His 240	ggc Gly	tgc Cys	ctg Leu	ggg Gly	ggc Gly 245	gag Glu	aac Asn	cgc Arg	ttc Phe	cgc Arg 250	ttg Leu	cgc Arg	ctg Leu	831
gag Glu	tcc Ser 255	tac Tyr	atc Ile	tca Ser	cag Gln	cag Gln 260	aag Lys	acg Thr	ggc Gly	gtg Val	gga Gly 265	ggg Gly	act Thr	gga Gly	att Ile	879
gac Asp 270	atc Ile	cct Pro	gtc Val	ctg Leu	ctc Leu 275	ctc Leu	ctg Leu	att Ile	gat Asp	ggt Gly 280	gat Asp	gag Glu	aag Lys	atg Met	ttg Leu 285	927
acg Thr	cga Arg	ata Ile	gag Glu	aac Asn 290	gcc Ala	acc Thr	cag Gln	gct Ala 295	ctc Leu	cca Pro	tgt Cys	ctc Leu	ctc Leu 300	gtg Val		975
gct Ala	ggc Gly	tca Ser	ggg Gly 305	gga Gly	gct Ala	gcg Ala	gac Asp	tgc Cys 310	ctg Leu	gcg Ala	gag Glu	acc Thr	ctg Leu 315	gaa Glu	gac Asp	1023
act Thr	ctg Leu	gcc Ala 320	cca Pro	ggg Gly	agt Ser	ggg Gly	gga Gly 325	gcc Ala	agg Arg	caa Gln	ggc Gly	gaa Glu 330	gcc Ala	cga Arg	gat Asp	1071
cga Arg	atc Ile 335	agg Arg	cgt Arg	ttc Phe	ttt Phe	ccc Pro 340	aaa Lys	ggg Gly	gac Asp	ctt Leu	gag Glu 345	gtc Val	ctg Leu	cag Gln	gcc Ala	1119
cag Gln 350	gtg Val	gag Glu	agg Arg	att Ile	atg Met 355	acc Thr	cgg Arg	aag Lys	gag Glu	ctc Leu 360	ctg Leu	aca Thr	gtc Val	tat Tyr	tct Ser 365	1167

tct Ser	gag Glu	gat Asp	ggg Gly	tct Ser 370	gag Glu	gaa Glu	ttc Phe	gag Glu	acc Thr 375	ata Ile	gtt Val	ttg Leu	aag Lys	gcc Ala 380	ctt Leu	1215
gtg Val	aag Lys	gcc Ala	tgt Cys 385	ggg Gly	agc Ser	tcg Ser	gag Glu	gcc Ala 390	tca Ser	gcc Ala	tac Tyr	ctg Leu	gat Asp 395	gag Glu	ctg Leu	1263
cgt Arg	ttg Leu	gct Ala 400	gtg Val	gct Ala	tgg Trp	aac Asn	cgc Arg 405	gtg Val	gac Asp	att Ile	gcc Ala	cag Gln 410	agt Ser	gaa Glu	ctc Leu	1311
ttt Phe	cgg Arg 415	ggg Gly	gac Asp	atc Ile	caa Gln	tgg Trp 420	cgg Arg	tcc Ser	ttc Phe	cat His	ctc Leu 425	gaa Glu	gct Ala	tcc Ser	ctc Leu	1359
atg Met 430	gac Asp	gcc Ala	ctg Leu	ctg Leu	aat Asn 435	gac Asp	cgg Arg	cct Pro	gag Glu	ttc Phe 440	gtg Val	cgc Arg	ttg Leu	ctc Leu	att Ile 445	1407
tcc Ser	cac His	ggc Gly	ctc Leu	agc Ser 450	ctg Leu	ggc Gly	cac His	ttc Phe	ctg Leu 455	acc Thr	ccg Pro	atg Met	cgc Arg	ctg Leu 460	gcc Ala	1455
caa Gln	ctc Leu	tac Tyr	agc Ser 465	gcg Ala	gcg Ala	ccc Pro	tcc Ser	aac Asn 470	tcg Ser	ctc Leu	atc Ile	cgc Arg	aac Asn 475	ctt Leu	ttg Leu	1503
gac Asp	cag Gln	gcg Ala 480	tcc Ser	cac His	agc Ser	gca Ala	ggc Gly 485	acc Thr	aaa Lys	gcc Ala	cca Pro	gcc Ala 490	cta Leu	aaa Lys	ggg Gly	1551
gga Gly	gct Ala 495	gcg Ala	gag Glu	ctc Leu	cgg Arg	ccc Pro 500	cct Pro	gac Asp	gtg Val	ggg Gly	cat His 505	gtg Val	ctg Leu	agg Arg	atg Met	1599
ctg Leu 510	ctg Leu	ggg Gly	aag Lys	atg Met	tgc Cys 515	gcg Ala	ccg Pro	agg Arg	tac Tyr	ccc Pro 520	tcc Ser	ggg Gly	ggc Gly	gcc Ala	tgg Trp 525	1647
gac Asp	cct Pro	cac His	cca Pro	ggc Gly 530	cag Gln	ggc Gly	ttc Phe	ggg Gly	gag Glu 535	agc Ser	atg Met	tat Tyr	ctg Leu	ctc Leu 540	tcg Ser	1695
gac Asp	aag Lys	gcc Ala	acc Thr 545	tcg Ser	ccg Pro	ctc Leu	tcg Ser	ctg Leu 550	gat Asp	gct Ala	ggc Gly	ctc Leu	ggg Gly 555	cag Gln	gcc Ala	1743
ccc Pro	tgg Trp	agc Ser 560	gac Asp	ctg Leu	ctt Leu	ctt Leu	tgg Trp 565	gca Ala	ctg Leu	ttg Leu	ctg Leu	aac Asn 570	agg Arg	gca Ala	cag Gln	1791
atg Met	gcc Ala 575	atg Met	tac Tyr	ttc Phe	tgg Trp	gag Glu 580	atg Met	ggt Gly	tcc Ser	aat Asn	gca Ala 585	gtt Val	tcc Ser	tca Ser	gct Ala	1839
ctt Leu 590	ggg Gly	gcc Ala	tgt Cys	ttg Leu	ctg Leu 595	ctc Leu	cgg Arg	gtg Val	atg Met	gca Ala 600	cgc Arg	ctg Leu	gag Glu	cct Pro	gac Asp 605	1887
gct Ala	gag Glu	gag Glu	gca Ala 610	gca Ala	cgg Arg	agg Arg	aaa Lys	gac Asp	ctg Leu 615	gcg Ala	ttc Phe	aag Lys	ttt Phe	gag Glu 620	ggg Gly	1935
atg Met	ggc Gly	gtt Val	gac Asp 625	ctc Leu	ttt Phe	ggc Gly	gag Glu	tgc Cys 630	tat Tyr	cgc Arg	agc Ser	agt Ser	gag Glu 635	gtg Val	agg Arg	1983
gct Ala	gcc Ala	cgc Arg 640	ctc Leu	ctc Leu	ctc Leu	cgt Arg	cgc Arg 645	tgc Cys	ccg Pro	ctc Leu	tgg Trp	ggg Gly 650	gat Asp	gcc Ala	act Thr	2031
tgc Cys	ctc Leu 655	cag Gln	ctg Leu	gcc Ala	atg Met	caa Gln 660	gct Ala	gac Asp	gcc Ala	cgt Arg	gcc Ala 665	ttc Phe	ttt Phe	gcc Ala	cag Gln	2079
gat Asp 670	ggg Gly	gta Val	cag Gln	tct Ser	ctg Leu 675	ctg Leu	aca Thr	cag Gln	aag Lys	tgg Trp 680	tgg Trp	gga Gly	gat Asp	atg Met	gcc Ala 685	2127

agc Ser	act Thr	aca Thr	ccc Pro	atc Ile 690	tgg Trp	gcc Ala	ctg Leu	gtt Val	ctc Leu 695	gcc Ala	ttc Phe	ttt Phe	tgc Cys	cct Pro 700	cca Pro	2175
ctc Leu	atc Ile	tac Tyr	acc Thr 705	cgc Arg	ctc Leu	atc Ile	acc Thr	ttc Phe 710	agg Arg	aaa Lys	tca Ser	gaa Glu	gag Glu 715	gag Glu	ccc Pro	2223
aca Thr	cgg Arg	gag Glu 720	gag Glu	cta Leu	gag Glu	ttt Phe	gac Asp 725	atg Met	gat Asp	agt Ser	gtc Val	att Ile 730	aat Asn	ggg Gly	gaa Glu	2271
ggg Gly	cct Pro 735	gtc Val	ggg Gly	acg Thr	gcg Ala	gac Asp 740	cca Pro	gcc Ala	gag Glu	aag Lys	acg Thr 745	ccg Pro	ctg Leu	ggg Gly	gtc Val	2319
ccg Pro 750	cgc Arg	cag Gln	tcg Ser	ggc Gly	cgt Arg 755	ccg Pro	ggt Gly	tgc Cys	tgc Cys	ggg Gly 760	ggc Gly	cgc Arg	tgc Cys	ggg Gly	ggg Gly 765	2367
cgc Arg	cgg Arg	tgc Cys	cta Leu	cgc Arg 770	cgc Arg	tgg Trp	ttc Phe	cac His	ttc Phe 775	tgg Trp	ggc Gly	gcg Ala	ccg Pro	gtg Val 780	acc Thr	2415
atc Ile	ttc Phe	atg Met	ggc Gly 785	aac Asn	gtg Val	gtc Val	agc Ser	tac Tyr 790	ctg Leu	ctg Leu	ttc Phe	ctg Leu	ctg Leu 795	ctt Leu	ttc Phe	2463
tcg Ser	cgg Arg	gtg Val 800	ctg Leu	ctc Leu	gtg Val	gat Asp	ttc Phe 805	cag Gln	ccg Pro	gcg Ala	ccg Pro	ccc Pro 810	ggc Gly	tcc Ser	ctg Leu	2511
gag Glu	ctg Leu 815	ctg Leu	ctc Leu	tat Tyr	ttc Phe	tgg Trp 820	gct Ala	ttc Phe	acg Thr	ctg Leu	ctg Leu 825	tgc Cys	gag Glu	gaa Glu	ctg Leu	2559
cgc Arg 830	cag Gln	ggc Gly	ctg Leu	agc Ser	gga Gly 835	ggc Gly	ggg Gly	ggc Gly	agc Ser	ctc Leu 840	gcc Ala	agc Ser	ggg Gly	ggc Gly	ccc Pro 845	2607
ggg Gly	cct Pro	ggc Gly	cat His	gcc Ala 850	tca Ser	ctg Leu	agc Ser	cag Gln	cgc Arg 855	ctg Leu	cgc Arg	ctc Leu	tac Tyr	ctc Leu 860	gcc Ala	2655
gac Asp	agc Ser	tgg Trp	aac Asn 865	cag Gln	tgc Cys	gac Asp	cta Leu	gtg Val 870	gct Ala	ctc Leu	acc Thr	tgc Cys	ttc Phe 875	ctc Leu	ctg Leu	2703
ggc Gly	gtg Val	ggc Gly 880	tgc Cys	cgg Arg	ctg Leu	acc Thr	ccg Pro 885	ggt Gly	ttg Leu	tac Tyr	cac His	ctg Leu 890	ggc Gly	cgc Arg	act Thr	2751
gtc Val 895	ctc Leu	tgc Cys	atc Ile	gac Asp	ttc Phe	atg Met 900	gtt Val	ttc Phe	acg Thr	gtg Val	cgg Arg 905	ctg Leu	ctt Leu	cac His	atc Ile	2799
ttc Phe 910	acg Thr	gtc Val	aac Asn	aaa Lys	cag Gln 915	ctg Leu	ggg Gly	ccc Pro	aag Lys	atc Ile 920	gtc Val	atc Ile	gtg Val	agc Ser	aag Lys 925	2847
atg Met	atg Met	aag Lys	gac Asp	gtg Val 930	ttc Phe	ttc Phe	ttc Phe	ctc Leu	ttc Phe 935	ttc Phe	ctc Leu	ggc Gly	gtg Val	tgg Trp 940	ctg Leu	2895
gta Val	gcc Ala	tat Tyr	ggc Gly 945	gtg Val	gcc Ala	acg Thr	gag Glu	ggg Gly 950	ctc Leu	ctg Leu	agg Arg	cca Pro	cgg Arg 955	gac Asp	agt Ser	2943
gac Asp	ttc Phe	cca Pro 960	agt Ser	atc Ile	ctg Leu	cgc Arg	cgc Arg 965	gtc Val	ttc Phe	tac Tyr	cgt Arg	ccc Pro 970	tac Tyr	ctg Leu	cag Gln	2991
atc Ile	ttc Phe 975	ggg Gly	cag Gln	att Ile	ccc Pro	cag Gln 980	gag Glu	gac Asp	atg Met	gac Asp	gtg Val 985	gcc Ala	ctc Leu	atg Met	gag Glu	3039
cac His 990	agc Ser	aac Asn	tgc Cys	tcg Ser	tcg Ser 995	gag Glu	ccc Pro	ggc Gly	ttc Phe	tgg Trp 1000	gca Ala	cac His	cct Pro	cct Pro	ggg Gly 1005	3087

gcc Ala	cag Gln	gcg Ala	ggc Gly	acc Thr 1010	tgc Cys	gtc Val	tcc Ser	cag Gln	tat Tyr 1015	gcc Ala	aac Asn	tgg Trp	ctg Leu	gtg Val 1020	3132
gtg Val	ctg Leu	ctc Leu	ctc Leu	gtc Val 1025	atc Ile	ttc Phe	ctg Leu	ctc Leu	gtg Val 1030	gcc Ala	aac Asn	atc Ile	ctg Leu	ctg Leu 1035	3177
gtc Val	aac Asn	ttg Leu	ctc Leu	att Ile 1040	gcc Ala	atg Met	ttc Phe	agt Ser	tac Tyr 1045	aca Thr	ttc Phe	ggc Gly	aaa Lys	gta Val 1050	3222
cag Gln	ggc Gly	aac Asn	agc Ser	gat Asp 1055	ctc Leu	tac Tyr	tgg Trp	aag Lys	gcg Ala 1060	cag Gln	cgt Arg	tac Tyr	cgc Arg	ctc Leu 1065	3267
atc Ile	cgg Arg	gaa Glu	ttc Phe	cac His 1070	tct Ser	cgg Arg	ccc Pro	gcg Ala	ctg Leu 1075	gcc Ala	ccg Pro	ccc Pro	ttt Phe	atc Ile 1080	3312
gtc Val	atc Ile	tcc Ser	cac His	ttg Leu 1085	cgc Arg	ctc Leu	ctg Leu	ctc Leu	agg Arg 1090	caa Gln	ttg Leu	tgc Cys	agg Arg	cga Arg 1095	3357
ccc Pro	cgg Arg	agc Ser	ccc Pro	cag Gln 1100	ccg Pro	tcc Ser	tcc Ser	ccg Pro	gcc Ala 1105	ctc Leu	gag Glu	cat His	ttc Phe	cgg Arg 1110	3402
gtt Val	tac Tyr	ctt Leu	tct Ser	aag Lys 1115	gaa Glu	gcc Ala	gag Glu	cgg Arg	aag Lys 1120	ctg Leu	cta Leu	acg Thr	tgg Trp	gaa Glu 1125	3447
tgc Ser	gtg Val	cat His	aag Lys	gag Glu 1130	aac Asn	ttt Phe	ctg Leu	ctg Leu	gca Ala 1135	cgc Arg	gct Ala	agg Arg	gac Asp	aag Lys 1140	3492
cgg Arg	gag Glu	agc Ser	gac Asp	tcc Ser 1145	gag Glu	cgt Arg	ctg Leu	aag Lys	cgc Arg 1150	acg Thr	tcc Ser	cag Gln	aag Lys	gtg Val 1155	3537
gac Asp	ttg Leu	gca Ala	ctg Leu	aaa Lys 1160	cag Gln	ctg Leu	gga Gly	cac His	atc Ile 1165	cgc Arg	gag Glu	tac Tyr	gaa Glu	cag Gln 1170	3582
cgc Arg	ctg Leu	aaa Lys	gtg Val	ctg Leu 1175	gag Glu	cgg Arg	gag Glu	gtc Val	cag Gln 1180	cag Gln	tgt Cys	agc Ser	cgc Arg	gtc Val 1185	3627
ctg Leu	ggg Gly	tgg Trp	gtg Val	gcc Ala 1190	gag Glu	gcc Ala	ctg Leu	agc Ser	cgc Arg 1195	tct Ser	gcc Ala	ttg Leu	ctg Leu	ccc Pro 1200	3672
cca Pro	ggt Gly	ggg Gly	ccg Pro	cca Pro 1205	ccc Pro	cct Pro	gac Asp	ctg Leu	cct Pro 1210	ggg Gly	tcc Ser	aaa Lys	gac Asp	tga	3717
gccctgctgg	cggacttcaa	ggagaagccc	ccacaggga	ttttgctcct	agagtaaggc	3777									
tcatctgggc	ctcggcccc	gcacctggtg	gccttgctcct	tgaggtgagc	cccatgtcca	3837									
tctggggccac	tgtcaggacc	acctttggga	gtgtcatcct	tacaaaccac	agcatgcccg	3897									
gctcctccca	gaaccagtcc	cagcctggga	ggatcaaggc	ctggatcccg	ggccgttatc	3957									
catctggagg	ctgcagggtc	cttggggtaa	cagggaccac	agaccctca	ccactcacag	4017									
attcctcaca	ctggggaaat	aaagccattt	cagaggaaaa	aaaa		4061									

<210> 80  
 <211> 1214  
 <212> PRT  
 <213> Homo sapiens

<400> 80

Met val val Pro glu Lys Glu Gln Ser Trp Ile Pro Lys Ile Phe Lys  
 1 5 10 15

Lys Lys Thr Cys<sub>20</sub> Thr Thr Phe Ile Val<sub>25</sub> Asp Ser Thr Asp Pro<sub>30</sub> Gly Gly  
 Thr Leu Cys<sub>35</sub> Gln Cys Gly Arg Pro<sub>40</sub> Arg Thr Ala His Pro<sub>45</sub> Ala Val Ala  
 Met Glu<sub>50</sub> Asp Ala Phe Gly Ala<sub>55</sub> Ala Val Val Thr Val<sub>60</sub> Trp Asp Ser Asp  
 Ala His Thr Thr Glu Lys<sub>70</sub> Pro Thr Asp Ala Tyr<sub>75</sub> Gly Glu Leu Asp Phe<sub>80</sub>  
 Thr Gly Ala Gly Arg<sub>85</sub> Lys His Ser Asn Phe<sub>90</sub> Leu Arg Leu Ser Asp<sub>95</sub> Arg  
 Thr Asp Pro Ala<sub>100</sub> Ala Val Tyr Ser Leu<sub>105</sub> Val Thr Arg Thr Trp<sub>110</sub> Gly Phe  
 Arg Ala Pro<sub>115</sub> Asn Leu Val Val Ser<sub>120</sub> Val Leu Gly Gly Ser<sub>125</sub> Gly Gly Pro  
 Val Leu<sub>130</sub> Gln Thr Trp Leu Gln<sub>135</sub> Asp Leu Leu Arg Arg<sub>140</sub> Gly Leu Val Arg  
 Ala Ala Gln Ser Thr Gly<sub>150</sub> Ala Trp Ile Val Thr<sub>155</sub> Gly Gly Leu His Thr<sub>160</sub>  
 Gly Ile Gly Arg His<sub>165</sub> Val Gly Val Ala Val<sub>170</sub> Arg Asp His Gln Met<sub>175</sub> Ala  
 Ser Thr Gly Gly<sub>180</sub> Thr Lys Val Val Ala<sub>185</sub> Met Gly Val Ala Pro<sub>190</sub> Trp Gly  
 Val Val Arg<sub>195</sub> Asn Arg Asp Thr Leu<sub>200</sub> Ile Asn Pro Lys Gly<sub>205</sub> Ser Phe Pro  
 Ala Arg<sub>210</sub> Tyr Arg Trp Arg Gly<sub>215</sub> Asp Pro Glu Asp Gly<sub>220</sub> Val Gln Phe Pro  
 Leu<sub>225</sub> Asp Tyr Asn Tyr Ser<sub>230</sub> Ala Phe Phe Leu Val<sub>235</sub> Asp Asp Gly Thr His<sub>240</sub>  
 Gly Cys Leu Gly Gly<sub>245</sub> Glu Asn Arg Phe Arg<sub>250</sub> Leu Arg Leu Glu Ser<sub>255</sub> Tyr  
 Ile Ser Gln Gln<sub>260</sub> Lys Thr Gly Val Gly<sub>265</sub> Gly Thr Gly Ile Asp<sub>270</sub> Ile Pro  
 Val Leu Leu<sub>275</sub> Leu Leu Ile Asp Gly<sub>280</sub> Asp Glu Lys Met Leu<sub>285</sub> Thr Arg Ile  
 Glu Asn<sub>290</sub> Ala Thr Gln Ala Gln<sub>295</sub> Leu Pro Cys Leu Leu<sub>300</sub> Val Ala Gly Ser  
 Gly Gly Ala Ala Asp Cys<sub>310</sub> Leu Ala Glu Thr Leu<sub>315</sub> Glu Asp Thr Leu Ala<sub>320</sub>  
 Pro Gly Ser Gly Gly<sub>325</sub> Ala Arg Gln Gly Glu<sub>330</sub> Ala Arg Asp Arg Ile<sub>335</sub> Arg



Arg Phe Phe Pro Lys Gly Asp Leu Glu Val Leu Gln Ala Gln Val Glu  
 340 345 350  
 Arg Ile Met Thr Arg Lys Glu Leu Leu Thr Val Tyr Ser Ser Glu Asp  
 355 360 365  
 Gly Ser Glu Glu Phe Glu Thr Ile Val Leu Lys Ala Leu Val Lys Ala  
 370 375 380  
 Cys Gly Ser Ser Glu Ala Ser Ala Tyr Leu Asp Glu Leu Arg Leu Ala  
 385 390 395 400  
 Val Ala Trp Asn Arg Val Asp Ile Ala Gln Ser Glu Leu Phe Arg Gly  
 405 410 415  
 Asp Ile Gln Trp Arg Ser Phe His Leu Glu Ala Ser Leu Met Asp Ala  
 420 425 430  
 Leu Leu Asn Asp Arg Pro Glu Phe Val Arg Leu Leu Ile Ser His Gly  
 435 440 445  
 Leu Ser Leu Gly His Phe Leu Thr Pro Met Arg Leu Ala Gln Leu Tyr  
 450 455 460  
 Ser Ala Ala Pro Ser Asn Ser Leu Ile Arg Asn Leu Leu Asp Gln Ala  
 465 470 475 480  
 Ser His Ser Ala Gly Thr Lys Ala Pro Ala Leu Lys Gly Gly Ala Ala  
 485 490 495  
 Glu Leu Arg Pro Pro Asp Val Gly His Val Leu Arg Met Leu Leu Gly  
 500 505 510  
 Lys Met Cys Ala Pro Arg Tyr Pro Ser Gly Gly Ala Trp Asp Pro His  
 515 520 525  
 Pro Gly Gln Gly Phe Gly Glu Ser Met Tyr Leu Leu Ser Asp Lys Ala  
 530 535 540  
 Thr Ser Pro Leu Ser Leu Asp Ala Gly Leu Gly Gln Ala Pro Trp Ser  
 545 550 555 560  
 Asp Leu Leu Leu Trp Ala Leu Leu Leu Asn Arg Ala Gln Met Ala Met  
 565 570 575  
 Tyr Phe Trp Glu Met Gly Ser Asn Ala Val Ser Ser Ala Leu Gly Ala  
 580 585 590  
 Cys Leu Leu Leu Arg Val Met Ala Arg Leu Glu Pro Asp Ala Glu Glu  
 595 600 605  
 Ala Ala Arg Arg Lys Asp Leu Ala Phe Lys Phe Glu Gly Met Gly Val  
 610 615 620  
 Asp Leu Phe Gly Glu Cys Tyr Arg Ser Ser Glu Val Arg Ala Ala Arg  
 625 630 635 640  
 Leu Leu Leu Arg Arg Cys Pro Leu Trp Gly Asp Ala Thr Cys Leu Gln  
 645 650 655

Leu Ala Met Gln Ala Asp Ala Arg Ala Phe Phe Ala Gln Asp Gly Val  
 660 665 670  
 Gln Ser Leu Leu Thr Gln Lys Trp Trp Gly Asp Met Ala Ser Thr Thr  
 675 680 685  
 Pro Ile Trp Ala Leu Val Leu Ala Phe Phe Cys Pro Pro Leu Ile Tyr  
 690 695 700  
 Thr Arg Leu Ile Thr Phe Arg Lys Ser Glu Glu Glu Pro Thr Arg Glu  
 705 710 715 720  
 Glu Leu Glu Phe Asp Met Asp Ser Val Ile Asn Gly Glu Gly Pro Val  
 725 730 735  
 Gly Thr Ala Asp Pro Ala Glu Lys Thr Pro Leu Gly Val Pro Arg Gln  
 740 745 750  
 Ser Gly Arg Pro Gly Cys Cys Gly Gly Arg Cys Gly Gly Arg Arg Cys  
 755 760 765  
 Leu Arg Arg Trp Phe His Phe Trp Gly Ala Pro Val Thr Ile Phe Met  
 770 775 780  
 Gly Asn Val Val Ser Tyr Leu Leu Phe Leu Leu Leu Phe Ser Arg Val  
 785 790 795 800  
 Leu Leu Val Asp Phe Gln Pro Ala Pro Pro Gly Ser Leu Glu Leu Leu  
 805 810 815  
 Leu Tyr Phe Trp Ala Phe Thr Leu Leu Cys Glu Glu Leu Arg Gln Gly  
 820 825 830  
 Leu Ser Gly Gly Gly Gly Ser Leu Ala Ser Gly Gly Pro Gly Pro Gly  
 835 840 845  
 His Ala Ser Leu Ser Gln Arg Leu Arg Leu Tyr Leu Ala Asp Ser Trp  
 850 855 860  
 Asn Gln Cys Asp Leu Val Ala Leu Thr Cys Phe Leu Leu Gly Val Gly  
 865 870 875 880  
 Cys Arg Leu Thr Pro Gly Leu Tyr His Leu Gly Arg Thr Val Leu Cys  
 885 890 895  
 Ile Asp Phe Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val  
 900 905 910  
 Asn Lys Gln Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys  
 915 920 925  
 Asp Val Phe Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr  
 930 935 940  
 Gly Val Ala Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro  
 945 950 955 960  
 Ser Ile Leu Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly  
 965 970 975

Gln Ile Pro Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn  
 980 985 990

Cys Ser Ser Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala  
 995 1000 1005

Gly Thr Cys Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu  
 1010 1015 1020

Leu Val Ile Phe Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu  
 1025 1030 1035

Leu Ile Ala Met Phe Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn  
 1040 1045 1050

Ser Asp Leu Tyr Trp Lys Ala Gln Arg Tyr Arg Leu Ile Arg Glu  
 1055 1060 1065

Phe His Ser Arg Pro Ala Leu Ala Pro Pro Phe Ile Val Ile Ser  
 1070 1075 1080

His Leu Arg Leu Leu Leu Arg Gln Leu Cys Arg Arg Pro Arg Ser  
 1085 1090 1095

Pro Gln Pro Ser Ser Pro Ala Leu Glu His Phe Arg Val Tyr Leu  
 1100 1105 1110

Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr Trp Glu Ser Val His  
 1115 1120 1125

Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp Lys Arg Glu Ser  
 1130 1135 1140

Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val Asp Leu Ala  
 1145 1150 1155

Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg Leu Lys  
 1160 1165 1170

Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly Trp  
 1175 1180 1185

Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly  
 1190 1195 1200

Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp  
 1205 1210

<210> 81  
 <211> 27  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 81  
 accatggcct caccgttgac ccgcttt

27

<210> 82  
 <211> 25  
 <212> DNA  
 <213> Artificial Sequence

<220>  
<223> primer  
<400> 82  
ctagcggctg tggtagcaga tgaga 25

<210> 83  
<211> 29  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 83  
ctacggatcc accatggcct caccgttga 29

<210> 84  
<211> 35  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 84  
gtacatcgat ctagcggctg tggtagcaga tgaga 35

<210> 85  
<211> 61  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 85  
agctgtaaaa cgacggccag tgagcgttta aacgaattcc agactagtgg ccggccgtgc 60  
a 61

<210> 86  
<211> 53  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 86  
cggccggcca ctagtctgga attcgtttaa acgctcactg gccgtcgttt tac 53

<210> 87  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 87  
aattctgcag cccaggtaaa attcgctagc ct 32

<210> 88  
<211> 32  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 88  
ctagaggcta gcgaatttta cctgggctgc ag 32

<210> 89  
 <211> 72  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 89  
 cggtccgtga gtgagtgagg cgcgccggat cctaacctag gtaatcatgg tcatagctgt 60  
 ttcttcgagg gc 72

<210> 90  
 <211> 80  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 90  
 ggccgacctg caggaaacag ctatgaccat gattacctag gttaggatcc ggcgcgctc 60  
 actcactcac ggaccgtgca 80

<210> 91  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 91  
 gatcccgggt cgtgtattca gctttccttg ttcct 35

<210> 92  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 92  
 ctagaggaac aaggaaagct gaatacacga cccgg 35

<210> 93  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 93  
 catcaagctt ggccggccac catggacgcg tccgaagacg caaaaacat aaag 54

<210> 94  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<400> 94  
 cacgtggata tcttacaatt tggactttcc gccct 35

<210> 95  
 <211> 31  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer  
 <400> 95  
 ttgtaagata tccacgtgtt gacaattaat c 31

<210> 96  
 <211> 45  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer  
 <400> 96  
 catcagatct gtcgaccgga cgcacgcgtc cacgaagtgc ttagc 45

<210> 97  
 <211> 54  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer  
 <400> 97  
 catcaagctt ggccggccac catggacgcg tccgaagacg caaaaaacat aaag 54

<210> 98  
 <211> 45  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer  
 <400> 98  
 catcagatct gtcgaccgga cgcacgcgtc cacgaagtgc ttagc 45

<210> 99  
 <211> 43  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer  
 <400> 99  
 catcaagctt ggccggccac gcgtgttggt aaaatggaag acg 43

<210> 100  
 <211> 40  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer  
 <400> 100  
 catgagatct gtcgaccgga ccgccacgaa gtgcttaagc 40

<210> 101  
 <211> 35  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> primer

<220>  
 <221> misc\_feature  
 <222> (27)..(35)  
 <223> N = any nucleotide

<220>  
<221> misc\_feature  
<222> (27)..(35)  
<223> n = a, t, c, or g

<400> 101  
gtaatacgac tcactatagg cgcgccnnnn nnnnn

35

<210> 102  
<211> 36  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<220>  
<221> misc\_feature  
<222> (28)..(36)  
<223> N = any nucleotide

<220>  
<221> misc\_feature  
<222> (28)..(36)  
<223> n = a, t, c, or g

<400> 102  
gtaatacgac tcactatagg cggaccgnnn nnnnnn

36

<210> 103  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 103  
atgattacgc cacggaccgt c

21

<210> 104  
<211> 30  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 104  
gacggtccgt ggcgtaatca tggtcatagc

30

<210> 105  
<211> 22  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 105  
atgattacgc caggcgcgcc ac

22

<210> 106  
<211> 31  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 106  
gtggcgcgcc tggcgtaatc atggtcatag c

31

<210> 107  
<211> 30  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer  
  
<400> 107  
gctatgacca tgattacgcc acggaccgtc 30  
  
<210> 108  
<211> 21  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer  
  
<400> 108  
gtaatacgac tcactatagg c 21  
  
<210> 109  
<211> 31  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer  
  
<400> 109  
gctatgacca tgattacgcc aggcgcgcc a 31  
  
<210> 110  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer  
  
<400> 110  
gtaatacgac tcactatagg cggac 25  
  
<210> 111  
<211> 30  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer  
  
<400> 111  
gctatgacca tgattacgcc acggaccgtc 30  
  
<210> 112  
<211> 21  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer  
  
<400> 112  
gtaatacgac tcactatagg c 21  
  
<210> 113  
<211> 31  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> primer



<400> 113  
gctatgacca tgattacgcc aggcgcgcca c 31

<210> 114  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 114  
gtaatacgac tcactatagg cggac 25

<210> 115  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 115  
tctgcagccc aggtaaaatt cgctagcctc tagt 34

<210> 116  
<211> 35  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 116  
gaggaacaag gaaagctgaa tacacgaccc gtgat 35

<210> 117  
<211> 17  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 117  
gtaaaacgac ggccagt 17

<210> 118  
<211> 34  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 118  
tctgcagccc aggtaaaatt cgctagcctc tagt 34

<210> 119  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 119  
tcgttcgagg agcccttggc agcat 25

<210> 120  
<211> 24  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer  
<400> 120  
cgcccttccg ccacggccgt ctct 24  
<210> 121  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> primer  
<400> 121  
gaaaggaccc gtcgcatgg gccgt 25  
<210> 122  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> primer  
<400> 122  
cagtcgcaa tatgcagctc tttgt 25  
<210> 123  
<211> 20  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> primer  
<400> 123  
cgaggtatgc tgccccacaa 20  
<210> 124  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> primer  
<400> 124  
cgagcgctg tgcacagcag ccaga 25  
<210> 125  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> primer  
<400> 125  
gcgggacatg attcgggagg tgtgt 25  
<210> 126  
<211> 25  
<212> DNA  
<213> Artificial Sequence  
<220>  
<223> primer  
<400> 126  
ctgcgcgcct gcgcgccgtg gattt 25  
<210> 127

<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 127  
cttcgaggtg accggccagg aaacg

25

<210> 128  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 128  
caggccgctc tggaccgtct caagg

25

<210> 129  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 129  
aacggtgggc ttgttgctgc tctgg

25

<210> 130  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 130  
attggtattg gtaacgggag tcagg

25

<210> 131  
<211> 25  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> primer

<400> 131  
accatcttcc aggcgcagtt gagtt

25

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**